

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 07/03/2019 Date of issue: 18/11/2013

Version: 3.0

SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

Product Identifier 1.1.

Product form Mixture Product Name FS-3730

Synonyms Fluorosilicone Adhesive

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only.

1.2.2. Uses Advised Against

No additional information available

Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013

USA

(805) 684-8780 ehs@nusil.com www.nusil.com

Emergency Telephone Number

: +(44)-870-8200418 **Emergency Number** +(353)-19014670

SECTION 2: Hazards Identification

Classification of the Substance or Mixture 2.1.

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1B H314 Eye Dam. 1 H318 STOT SE 3 H335

Full text of hazard classes and H-statements: see section 16

Label Elements 2.2.

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)





GHS05

Signal Word (CLP)

Hazardous Ingredients Siloxanes and Silicones, methyl 3,3,3-trifluoropropyl, hydroxy-

terminated; Silanetriol, ethyl-, triacetate

Hazard Statements (CLP) H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

Precautionary Statements (CLP) P260 - Do not breathe mist, spray, vapours.

P264 - Wash hands, forearms and face thoroughly after

handling.

07/03/2019 EN (English) 1/10 P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection, face shield, protective clothing, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor

P312 - Call a POISON CENTRE or doctor if you feel unwell.

P321 - Specific treatment (see SECTION 4 on this SDS)

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH014 - Reacts violently with water.

EUH-statements

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Siloxanes and Silicones, methyl 3,3,3-trifluoropropyl, hydroxy-terminated	(CAS-No.) 68607-77-2	70 - 90	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Silanetriol, ethyl-, triacetate	(CAS-No.) 17689-77-9 (EC-No.) 241-677-4	< 10	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318
Titanium dioxide	(CAS No) 13463-67-7 (EC no) 236-675-5	< 5	Not classified

Full text of H-statements: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-Aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

07/03/2019 EN (English) 2/10

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-Aid Measures After Remove to fresh air and keep at rest in a position comfortable

for breathing. Immediately call a POISON CENTER or Inhalation

doctor/physician.

First-Aid Measures After Skin

Contact

Remove contaminated clothing. Immediately flush skin with plenty of water for at least 30 minutes. Immediately call a

POISON CENTER or doctor. Wash contaminated clothing before

reuse.

First-Aid Measures After Eye

Contact

Rinse cautiously with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get

immediate medical advice/attention.

First-Aid Measures After

Ingestion

Rinse mouth. Do not induce vomiting. Immediately call a

Irritation of the respiratory tract and the other mucous

membranes. May be corrosive to the respiratory tract.

Causes severe irritation which will progress to chemical burns.

Causes permanent damage to the cornea, iris, or conjunctiva.

POISON CENTER or doctor/physician.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Effects Causes severe skin burns and eye damage. May cause

respiratory irritation.

Symptoms/Effects After

Inhalation

Symptoms/Effects After Skin

Contact

Symptoms/Effects After Eye

Contact

Symptoms/Effects After

Ingestion

May cause burns or irritation of the linings of the mouth, throat,

and gastrointestinal tract.

Chronic Symptoms None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed 4.3. If exposed or concerned, get medical advice and attention. If medical advice is needed, have

product container or label at hand.

SECTION 5: Firefighting Measures

Extinguishing Media 5.1.

Suitable Extinguishing Media Unsuitable Extinguishing Media Water spray, dry chemical, foam, carbon dioxide.

Do not use a heavy water stream. Use of heavy stream of water may spread fire. Application of water stream to hot product

may cause frothing and increase fire intensity.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity May react exothermically with water releasing heat. Adding an

acid to a base or base to an acid may cause a violent

reaction.

Hazardous Decomposition

Products in Case of Fire

Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapours.

Formaldehyde is a potential carcinogen and can act as a skin and respiratory sensitizer. Formaldehyde can also cause

respiratory and eye irritation.

5.3. **Advice for Firefighters**

Precautionary Measures Fire Firefighting Instructions

Exercise caution when fighting any chemical fire.

Do not allow run-off from fire fighting to enter drains or water

sources. Do not breath fumes from fires or vapors from

decompostion. . Use water spray or fog for cooling exposed

containers.

07/03/2019 EN (English) 3/10 According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Ventilate area. Upon arrival at the scene, a first responder is

expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions

permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods For Cleaning Up Clean up spills immediately and dispose of waste safely.

Cautiously neutralize spilled liquid. Contact competent authorities after a spill. Transfer spilled material to a suitable

container for disposal.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When May release corrosive vapors.

Processed

Precautions for Safe Handling Avoid all eyes and skin contact and do not breathe vapour

and mist.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again

when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Store in a dry, cool and well-ventilated place. Keep container

closed when not in use. Store locked up. Keep/Store away from

direct sunlight, extremely high or low temperatures and

incompatible materials. Store in original container or corrosive

resistant and/or lined container.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

07/03/2019 EN (English) 4/10

7.3. Specific End Use(S)

For sealing and bonding applications requiring solvent and/or fuel resistance. For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

	ide (13463-67-7)	
Austria	MAK (mg/m³)	5 mg/m³ (alveolar dust, respirable fraction)
Austria	MAK Short time value (mg/m³)	10 mg/m³ (alveolar dust, respirable fraction)
Belgium	Limit value (mg/m³)	10 mg/m³
Bulgaria	OEL TWA (mg/m³)	10,0 mg/m³ (respirable dust)
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	10 mg/m³ (total dust) 4 mg/m³ (respirable dust)
France	VME (mg/m³)	10 mg/m³
Greece	OEL TWA (mg/m³)	10 mg/m³ (inhalable fraction) 5 mg/m³ (respirable fraction)
USA ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
Latvia	OEL TWA (mg/m³)	10 mg/m³
Spain	VLA-ED (mg/m³)	10 mg/m³
Switzerland	VME (mg/m³)	3 mg/m³ (respirable dust)
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ (total inhalable) 4 mg/m³ (respirable)
United Kingdom	WEL STEL (mg/m³)	30 mg/m³ (calculated-total inhalable) 12 mg/m³ (calculated-respirable)
Denmark	Grænseværdie (langvarig) (mg/m³)	6 mg/m³
Estonia	OEL TWA (mg/m³)	5 mg/m³
Ireland	OEL (8 hours ref) (mg/m³)	10 mg/m³ (total inhalable dust) 4 mg/m³ (respirable dust)
Ireland	OEL (15 min ref) (mg/m3)	30 mg/m³ (calculated-total inhalable dust) 12 mg/m³ (calculated-respirable dust)
Lithuania	IPRV (mg/m³)	5 mg/m³
Norway	Grenseverdier (AN) (mg/m³)	5 mg/m³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	10 mg/m³ (value calculated)
Poland	NDS (mg/m³)	10,0 mg/m³ (<2% free crystalline silica and containing no asbestos-inhalable fraction)
Romania	OEL TWA (mg/m³)	10 mg/m³
Romania	OEL STEL (mg/m³)	15 mg/m³
Sweden	nivågränsvärde (NVG) (mg/m³)	5 mg/m³ (total dust)
Portugal	OEL TWA (mg/m³)	10 mg/m³
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen

07/03/2019 EN (English) 5/10

8.2. Exposure Controls

Appropriate Engineering Ensure all national/local regulations are observed. Emergency Controls eye wash fountains and safety showers should be available in

the immediate vicinity of any potential exposure. Ensure

adequate ventilation, especially in confined areas.

Personal Protective Equipment Gloves. Protective goggles. Protective clothing. Insufficient

ventilation: wear respiratory protection.









Materials for Protective Clothing

Hand Protection Eye Protection

Skin and Body Protection Respiratory Protection Corrosion-proof clothing.

Wear chemically resistant protective gloves. Chemical safety goggles and face shield.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Hazards

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Colour White

Odour Acetic acid

Odour Threshold

pH

No data available

Evaporation Rate

Melting Point

No data available

Boiling Point No data available Flash Point > 135 °C (275 °F) **Auto-Ignition Temperature** No data available **Decomposition Temperature** No data available Flammability (Solid, Gas) No data available Vapour Pressure No data available Relative Vapour Density At 20 °C No data available Relative Density > 1 (water = 1) Solubility No data available

Partition Coefficient n-Octanol/Water
Viscosity, Kinematic
Viscosity, Dynamic
Explosive Properties
Oxidising Properties
No data available

9.2. Other Information

VOC content < 1 %

07/03/2019 EN (English) 6/10

SECTION 10: Stability and Reactivity

10.1. Reactivity

May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions To Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Thermal decomposition generates: Carbon oxides (CO, CO₂). Silicon oxides. Corrosive vapours. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information On Toxicological Effects

Acute Toxicity Not classified

Silanetriol, ethyl-, triacetate (17689-77-9)	
LD50 Oral Rat 1460 mg/kg	
LD50 Oral	1462 mg/kg

Titanium dioxide (13463-67-7)	
LD50 oral rat	> 10000 mg/kg

Skin Corrosion/Irritation Causes severe skin burns and eye damage.

Eye Damage/Irritation Causes serious eye damage.

Respiratory or Skin Sensitization Not classified Germ Cell Mutagenicity Not classified Not classified Reproductive Toxicity Not classified

Specific Target Organ Toxicity May cause respiratory irritation.

(Single Exposure)

Specific Target Organ Toxicity (Repeated Not classified

Exposure)

Aspiration Hazard Not classified

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Harmful to aquatic life.

<u> </u>	•
Titanium dioxide (13463-67-7)	
LC50 fish 1	> 1000 ml/l (Exposure Time: 96h - Species: Pimephales promelas (static)

07/03/2019 EN (English) 7/10

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and Degradability

<u>:=:=: : ::::::::::::::::::::::::::::::</u>	·····/
FS-3730	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

FS-3730	
Bioaccumulative potential	Not established.

12.4. Mobility in Soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Product/Packaging Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

	, ,	•		
ADR	IMDG	IATA	ADN	RID
14.1. UN Number				
1760	1760	1760	1760	1760
14.2. UN Proper	Shipping Name			
CORROSIVE	CORROSIVE	CORROSIVE	CORROSIVE	CORROSIVE
LIQUID, N.O.S.	LIQUID, N.O.S.	LIQUID, N.O.S.	LIQUID, N.O.S.	LIQUID, N.O.S.
((Contains:	((Contains:	((Contains:	((Contains:	((Contains:
Silanetriol, ethyl-,	Silanetriol, ethyl-,	Silanetriol, ethyl-,	Silanetriol, ethyl-,	Silanetriol, ethyl-,
triacetate))	triacetate))	triacetate))	triacetate))	triacetate))
14.3. Transport Hazard Class(Es)				
8	8	8	8	8
14.4. Packing G	roup			
II	II	II	III	III
14.5. Environmental Hazards				
Dangerous for	Dangerous for	Dangerous for	Dangerous for	Dangerous for
the environment	the environment	the environment	the environment	the environment
: No	: No	: No	: No	: No

07/03/2019 EN (English) 8/10

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
	Marine pollutant			
	: No			

14.6. Special Precautions For User

No additional information available

14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

SECTION 15: Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National Regulations

No additional information available

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

SECTION 16: Other Information

Indication of Changes

Section	Section Header	Change	Date Changed
		Modified template	07/03/2019
2	Hazards Identification	Modified	07/03/2019
3	Composition/Information on Ingredients	Modified	07/03/2019

Date of Preparation or Latest

Revision

Data Sources

07/03/2019

Information and data obtained and used in the authoring of

this safety data sheet could come from database subscriptions,

official government regulatory body websites,

product/ingredient manufacturer or supplier specific

information, and/or resources that include substance specific data and classifications according to GHS or their subsequent

adoption of GHS.

Other Information According to Regulation (EC) No. 1907/2006 (REACH) with its

amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

07/03/2019 EN (English) 9/10

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
EUH014	Reacts violently with water.

Abbreviations and Acronyms

CGIH - American Conference of Governmental Industrial Hygienists

ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI)

BOD - Biochemical Oxygen Demand CAS No. - Chemical Abstracts Service Number

CLP - Classification, Labeling and Packaging Regulation (EC) No 1272/2008

COD – Chemical Oxygen Demand EC – European Community

EC50 - Median Effective Concentration EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Chemical Substances

EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU – European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

GHS - Globally Harmonized System of Classification and Labeling of Chemicals

IARC - International Agency for Research on Cancer IATA - International Air Transport Association

IBC Code - International Bulk Chemical Code IMDG - International Maritime Danaerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis

IOELV - Indicative Occupational Exposure Limit Value

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose

LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water

MAK - Maximum Workplace Concentration/Maximum Permissible Concentration

MARPOL - International Convention for the Prevention of Pollution

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Naiwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration

NRD - Nevirsytings Ribinis Dydis NTP – National Toxicology Program

OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH – Potential Hydrogen REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals

RID - Regulations Concerning the International Carriage of Dangerous Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Shee

STEL - Short Term Exposure Limit

TA-Luft - Technische Anleitung zur Reinhaltung der Luft

TEL TRK - Technical Guidance Concentrations

ThOD - Theoretical Oxygen Demand

TLM - Median Tolerance Limit

TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in

ortsbeweglichen Behältern

TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act

TWA - Time Weighted Average VOC – Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE – Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition

vPvB - Very Persistent and Very Bioaccumulative

WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

07/03/2019 EN (English) 10/10