

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 24/09/2020 Date of issue: 14/05/2014

Version: 3.0

# SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

#### 1.1. Product Identifier

Product form Mixture
Product Name G-9340

Synonyms Silicone Grease

# 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

#### 1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only

#### 1.2.2. Uses Advised Against

No additional information available

#### 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe 1198 Avenue Maurice Donat Le Natura Bt. 2

06250 Mougins

France

+33 4 92 96 93 31

ehs@nusil.com

www.nusil.com

#### 1.4. Emergency Telephone Number

Emergency Number: +1 703-527-3887 CHEMTREC (International and Maritime), 800-424-9300

CHEMTREC (in US) +(44)-870-8200418 +(353)-19014670

#### **SECTION 2: Hazards Identification**

#### 2.1. Classification of the Substance or Mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Full text of hazard classes and H-statements: see section 16

#### 2.2. Label Elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)

GHS09

Signal Word (CLP) Warning

Hazard Statements (CLP) H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Statements (CLP) P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional,

24/09/2020 EN (English) 1/10

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

national and/or international regulation.

#### 2.3. Other Hazards

Contains PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory

to the Classification conditions.

# **SECTION 3: Composition/Information on Ingredients**

#### 3.1. **Substances**

Not applicable

#### 3.2. **Mixtures**

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Zinc oxide (ZnO)	(CAS-No.) 1314-13-2 (EC-No.) 215-222-5 (EC Index-No.) 030-013-00-7	60 - 80	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Dodecamethylcyclohexa siloxane	(CAS-No.) 540-97-6 (EC-No.) 208-762-8	< 1	Not classified

Full text of H-statements; see section 16

# **SECTION 4: First Aid Measures**

#### **Description of First-aid Measures** 4.1.

First-Aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

First-Aid Measures After When symptoms occur: go into open air and ventilate

Inhalation suspected area. Obtain medical attention if breathing difficulty

First-Aid Measures After Skin

Contact

Remove contaminated clothing. Drench affected area with

water for at least 5 minutes. Obtain medical attention if irritation

develops or persists.

First-Aid Measures After Eye

Contact

Rinse cautiously with water for at least 5 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

First-Aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

Ingestion attention.

#### Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Effects Not expected to present a significant hazard under anticipated

conditions of normal use.

Symptoms/Effects After

Inhalation

Prolonged exposure may cause irritation.

Symptoms/Effects After Skin

Contact

Prolonged exposure may cause skin irritation.

Symptoms/Effects After Eye

Contact

May cause slight irritation to eyes.

Symptoms/Effects After

Ingestion

Ingestion may cause adverse effects.

Chronic Symptoms None known.

24/09/2020 EN (English)

## 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# **SECTION 5: Firefighting Measures**

#### 5.1. Extinguishing Media

Suitable Extinguishing Media Unsuitable Extinguishing Media Use extinguishing media appropriate for surrounding fire. Do not use a heavy water stream. Use of heavy stream of water may spread fire. Application of water stream to hot product may cause frothing and increase fire intensity.

#### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions. Hazardous Decomposition Silicon oxides. Formaldehyde. Carbon oxides (CO, CO<sub>2</sub>). Zinc

Products in Case of Fire oxide.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Use water spray or fog for cooling exposed containers.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

# **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures Avoid prolonged contact with eyes, skin and clothing. Avoid

breathing (vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

# 6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods For Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

#### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

24/09/2020 EN (English) 3/10

# **SECTION 7: Handling And Storage**

## 7.1. Precautions for Safe Handling

Precautions for Safe Handling Avoid prolonged contact with eyes, skin and clothing. Avoid

breathing vapors, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

# 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

**7.3. Specific End Use(S)** For professional use only

# **SECTION 8: Exposure Controls/Personal Protection**

## 8.1. Control Parameters

Zinc oxide (ZnO) (1314-13-2)				
Austria	MAK Daily average value (mg/m³)	5 mg/m³ (respirable fraction, smoke)		
Belgium	Limit value (mg/m³)	10 mg/m³ (dust) 5 mg/m³ (fume) 5 mg/m³ (aerosol and vapor)		
Belgium	Short time value (mg/m³)	10 mg/m³ (fume) 10 mg/m³ (aerosol and vapor)		
Bulgaria	OEL TWA (mg/m³)	5 mg/m³		
Bulgaria	OEL STEL (mg/m³)	10 mg/m³		
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	2 mg/m³ (respirable dust)		
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	10 mg/m³		
Czech Republic	Expoziční limity (PEL) (mg/m³)	2 mg/m³		
Denmark	Grænsevædi (8 timer) (mg/m³)	4 mg/m³ 4 mg/m³ (fume)		
Estonia	OEL TWA (mg/m³)	5 mg/m³		
Finland	HTP-arvo (8h) (mg/m³)	2 mg/m³ (fume)		
Finland	HTP-arvo (15 min)	10 mg/m³ (fume)		
France	VME (mg/m³)	5 mg/m³ (fume) 10 mg/m³ (dust)		
Greece	OEL TWA (mg/m³)	5 mg/m³ (fume)		
Greece	OEL STEL (mg/m³)	10 mg/m³ (fume)		
Hungary	AK-érték	5 mg/m³ (respirable dust)		
Hungary	CK-érték	20 mg/m³ (respirable dust)		
Ireland	OEL (8 hours ref) (mg/m³)	2 mg/m³ (fume; respirable fraction)		

24/09/2020 EN (English) 4/10

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ireland	OEL (15 min ref) (mg/m3)	10 mg/m³ (fume; respirable fraction)
Latvia	OEL TWA (mg/m³)	0,5 mg/m³
Lithuania	IPRV (mg/m³)	5 mg/m³
Norway	Grenseverdier (AN) (mg/m³)	5 mg/m³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	10 mg/m³ (value calculated)
Poland	NDS (mg/m³)	5 mg/m³ (inhalable fraction)
Poland	NDSCh (mg/m³)	10 mg/m³ (inhalable fraction)
Portugal	OEL TWA (mg/m³)	2 mg/m³ (respirable fraction)
Portugal	OEL STEL (mg/m³)	10 mg/m³ (respirable fraction)
Romania	OEL TWA (mg/m³)	5 mg/m³ (fume)
Romania	OEL STEL (mg/m³)	10 mg/m³ (fume)
Slovakia	NPHV (priemerná) (mg/m³)	1 mg/m³ (fume)
Slovakia	NPHV (Hraničná) (mg/m³)	1 mg/m³
Spain	VLA-ED (mg/m³)	2 mg/m³ (respirable fraction)
Spain	VLA-EC (mg/m³)	10 mg/m³
Sweden	nivågränsvärde (NVG) (mg/m³)	5 mg/m³ (total dust)
Switzerland	KZGW (mg/m³)	3 mg/m³ (respirable dust, smoke)
Switzerland	MAK (mg/m³)	3 mg/m³ (respirable dust, smoke)

#### 8.2. **Exposure Controls**

Appropriate Engineering Suitable eye/body wash equipment should be available in the Controls vicinity of any potential exposure. Ensure adequate ventilation,

especially in confined areas. Ensure all national/local

regulations are observed.

Personal Protective Equipment Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing

Hand Protection Wear protective gloves. Eye Protection Chemical safety goggles.

Wear suitable protective clothing. Skin and Body Protection **Respiratory Protection** 

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information When using, do not eat, drink or smoke.

# **SECTION 9: Physical and Chemical Hazards**

#### Information on Basic Physical and Chemical Properties 9.1.

Physical State Liauid Paste **Appearance** Colour White

No data available Odour Odour Threshold No data available

24/09/2020 EN (English)

#### G-9340

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Recording to Regulation (EC) 110: 1707/2000 [RE/ICH] William attendance in Regu	31G11011 (E0) 2013/030
рН	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 °C (> 275 °F)
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (Solid, Gas)	Not applicable
Vapour Pressure	No data available
Relative Vapour Density At 20 °C	No data available
Specific Gravity	2,26
Relative Density	No data available
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity, Kinematic	No data available
Viscosity, Dynamic	No data available
Explosive Properties	No data available
Oxidising Properties	No data available
Explosive Limits	No data available

9.2. Other Information

VOC content < 1

# **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

#### 10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions To Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

## 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

#### 10.6. Hazardous Decomposition Products

Not expected to decompose under ambient conditions. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

# **SECTION 11: Toxicological Information**

#### 11.1. Information On Toxicological Effects

Acute Toxicity

Not classified (Based on available data, the classification criteria are not met)

Zinc oxide (ZnO) (1314-13-2)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
Dodecamethylcyclohexasiloxane (540-97-6)	

24/09/2020 EN (English) 6/10

# G-9340

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dodecamethylcyclohexasiloxane (540-97-6)			
LD50 Oral Rat	> 50 g/kg		
Skin Corrosion/Irritation	Not classified (Based on available data, the classification criteria are not met)		
Eye Damage/Irritation	Not classified (Base criteria are not me	ed on available data, the classification	
Respiratory or Skin Sensitization	Not classified (Based on available data, the classification criteria are not met)		
Germ Cell Mutagenicity	Not classified (Based on available data, the classification criteria are not met)		
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met)		
Reproductive Toxicity  Not classified (Based on available date the classification criteria are not met)			
Specific Target Organ Toxicity (Single Exposure)		Not classified (Based on available data, the classification criteria are not met)	
Specific Target Organ Toxicity (Repeated Exposure)		Not classified (Based on available data, the classification criteria are not met)	
Aspiration Hazard	Not classified (Base criteria are not me	ed on available data, the classification et)	

# **SECTION 12: Ecological Information**

## 12.1. Toxicity

Ecology - Water Very toxic to aquatic life with long lasting effects.

Zinc oxide (ZnO) (1314-13-2)	
LC50 Fish 1	970 µg/l (780 ug Zn/L; Exposure time: 96 h - Species: Pimephales promelas)
LC50 Fish 2	1,793 mg/l (Exposure time: 96 h - Species: Zebrafish)
NOEC Chronic Fish	0,026 mg/l (Species: Jordanella floridae)

#### 12.2. Persistence and Degradability

G-9340	
Persistence and Degradability	May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative Potential

G-9340	
Bioaccumulative potential	Not established.

# 12.4. Mobility in Soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

Dodecamethylcyclohexasiloxane (540-97-6)
This substance/mixture meets the vPvB criteria of REACH regulation, annex XIII

# 12.6. Other Adverse Effects

Other Information Avoid release to the environment.

24/09/2020 EN (English) 7/10

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Product/Packaging Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

the aquatic environment. Keep out of sewers and waterways.

# **SECTION 14: Transport Information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN Number				
3082	3082	3082	3082	3082
14.2. UN Proper S	Shipping Name			
ENVIRONMENTAL	ENVIRONMENTAL	ENVIRONMENTAL	ENVIRONMENTAL	ENVIRONMENTAL
LY HAZARDOUS	LY HAZARDOUS	LY HAZARDOUS	LY HAZARDOUS	LY HAZARDOUS
SUBSTANCE,	SUBSTANCE,	SUBSTANCE,	SUBSTANCE,	SUBSTANCE,
LIQUID, N.O.S.	LIQUID, N.O.S.	LIQUID, N.O.S.	LIQUID, N.O.S.	LIQUID, N.O.S.
(Zinc oxide)	(Zinc oxide)	(Zinc oxide)	(Zinc oxide)	(Zinc oxide)
14.3. Transport H	azard Class(Es)			
9	9	9	9	9
<b>₹₩</b>		<b>₹₩</b>	<b>₩</b>	<b>₹₩</b>
9	9	9	9	9
14.4. Packing Gr	oup			
III	III	III	III	III
14.5. Environmental Hazards				
Dangerous for	Dangerous for	Dangerous for	Dangerous for	Dangerous for
the environment:	the environment:	the environment:	the environment:	the environment:
Yes	Yes	Yes	Yes	Yes
	Marine pollutant :			
	Yes			

# 14.6. Special Precautions For User

No additional information available

# 14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code Not applicable

# **SECTION 15: Regulatory Information**

# 15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

24/09/2020 EN (English) 8/10

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains a substance on the REACH candidate list in concentration ≥ 0.1% or with a lower specific limit: Dodecamethylcyclohexasiloxane (D6) (EC 208-762-8, CAS 540-97-6) Contains no REACH Annex XIV substances

#### 15.1.2. National Regulations

No additional information available

#### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other Information**

Indication of Changes

Section	Section Header	Change	Date Changed
1	Identification of the Substance/mixture and of the Company/Undertaking	Modified	24/09/2020
2	Hazards Identification	Modified	24/09/2020
3	Composition/information on ingredients	Modified	24/09/2020
11	Toxicological Information	Modified	24/09/2020
12	Ecological Information	Modified	24/09/2020
15	Regulatory Information	Modified	24/09/2020

Date of Preparation or Latest Revision

Data Sources

24/09/2020

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to

GHS or their subsequent adoption of GHS. Other Information

According to Regulation (EC) No. 1907/2006 (REACH) with

its amendment Regulation (EU) 2015/830

#### Full Text of H- and FUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## **Abbreviations and Acronyms**

ACGIH - American Conference of Governmental Industrial Hygienists ADN - European Agreement Concerning the International Carriage of Dangerous

Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of Dangerous

Goods by Road

ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor

BEI - Biological Exposure Indices (BEI)

BOD - Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number

CLP - Classification, Labeling and Packaging Regulation (EC) No 1272/2008

COD - Chemical Oxygen Demand – European Community

EC50 - Median Effective Concentration

EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Chemical Substances

EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU – European Union

FrC50 - FC50 in Terms of Reduction Growth Rate

GHS – Globally Harmonized System of Classification and Labeling of Chemicals

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association IBC Code - International Bulk Chemical Code

IMDG - International Maritime Dangerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis

IOELV - Indicative Occupational Exposure Limit Value

NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe

NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe

NOAFL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration

NRD - Nevirsytinas Ribinis Dydis

NTP - National Toxicology Program OEL - Occupational Exposure Limits

PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH – Potential Hydrogen

REACH - Registration, Evaluation, Authorisation, and Restriction of Chemicals

RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet

STEL - Short Term Exposure Limit

STOT - Specific Target Organ Toxicity

TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK - Technical Guidance Concentrations

ThOD – Theoretical Oxygen Demand

TLM - Median Tolerance Limit

TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in

ortsbeweglichen Behältern TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte

24/09/2020 EN (English) 9/10

#### G-9340

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose I OAFL - Lowest Observed Adverse Effect Level

LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a twophase system consisting of two largely immiscible solvents, in this case octanol and

MAK - Maximum Workplace Concentration/Maximum Permissible Concentration

MARPOL - International Convention for the Prevention of Pollution

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act

TWA - Time Weighted Average VOC – Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE – Valeur Limite D'exposition

VMF - Valeur Limite De Movenne Exposition vPvB - Very Persistent and Very Bioaccumulative

WEL - Workplace Exposure Limit WGK - Wasseraefährdunasklasse

Nusil FU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

24/09/2020 EN (English) 10/10