MED-163



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 24/06/2020 Date of issue: 07/02/2014

Version: 6.0

SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

Product Identifier 1.1.

Product form Mixture Product Name MED-163 Synonyms Silicone Primer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only.

1.2.2. Uses Advised Against

No additional information available

Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe 1198 Avenue Maurice Donat Le Natura Bt. 2 06250 Mougins France

+33 4 92 96 93 31 ehs@nusil.com

www.nusil.com

Emergency Telephone Number

: 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC **Emergency Number**

(International and Maritime)

+(44)-870-8200418 +(353)-19014670

SECTION 2: Hazards Identification

Classification of the Substance or Mixture 2.1.

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Skin Irrit. 2 H315 Eve Dam. 1 H318 Muta. 2 H341 Carc. 2 H351 STOT SE 3 H336 Asp. Tox. 1 H304 Aquatic Chronic 2 H411

Full text of hazard classes and H-statements: see section 16

Label Elements

24/06/2020

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

GHS02

Hazard Pictograms (CLP)





EN (English) 1/11

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its a	mendment Regulation (EU) 2015/830
Signal Word (CLP)	Danger
Hazardous Ingredients	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics; Platinum
. 1.5.2.5. G. G. G. G. H. G. G. G. G. H. G.	Catalyst; 1-Butanol, titanium(4+) salt; Silane, trimethoxy[2-(7-
	oxabicyclo[4.1.0]hept-3-yl)ethyl]-
Hazard Statements (CLP)	H225 - Highly flammable liquid and vapour.
	H304 - May be fatal if swallowed and enters airways.
	H315 - Causes skin irritation.
	H318 - Causes serious eye damage.
	H336 - May cause drowsiness or dizziness.
	H341 - Suspected of causing genetic defects.
	H351 - Suspected of causing cancer.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statements (CLP)	P201 - Obtain special instructions before use.
, , , , , , , , , , , , , , , , , , , ,	P202 - Do not handle until all safety precautions have been
	read and understood.
	P210 - Keep away from heat, hot surfaces, sparks, open flames
	and other ignition sources. No smoking.
	P233 - Keep container tightly closed.
	P240 - Ground and bond container and receiving equipment.
	P241 - Use explosion-proof electrical, ventilating, and lighting
	equipment.
	P242 - Use non-sparking tools.
	P243 - Take action to prevent static discharges.
	P261 - Avoid breathing vapors, mist, or spray
	P264 - Wash hands, forearms, and other exposed areas
	thoroughly after handling
	P271 - Use only outdoors or in a well-ventilated area.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves, protective clothing, and eye
	protection
	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER
	or doctor
	P302+P352 - IF ON SKIN: Wash with plenty of water
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all
	contaminated clothing. Rinse skin with water.
	P304+P340 - IF INHALED: Remove person to fresh air and keep
	comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for
	several minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing.
	P308+P313 - If exposed or concerned: Get medical
	advice/attention
	P310 - Immediately call a POISON CENTER or doctor
	P312 - Call a POISON CENTRE or doctor if you feel unwell.
	P321 - Specific treatment (see section 4 on this SDS)
	P331 - Do NOT induce vomiting.
	P332+P313 - If skin irritation occurs: Get medical
	advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before

EN (English) 24/06/2020 2/11

P370+P378 - In case of fire: Use appropriate media (see section

reuse.

5) to extinguish

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container

tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional,

national and/or international regulation.

EUH-statements EUH066 - Repeated exposure may cause skin dryness or

cracking.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory

conditions.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	(EC-No.) 920-750-0 (REACH Registration No.) 01-2119473851-33	70 - 90	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Platinum Catalyst	(CAS-No.) 68478-92-2	< 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
1-Butanol, titanium(4+) salt	(CAS-No.) 5593-70-4 (EC-No.) 227-006-8	< 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336 STOT SE 3, H335
Silane, trimethoxy-7-octenyl-	(CAS-No.) 52217-57-9 (EC-No.) 610-800-7	< 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Silane, trimethoxy[2-(7-oxabicyclo[4.1.0]hept-3-yl)ethyl]-	(CAS-No.) 3388-04-3 (EC-No.) 222-217-1	< 5	Skin Irrit. 2, H315 Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-Aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

24/06/2020 EN (English) 3/11

First-Aid Measures After When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty Inhalation persists. First-Aid Measures After Skin Remove contaminated clothing. Drench affected area with Contact water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Rinse cautiously with water for at least 30 minutes. Remove First-Aid Measures After Eye Contact

contact lenses, if present and easy to do. Continue rinsing. Get

immediate medical advice/attention.

First-Aid Measures After Do NOT induce vomiting. Rinse mouth. Immediately call a

POISON CENTER or doctor/physician. Ingestion

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Effects Causes serious eye damage. Causes skin irritation. May be fatal

if swallowed and enters airways. May cause drowsiness or dizziness. Suspected of causing genetic defects. Suspected of

causing cancer.

Symptoms/Effects After High concentrations may cause central nervous system

> depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms. Prolonged exposure

Aspiration into the lungs can occur during ingestion or vomiting

may cause irritation.

Symptoms/Effects After Skin Redness, pain, swelling, itching, burning, dryness, and

Contact dermatitis.

Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Effects After Eye Contact

Symptoms/Effects After

Inhalation

Ingestion

and may cause lung injury. Suspected of causing genetic defects. Suspected of causing Chronic Symptoms

cancer. Repeated exposure may cause skin dryness or

cracking.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting Measures

Extinguishing Media 5.1.

Suitable Extinguishing Media Dry chemical powder, alcohol-resistant foam, carbon dioxide

(CO₂). Water may be ineffective but water should be used to

keep fire-exposed container cool.

Unsuitable Extinguishing Media Do not use a heavy water stream. A heavy water stream may

spread burning liquid.

Special Hazards Arising From the Substance or Mixture

Fire Hazard Highly flammable liquid and vapour. Will float and can be

reignited on water surface.

Explosion Hazard May form flammable or explosive vapour-air mixture.

Reactivity Reacts violently with strong oxidisers. Increased risk of fire or

explosion.

Hazardous Decomposition Products in Case of Fire

Incomplete combustion is likely to give rise to a complex mixture of airborne solid and liquid particulates and gases, including carbon monoxide and unidentified organic and

inorganic compounds. Oxides of platinum.

24/06/2020 EN (English) 4/11

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

of major fire and large quantities: Evacuate area. Fight fire

remotely due to the risk of explosion.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapor, mist or spray. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use

special care to avoid static electric charges.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE). Emergency Procedures Evacuate unnecessary personnel. Stop leak if safe to do so.

6.1.2. For Emergency Responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Eliminate

ignition sources. Ventilate area.

6.2. Environmental Precautions

Methods For Cleaning Up

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams. As an immediate

precautionary measure, isolate spill or leak area in all directions.

Absorb and/or contain spill with inert material. Clean up spills

immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools. Contact competent authorities

after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Handle empty containers with care because residual vapours

Processed are flammable.

24/06/2020 EN (English) 5/11

Precautions for Safe Handling Obtain special instructions before use. Do not handle until all

safety precautions have been read and understood. Do not breathe vapors, mist, spray. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharge. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations. Take action to prevent

static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and

lighting equipment.

Storage Conditions Store in a dry, cool place. Keep/Store away from direct sunlight,

extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container

tightly closed. Keep in fireproof place. Strong acids, strong bases, strong oxidizers.

Incompatible Materials

7.3. Specific End Use(S) For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

No additional information available

8.2. Exposure Controls

Appropriate Engineering Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static

electricity should be followed. Use explosion-proof equipment. Gloves. Protective clothing. Protective goggles. Insufficient

ventilation: wear respiratory protection.









Materials for Protective Clothing

Hand Protection

Skin and Body Protection

Eye Protection

Personal Protective Equipment

Chemically resistant materials and fabrics. Wear fire/flame

resistant/retardant clothing.

Wear protective gloves. Chemical safety goggles.

Wear suitable protective clothing.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where

exposure levels are not known wear approved respiratory

protection.

Other Information When using, do not eat, drink or smoke.

24/06/2020 EN (English) 6/11

SECTION 9: Physical and Chemical Hazards

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Colour Translucent
Odour Solvent

Odour Threshold

PH

No data available

Auto-Ignition Temperature No data available **Decomposition Temperature** No data available Flammability (Solid, Gas) Not applicable Vapour Pressure No data available Relative Vapour Density At 20 °C No data available Relative Density 0.8 (Water = 1)Solubility No data available Partition Coefficient n-Octanol/Water No data available Viscosity, Kinematic No data available Viscosity, Dynamic No data available **Explosive Properties** No data available Oxidising Properties No data available **Explosive Limits** No data available

9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion.

10.2. Chemical Stability

Extremely flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions To Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

None expected under normal conditions of use.

SECTION 11: Toxicological Information

11.1. Information On Toxicological Effects

Acute Toxicity Not classified

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

24/06/2020 EN (English) 7/11

MED-163

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rabbit	3000 mg/kg	
ATE CLP (dermal)	3000 mg/kg bodyweight	
1-Butanol, titanium(4+) salt (5593-70-4)		
LD50 Oral Rat	> 2000 mg/kg	
LD50 Oral	3122 mg/kg	
Silane, trimethoxy[2-(7-oxabicyclo[4.1.0]hept-3-yl)ethyl]- (3388-04-3)		
LD50 Oral Rat	8 ml/kg	

Skin Corrosion/Irritation Causes skin irritation.

Eye Damage/Irritation Causes serious eye damage.

Respiratory or Skin Sensitization Not classified

Germ Cell Mutagenicity Suspected of causing genetic defects.

Carcinogenicity Suspected of causing cancer.
Reproductive Toxicity Not classified

Specific Target Organ Toxicity (Single Exposure) May cause drowsiness or dizziness.

Specific Target Organ Toxicity (Repeated Exposure) Not classified

Aspiration Hazard May be fatal if swallowed and enters airways.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Harmful to aquatic life. Toxic to aquatic life with long lasting

effects.

1-Butanol, titanium(4+) salt (5593-70-4)	
EC50 Daphnia 1	680 mg/l

12.2. Persistence and Degradability

: :::::::::::::::::::::::::::::::	
MED-163	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

MED-163	
Bioaccumulative potential	Not established.

12.4. Mobility in Soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Treatment Methods Dispose of waste material in accordance with all local,

regional, national, and international regulations.

Additional Information Handle empty containers with care because residual vapours

are flammable.

24/06/2020 EN (English) 8/11

Ecology - Waste Materials

Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

in decordance with the finder in the finder				
ADR	IMDG	IATA	ADN	RID
14.1. UN Number				
1268	1268	1268	1268	1268
14.2. UN Proper S	Shipping Name			
PETROLEUM	PETROLEUM	PETROLEUM	PETROLEUM	PETROLEUM
DISTILLATES,	DISTILLATES,	DISTILLATES,	DISTILLATES,	DISTILLATES,
N.O.S.	N.O.S.	N.O.S.	N.O.S.	N.O.S.
14.3. Transport H	azard Class(Es)			
3	3	3	3	3
***	3	3	3	3
14.4. Packing Gr	oup			
14.5. Environmental Hazards				
Dangerous for	Dangerous for	Dangerous for	Dangerous for	Dangerous for
the environment:	the environment:	the environment:	the environment:	the environment:
Yes	Yes	Yes	Yes	Yes
	Marine pollutant :			
	Yes			

14.6. Special Precautions For User

No additional information available

14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

SECTION 15: Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National Regulations

No additional information available

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

24/06/2020 EN (English) 9/11

SECTION 16: Other Information

Indication of Changes

Section	Section Header	Change	Date Changed
1	Identification of the Substance/mixture and of the	Modified	24/06/2020
	Company/Undertaking		

Date of Preparation or Latest Revision

Data Sources

24/06/2020

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS. According to Regulation (EC) No. 1907/2006 (REACH)

with its amendment Regulation (EU) 2015/830

Other Information

Full Text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Muta. 2	Germ cell mutagenicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3,	
ПООГ	Respiratory tract irritation	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H341	Suspected of causing genetic defects.	
H351	Suspected of causing cancer.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH066	Repeated exposure may cause skin dryness or cracking.	

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of Dangerous

Goods by Road

MARPOL - International Convention for the Prevention of Pollution

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Naiwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level

24/06/2020 EN (English) 10/11

MED-163

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BFI - Biological Exposure Indices (BFI) BOD - Biochemical Oxygen Demand CAS No. - Chemical Abstracts Service Number

– Classification, Labeling and Packaging Regulation (EC) No 1272/2008

COD – Chemical Oxygen Demand FC - Furopean Community EC50 - Median Effective Concentration EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Chemical Substances

EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage EU - European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

GHS - Globally Harmonized System of Classification and Labeling of Chemicals

IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods IPRV - Ilaalaikio Poveikio Ribinis Dydis

IOELV - Indicative Occupational Exposure Limit Value

LC50 - Median Lethal Concentration LD50 - Median Lethal Dose

OAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a twophase system consisting of two largely immiscible solvents, in this case octanol and

MAK - Maximum Workplace Concentration/Maximum Permissible Concentration

NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis NTP - National Toxicology Program OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit pH – Potential Hydrogen

REACH - Registration, Evaluation, Authorisation, and Restriction of Chemicals - Regulations Concerning the International Carriage of Dangerous Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet STEL - Short Term Exposure Limit

TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations

ThOD - Theoretical Oxygen Demand TLM - Median Tolerance Limit TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in

ortsbeweglichen Behältern

TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte

TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC - Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diario

VLE - Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioa

WEL - Workplace Exposure Limit WGK - Wassergefährdungsklasse

Nusil FU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

24/06/2020 EN (English) 11/11