MED6-161



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 06/06/2019 Date of issue: 11/03/2014

Version: 5.0

SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

1.1. Product Identifier

Product form Mixture
Product Name MED6-161
Synonyms Silicone Primer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only.

1.2.2. Uses Advised Against

No additional information available

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe 1198 Avenue Maurice Donat Le Natura Bt. 2 06250 Mougins France

+33 4 92 96 93 31

ehs@nusil.com

www.nusil.com

1.4. Emergency Telephone Number

Emergency Number : +(44)-870-8200418

+(353)-19014670

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT SE 3 H336 Asp. Tox. 1 H304 Aquatic Chronic 2 H411

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)









Signal Word (CLP)

Danger

Hazardous Ingredients 1-Butanol, titanium(4+) salt; Hydrocarbons, C7-C9, n-alkanes,

isoalkanes, cyclics, Platinum Catalyst

06/06/2019 EN (English) 1/11

Hazard Statements (CLP) H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary Statements (CLP) P210 - Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating, and lighting equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P261 - Avoid breathing vapours, mist, spray

P264 - Wash hands, forearms and exposed areas thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective clothing, protective gloves, eye protection, face shield

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P302+P352 - IF ON SKIN: Wash with plenty of water

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor

P312 - Call a POISON CENTRE or doctor if you feel unwell.

P321 - Specific treatment (see Section 4 on this SDS)

P331 - Do NOT induce vomitina.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse

P370+P378 - In case of fire: Use appropriate media to extinguish P391 - Collect spillage.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH066 - Repeated exposure may cause skin dryness or cracking.

EUH-statements

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

06/06/2019 EN (English) 2/11

SECTION 3: Composition/Information on Ingredients

3.1. **Substances**

Not applicable

3.2. **Mixture**

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	(EC-No.) 920-750-0 (REACH Registration No.) 01-2119473851-33	70 - 90	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
1-Butanol, titanium(4+) salt	(CAS-No.) 5593-70-4 (EC-No.) 227-006-8	< 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336 STOT SE 3, H335
Silicic acid (H4SiO4), tetrakis(2- methoxyethyl) ester	(CAS-No.) 2157-45-1 (EC-No.) 218-470-2	< 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Platinum Catalyst	(CAS-No.) 68478-92-2	< 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

Full text of H-statements: see section 16

SECTION 4: First Aid Measures

Description of First-aid Measures 4.1.

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
When symptoms occur: go into open air and ventilate
suspected area. Obtain medical attention if breathing difficulty persists.
Immediately remove contaminated clothing. Immediately
drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
Immediately rinse with water for at least 30 minutes. Remove
contact lenses, if present and easy to do. Continue rinsing. Get
immediate medical advice/attention.
Do NOT induce vomiting. Rinse mouth. Immediately call a
POISON CENTER or doctor/physician.

4.2. Most important symptoms	s and Effects Both Acute and Delayed
Symptoms/Effects	May cause drowsiness and dizziness. Causes skin irritation.
	Causes serious eye damage. May be fatal if swallowed and
	enters airways.
Symptoms/Effects After	High concentrations may cause central nervous system
Inhalation	depression such as dizziness, vomiting, numbness, drowsiness,
	headache, and similar narcotic symptoms.
Symptoms/Effects After Skin	Redness, pain, swelling, itching, burning, dryness, and
Contact	dermatitis.

06/06/2019 EN (English)

Symptoms/Effects After Eye

Contact

Symptoms/Effects After Aspiration into the lungs can occur during ingestion or vomiting

Ingestion

and may cause lung injury.

Chronic Symptoms Repeated exposure may cause skin dryness or cracking.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media Dry chemical powder, alcohol-resistant foam, carbon dioxide

(CO₂). Water may be ineffective but water should be used to

Causes permanent damage to the cornea, iris, or conjunctiva.

keep fire-exposed container cool.

Unsuitable Extinguishing Media Do not use a heavy water stream. A heavy water stream may

spread burning liquid.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Highly flammable liquid and vapour.

Explosion Hazard May form flammable or explosive vapour-air mixture.

Reactivity Reacts violently with strong oxidisers. Increased risk of fire or

explosion.

Hazardous Decomposition Products in Case of Fire Incomplete combustion is likely to give rise to a complex mixture of airborne solid and liquid particulates and gases,

including carbon monoxide and unidentified organic and

inorganic compounds. Silicon oxides.

5.3. Advice for Firefighters

Precautionary Measures Fire

Exercise caution when fighting any chemical fire.

Firefighting Instructions

Use water spray or fog for cooling exposed containers. In case

of major fire and large quantities: Evacuate area. Fight fire

remotely due to the risk of explosion.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapor, mist or spray. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use

special care to avoid static electric charges.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE). Emergency Procedures Evacuate unnecessary personnel. Stop leak if safe to do so.

6.1.2. For Emergency Responders

Protective Equipment Equip cleanup crew with proper protection.

06/06/2019 EN (English) 4/11

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Eliminate ignition sources.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams. As an immediate

methods For Cleaning Up precautionary measure, isolate spill or leak area in all directions.

Clean up spills immediately and dispose of waste safely. Absorb

and/or contain spill with inert material. Transfer spilled material

to a suitable container for disposal. Do not take up in

combustible material such as: saw dust or cellulosic material. Use only non-sparking tools. Contact competent authorities

after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Han

Processed

Handle empty containers with care because residual vapours

are flammable.

Precautions for Safe Handling Avoid breathing vapors, mist, spray. Do not get in eyes, on skin,

or on clothing. Take precautionary measures against static discharge. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations. Take action to prevent

static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and

lighting equipment.

Storage Conditions Store in a dry, cool place. Keep/Store away from direct sunlight,

extremely high or low temperatures and incompatible materials. Store locked up/in a secure area. Store in a well-ventilated place. Keep container tightly closed. Keep in

fireproof place.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(S)

For professional use only

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

No additional information available

06/06/2019 EN (English) 5/11

8.2. Exposure Controls

Appropriate Engineering Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Ensure adequate ventilation, especially in confined areas.
Ensure all national/local regulations are observed. Gas
detectors should be used when flammable gases or vapors

may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Gloves. Protective clothing. Protective goggles. Insufficient

ventilation: wear respiratory protection.









Materials for Protective Clothing

Personal Protective Equipment

Chemically resistant materials and fabrics. Wear fire/flame

resistant/retardant clothing.

Hand Protection Wear protective gloves. Eye Protection Chemical safety goggles.

Skin and Body Protection Wear suitable protective clothing.
Respiratory Protection If exposure limits are exceeded or

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Hazards

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Colour Yellow
Odour Solvent

Odour Threshold

PH

No data available

Flash Point 17 °C (63 °F)

Auto-Ignition Temperature No data available
Decomposition Temperature No data available
Flammability (Solid, Gas) Not applicable
Vapour Pressure No data available
Relative Vapour Density At 20 °C No data available
Relative Density 0.8 (Water = 1)

Solubility
Partition Coefficient n-Octanol/Water
Viscosity, Kinematic
Viscosity, Dynamic
Explosive Properties
Oxidising Properties
No data available

Explosive Limits

06/06/2019 EN (English) 6/11

No data available

9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion.

10.2. Chemical Stability

Extremely flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions To Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

None expected under normal conditions of use.

SECTION 11: Toxicological Information

11.1. Information On Toxicological Effects

Acute Toxicity Not classified

1-Butanol, titanium(4+) salt (5593-70-4)		
LD50 Oral Rat	> 2000 mg/kg	
LD50 Oral	3122 mg/kg	
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rabbit	3000 mg/kg	

Skin Corrosion/Irritation Causes skin irritation.

Eye Damage/Irritation Causes serious eye damage.

Respiratory or Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

Not classified

Not classified

Reproductive Toxicity Not classified

Specific Target Organ Toxicity (Single Exposure)

May cause drowsiness or dizziness.

Specific Target Organ Toxicity (Repeated Exposure) Not classified

Aspiration Hazard May be fatal if swallowed and enters airways.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Toxic to aquatic life with long lasting effects.

1-Butanol, titanium(4+) salt (5593-	70-4)
EC50 Daphnia 1	680 mg/l

12.2. Persistence and Degradability

MED6-161	
Persistence and Degradability	May cause long-term adverse effects in the environment.

06/06/2019 EN (English) 7/11

12.3. Bioaccumulative Potential

MED6-161	
Bioaccumulative potential	Not established.

12.4. Mobility in Soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Product/Packaging Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Handle empty containers with care because residual vapours

are flammable.

Ecology - Waste Materials Avoid release to the environment. This material is hazardous to

the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

	· · · · · · · · · · · · · · · · · · ·	, ,		
ADR	IMDG	IATA	ADN	RID
14.1. UN Number				
1268	1268	1268	1268	1268
14.2. UN Proper	Shipping Name			
PETROLEUM	PETROLEUM	PETROLEUM	PETROLEUM	PETROLEUM
DISTILLATES,	DISTILLATES,	DISTILLATES,	DISTILLATES,	DISTILLATES,
N.O.S.	N.O.S.	N.O.S.	N.O.S.	N.O.S.
(Hydrocarbons,	(Hydrocarbons,	(Hydrocarbons,	(Hydrocarbons,	(Hydrocarbons,
C7-C9, n-	C7-C9, n-	C7-C9, n-	C7-C9, n-	C7-C9, n-
alkanes,	alkanes,	alkanes,	alkanes,	alkanes,
isoalkanes,	isoalkanes,	isoalkanes,	isoalkanes,	isoalkanes,
cyclics)	cyclics)	cyclics)	cyclics)	cyclics)
14.3. Transport H	lazard Class(Es)			
3	3	3	3	3
3	3	3		3
14.4. Packing Group				
II	II	II	Not applicable	Not applicable
14.5. Environmental Hazards				
Dangerous for	Dangerous for	Dangerous for	Dangerous for	Dangerous for
the environment	the environment	the environment	the environment	the environment
: Yes	: Yes	: Yes	: Yes	: Yes

06/06/2019 EN (English) 8/11

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
	Marine pollutant			
	: Yes			

14.6. Special Precautions For User

No additional information available

14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

SECTION 15: Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National Regulations

No additional information available

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

SECTION 16: Other Information

Indication of Changes

Section	Section Header	Change	Date Changed
2	Label elements	Modified	06/06/2019
3	Composition/information on ingredients	Modified	06/06/2019
9	Physical and chemical properties	Modified	06/06/2019
14	Transport information	Modified	06/06/2019

Date of Preparation or Latest Revision

Data Sources

06/06/2019

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include

substance specific data and classifications according to

GHS or their subsequent adoption of GHS.

Other Information According to Regulation (EC) No. 1907/2006 (REACH) with

its amendment Regulation (EU) 2015/830

Full Text of H- and FUH-statements:

10711 01111 01101 2011 011	are memo:
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2

06/06/2019 EN (English) 9/11

MED6-161

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3,
	Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of Dangerous

Goods by Road

ATE - Acute Toxicity Estimate

BCF - Bioconcentration Factor

BEI - Biological Exposure Indices (BEI) BOD - Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number

 \mbox{CLP} – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 \mbox{COD} – Chemical Oxygen Demand

– European Community

EC50 - Median Effective Concentration EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Chemical Substances

EmS-No. (Fire) - IMDG Emergency Schedule Fire

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU – European Union ErC50 - EC50 in Terms of Reduction Growth Rate

GHS - Globally Harmonized System of Classification and Labeling of Chemicals

IARC - International Agency for Research on Cancer IATA - International Air Transport Association

IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis

IOELV – Indicative Occupational Exposure Limit Value LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose

LOAFL - Lowest Observed Adverse Effect Level

LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a

two-phase system consisting of two largely immiscible solvents, in this case octanol

and water MAK - Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe

NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe

NOAEL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration

NRD - Nevirsytinas Ribinis Dydis

NTP - National Toxicology Program OEL - Occupational Exposure Limits

PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH - Potential Hydrogen

REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals

RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet

STFL - Short Term Exposure Limit

TA-Luft - Technische Anleitung zur Reinhaltung der Luft

TEL TRK - Technical Guidance Concentrations

ThOD - Theoretical Oxygen Demand

TLM - Median Tolerance Limit TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in

ortsbeweglichen Behältern

TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average VOC – Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE – Valeur Limite D'exposition

VME - Valeur Limite De Moyenne Exposition

vPvB - Very Persistent and Very Bioaccumulative

WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE

06/06/2019 10/11

MED6-161

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

06/06/2019 EN (English) 11/11