CV-2943 Part A





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 02/06/2023 Date of Issue: 11/18/2013

Version: 4.0

SECTION 1: Identification

1.1. Product identifier

Product Form : Mixture

Product Name : CV-2943 Part A Synonyms Silicone Elastomer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : For professional use only.

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780

productstewardship@avantorsciencesgcc.com

www.nusil.com

1.4. Emergency telephone number

Emergency: 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International

number and Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified

2.2. Label elements

GHS-US labeling

No labeling applicable

2.3. Other hazards

Other hazards not contributing : None under normal conditions.

to the classification

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Aluminum oxide	(CAS No) 1344-28-1	70 - 90	Not classified

02/06/2023 EN (English US) 1/8

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-aid measures after

inhalation

: When symptoms occur: go into open air and ventilate

suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid measures after skin

contact

: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if

irritation develops or persists.

First-aid measures after eye

contact

: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

First-aid measures after

ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain medical

attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated

conditions of normal use.

Symptoms/injuries after

inhalation

: Prolonged exposure may cause irritation.

Symptoms/injuries after skin

contact

: Prolonged exposure may cause skin irritation.

Symptoms/injuries after eye

contact

: May cause slight irritation to eyes.

Symptoms/injuries after

ingestion

: Ingestion may cause adverse effects.

Chronic symptoms : None expected under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, dry chemical, alcohol-resistant foam, carbon

dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire. Application of water stream to hot product

may cause frothing and increase fire intensity.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not considered flammable but may burn at high temperatures.

Explosion hazard : Product is not explosive.

Reactivity : Hazardous reactions will not occur under normal conditions.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Under fire

conditions, hazardous fumes will be present.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

02/06/2023 EN (English US) 2/8

Protection during firefighting : Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid prolonged contact with eyes, skin and clothing. Avoid

breathing (vapor, mist, spray).

6.1.1. For non-emergency personnel

Protective equipment: Use appropriate personal protective equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for cleaning up : Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.

Avoid breathing vapors, mist, spray.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials.

Incompatible products : Strong acids, strong bases, strong oxidizers.

7.3. Specific end use(s)

For professional use only.

02/06/2023 EN (English US) 3/8

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Aluminum oxide (13	44-28-1)	
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³

8.2. **Exposure controls**

Appropriate engineering

controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

: Gloves. Protective clothing. Protective goggles.







Hand protection

Personal protective equipment

Eye protection

Skin and body protection

Respiratory protection

Materials for protective clothing: Chemically resistant materials and fabrics.

: Wear protective gloves. : Chemical safety goggles.

: Wear suitable protective clothing.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or

where exposure levels are not known wear approved

respiratory protection.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Paste **Appearance** : Gray Odor Odorless

Odor threshold : No data available На : No data available **Evaporation Rate** : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : > 135 °C (> 275 °F) **Auto-ignition Temperature** : No data available Decomposition temperature : No data available : No data available Flammability (solid, gas) : No data available Vapor pressure Relative vapor density at 20 °C : No data available

Specific gravity : > 1

02/06/2023 EN (English US)

CV-2943 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility : No data available
Partition coefficient: n-octanol/water : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 1%

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous decomposition products

Silicon oxides. Carbon oxides (CO, CO₂). Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

/ COTO TOXICITY	. 1401 6103311160
Aluminum oxide (1344-28-1)	
LD50 oral rat	> 5000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Prolonged exposure may cause irritation.
Symptoms/injuries after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/injuries after eye contact	: May cause slight irritation to eyes.
Symptoms/injuries after ingestion	: Ingestion may cause adverse effects.
Chronic symptoms	: None expected under normal conditions of use.

02/06/2023 EN (English US) 5/8

SECTION 12: Ecological information

12.1. Toxicity

Ecology – general : Not classified

12.2. Persistence and degradability

CV-2943 Part A	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

CV-2943 Part A	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal : Dispose of contents/container in accordance with local,

recommendations regional, national, and international regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed or exempted from being listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Aluminum oxide (1344-28-1)	
Subject to reporting requirements of Unit	ed States SARA Section 313
SARA Section 313 - Emission Reporting	1.0 % (fibrous forms)

15.2. US State regulations

02/06/2023 EN (English US) 6/8

Aluminum oxide (1344-28-1)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. Oregon Permissible Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

SECTION 16: Other information, including date of preparation or last revision

Revision date : 02/06/2023

Other information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

NFPA health hazard : 1 - Exposure could cause irritation but

only minor residual injury even if no

treatment is given.

NFPA fire hazard : 1 - Must be preheated before ignition

can occur.

NFPA reactivity : 0 - Normally stable, even under fire

exposure conditions, and are not

reactive with water.


HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard
Physical : 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use,

02/06/2023 EN (English US) 7/



CV-2943 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS

02/06/2023 EN (English US) 8/8

CV-2943 Part B





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 02/06/2023 Date of Issue: 07/15/2014

Version: 4.0

SECTION 1: Identification

Product Identifier 1.1.

Product Form Substance Product Name CV-2943 Part B Synonyms Curing Agent

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only

Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013

USA

(805) 684-8780

productstewardship@avantorsciencesgcc.com

www.nusil.com

Emergency Telephone Number

800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International Emergency

Number and Maritime)

SECTION 2: Hazards Identification

Classification of the Substance or Mixture 2.1.

GHS-US Classification

Skin corrosion/irritation Category 2	H315
Serious eye damage/eye irritation Category 1	H318
Skin sensitization, Category 1	H317
Germ cell mutagenicity Category 2	H341
Reproductive toxicity Category 1B	H360
Specific target organ toxicity (single exposure) Category 1	H370
Specific target organ toxicity (repeated exposure) Category 1	H372
Hazardous to the aquatic environment - Acute Hazard Category 1	H400
Hazardous to the aquatic environment - Chronic Hazard Category 1	H410

2.2. **Label Elements**

GHS-US Labelina

Hazard Pictograms (GHS-US)









GHS05

GHS07

GHS08

GHS09

Signal Word (GHS-US)

Danger

02/06/2023 EN (English US)

Hazard Statements (GHS-US)

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H341 - Suspected of causing genetic defects
H360 - May damage fertility or the unborn child

H370 - Causes damage to organs (thymus)

H372 - Causes damage to organs (thymus) through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-US)

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of soap and water. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor. P321 - Specific treatment (see section 4 on this SDS). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

0% of the mixture consists of ingredients of unknown acute toxicity.

02/06/2023 EN (English US) 2/11

SECTION 3: Composition/Information On Ingredients

3.1. **Substances**

Name	Product Identifier	%*	GHS-US Classification
Dibutyltin dilaurate	(CAS-No.) 77-58-7	100	Skin Irrit. 2, H315
			Eye Dam. 1, H318
			Skin Sens. 1, H317
			Muta. 2, H341
			Repr. 1B, H360
			STOT SE 1, H370
			STOT RE 1, H372
			Aquatic Acute 1, H400
			Aquatic Chronic 1,
			H410

Full text of H-phrases: see section 16

3.2. **Mixtures** Not applicable

SECTION 4: First Aid Measures

4.1. **Description of First-aid Measures**

Title Description of this did i	WCG501C5
First-aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid Measures After Inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid Measures After Skin Contact	Remove contaminated clothing. Wash affected area with soap and water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists.
First-aid Measures After Eye Contact	Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

11196311011	difermon.
4.2. Most Important Symptor	ns and Effects Both Acute and Delayed
Symptoms/Injuries	Causes damage to organs (thymus). Causes damage to organs (thymus) through prolonged or repeated exposure. Causes serious eye damage. Causes skin irritation. Skin sensitization. Suspected of causing genetic defects. May damage fertility. May damage the unborn child.
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact	Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction. Causes permanent damage to the cornea, iris, or conjunctiva.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.

02/06/2023 EN (English US) Chronic Symptoms Causes damage to organs (thymus) through prolonged or

repeated exposure. Suspected of causing genetic defects.

May damage fertility or the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media : Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam,

or dry chemical.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arisina From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Refer to Section 9 for flammability properties.

Hazardous Combustion

Products

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not breathe vapor, mist or spray. Do not get in eyes, on skin,

or on clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

02/06/2023 EN (English US) 4/11

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely. Take

up liquid spill into absorbent material. Transfer spilled material to a suitable container for disposal. Contact competent

authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Thermal decomposition may produce: Carbon oxides (CO,

Processed CO₂). Oxides of tin. When heated, material emits irritating and

harmful fumes.

Precautions for Safe Handling Obtain special instructions before use. Do not handle until all

safety precautions have been read and understood. Do not breathe vapors, mist, spray. Do not get in eyes, on skin, or on clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked

up/in a secure area.

Incompatible Materials Strong ac

7.3. Specific End Use(S) For professional use only.

Strong acids, strong bases, strong oxidizers.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Tin organic compou	unds	
USA ACGIH	ACGIH OEL TWA	0.1 mg/m³
USA ACGIH	ACGIH OEL STEL	0.2 mg/m³
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route
USA NIOSH	NIOSH REL (TWA)	0.1 mg/m³ (except Cyhexatin)
USA OSHA	OSHA PEL (TWA) [1]	0.1 mg/m³

02/06/2023 EN (English US) 5/1

8.2. Exposure Controls

Appropriate Engineering Ensure adequate ventilation, especially in confined areas.

Controls Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Ensure all national/local regulations are observed.

Personal Protective Equipment Gloves. Protective clothing. Protective goggles. Insufficient

ventilation: wear respiratory protection.









Materials For Protective

Clothing

Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goagles.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other Information When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid

Appearance Translucent Yellow

Odor Slight

Odor Threshold No data available На No data available **Evaporation Rate** No data available **Melting Point** No data available Freezina Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) **Auto-ignition Temperature** No data available **Decomposition Temperature** No data available Flammability Not applicable

Vapor Pressure
Relative Vapor Density at 20°C
Relative Density
No data available
No data available
No data available

Specific Gravity > 1

Solubility
Partition Coefficient n-Octanol/Water
Viscosity
No data available
No data available
No data available

9.2. Other Information

VOC Content <1 %

02/06/2023 EN (English US) 6/1

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Thermal decomposition may produce: Carbon oxides (CO, CO₂). Oxides of tin. When heated, material emits irritating and harmful fumes.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity (Oral)	Not classified
Acute Toxicity (Dermal)	Not classified
Acute Toxicity (Inhalation)	Not classified

Acute toxicity (Dermal)	Not classified
Acute Toxicity (Inhalation)	Not classified
Dibutyltin dilaurate (77-58-7)	
LD50 Dermal Rat	> 2 g/kg
Skin Corrosion/Irritation Serious Eye Damage/Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity Specific Target Organ Toxicity (Single Exposure)	Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. Not classified May damage fertility or the unborn child. Causes damage to organs (thymus).
Specific Target Organ Toxicity (Repeated Exposure)	Causes damage to organs (thymus) through prolonged or repeated exposure.
Aspiration Hazard Symptoms/Injuries After Inhalation	Not classified Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact	Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction. Causes permanent damage to the cornea, iris, or conjunctiva.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Causes damage to organs through prolonged or repeated

02/06/2023 EN (English US) 7/11

fertility or the unborn child.

exposure. Suspected of causing genetic defects. May damage

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Very toxic to aquatic life with long lasting effects.

Dibutyltin dilaurate (77-58-7)	
EC50 - Crustacea [1]	0.463 mg/l (Daphnia magna)

12.2. Persistence and Degradability

CV-2943 Part B	
Persistence and Degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

CV-2943 Part B	
Bioaccumulative Potential	Not established.
Dibutyltin dilaurate (77-58-7)	
Partition coefficient n-	4.44
octanol/water (Log Pow)	

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

Ecology - Waste Materials Avoid release to the environment. This material is hazardous to

the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.

(Contains: Dibutyltin dilaurate)

Hazard Class 9

Identification Number UN3082

Label Codes 9
Packing Group |||

Marine Pollutant Marine pollutant

ERG Number 171

14.2. In Accordance with IMDG

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Contains: Dibutyltin dilaurate)

02/06/2023 EN (English US) 8/11

CV-2943 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Class 9

Identification Number UN3082

Packing Group ||| Label Codes 9
EmS-No. (Fire) F-A
EmS-No. (Spillage) S-F

Marine Pollutant Marine pollutant

14.3. In Accordance with IATA

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Contains: Dibutyltin dilaurate)

Packing Group |||

Identification Number UN3082

Hazard Class 9 Label Codes 9 ERG Code (IATA) 9L



SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

<u> </u>	<u> </u>
CV-2943 Part B	
SARA Section 311/312 Hazard	Health hazard - Specific target organ toxicity (single or repeated
Classes	exposure)
	Health hazard - Respiratory or skin sensitization
	Health hazard - Skin corrosion or Irritation
	Health hazard - Germ cell mutagenicity
	Health hazard - Reproductive toxicity
	Health hazard - Serious eye damage or eye irritation

15.2. US State Regulations

Dibutyltin dilaurate (77-58-7)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour

U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical

Groups

Tin organic compounds (Not applicable)

02/06/2023 EN (English US) 9/11

CV-2943 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Minnesota Hazardous Substance List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Tennessee Occupational Exposure Limits Skin Designations
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Vermont Permissible Exposure Limits Skin Designations
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits Skin Designations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Occupational Exposure Limits Skin Designations
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Occupational Exposure Limits Skin Designations
- U.S. Minnesota Permissible Exposure Limits Skin Designations
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest 02/06/2023

Revision

Other Information This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

GHS Full Text Phrases:

Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Sens. 1	Skin sensitization Category 1
Muta. 2	Germ cell mutagenicity Category 2
Repr. 1B	Reproductive toxicity Category 1B
STOT SE 1	Specific target organ toxicity (single exposure) Category 1

02/06/2023 EN (English US) 10/1

STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H341	Suspected of causing genetic defects
H360	May damage fertility or the unborn child
H370	Causes damage to organs
H372	Causes damage to organs through prolonged or
	repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

NFPA Health Hazard 3 - Materials that, under emergency conditions, can cause serious or

permanent injury.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.

NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.

HMIS III Rating

Health 3 Serious Hazard

* Chronic - Chronic (long-term) health effects may result from

repeated overexposure

Flammability 1 Slight Hazard
Physical 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Nusil US GHS SDS

02/06/2023 EN (English US) 11/11