Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 10/07/2020 Date of Issue: 05/12/2014





Version: 3.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Product Name Synonyms Mixture MED1-1356 Pressure Sensitive Adhesive

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 <u>ehs@nusil.com</u> <u>www.nusil.com</u>

1.4. Emergency Telephone Number

Emergency800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International
and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Flam. Liq. 2 H225 Eye Dam. 2 H319 STOT SE 3 H336 Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) Hazard Statements (GHS-US)

Danger H225 - Highly flammable liquid and vapor H319 - Causes eye irritation H336 - May cause drowsiness or dizziness Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary Statements (GHS- US)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 - Ground/Bond container and receiving equipment. P241 - Use explosion-proof electrical, ventilating, and lighting equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves, protective clothing, and eye protection. P304+P340+P312 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish. P403+P233+P235 - Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 - Store locked up.
	P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.
2.3. Other Hazards	
Other Hazards Not Contributing	Exposure may aggravate pre-existing eye, skin, or respiratory

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable.

3.2. Mixture

Name	Product Identifier	%	GHS-US Classification
Ethyl Acetate	(CAS-No.) 141-78-6	40 - 60	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid Measures After	When symptoms occur: go into open air and ventilate
Inhalation	suspected area. Obtain medical attention if breathing difficulty persists.
First-aid Measures After Skin	Remove contaminated clothing. Drench affected area with
Contact	water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid Measures After Eye	Rinse cautiously with water for at least 30 minutes. Remove
Contact	contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid Measures After	Rinse mouth. Do NOT induce vomiting. Obtain medical
Ingestion	attention.
4.2. Most Important Symptoms	and Effects Both Acute and Delayed
Symptoms/Injuries	May cause drowsiness and dizziness. Causes serious eye irritation.
Symptoms/Injuries After	High concentrations may cause central nervous system
Inhalation	depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.
Symptoms/Injuries After Skin Contact	Redness, pain, swelling, itching, burning, dryness, and dermatitis.
Symptoms/Injuries After Eye Contact	Causes severe irritation to the cornea, iris, or conjunctiva.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media	: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂). Water may be ineffective but water should be used to keep fire-exposed container cool.
Unsuitable Extinguishing Media	: Do not use a heavy water stream. A heavy water stream may spread burning liquid.
5.2. Special Hazards Arising Fi	rom the Substance or Mixture
Fire Hazard	Highly flammable liquid and vapor.
Explosion Hazard	May form flammable or explosive vapor-air mixture.
Reactivity	Hazardous reactions will not occur under normal conditions
5.3. Advice for Firefighters	
Precautionary Measures Fire Firefighting Instructions	Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire
Protection During Firefighting	remotely due to the risk of explosion. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures	Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric
	charges. Do not breathe vapor, mist or spray.
6.1.1. For Non-Emergency Personn	lel
Protective Equipment Emergency Procedures	Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Stop leak if safe to do so.
6.1.2. For emergency responders	
Protective Equipment Emergency Procedures	Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Eliminate ignition sources.
6.2. Environmental Precaution	S
Prevent entry to sewers and public	waters.
6.3. Methods and Materials for	r Containment and Cleaning Up
For Containment	Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all

Methods for Cleaning Up Methods for Cleaning Up Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only nonsparking tools.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Processed	Handle empty containers with care because residual vapors are flammable.
Precautions for Safe Handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take precautionary measures against static discharge. Use only non-sparking tools. Do not get in eyes, on skin, or on clothing. Obtain special instructions before use. Do not breathe vapors, mist, spray. Do not handle until all safety precautions have been read and understood.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures	Comply with applicable regulations. Take action to prevent
	static discharges. Ground and bond container and receiving
	equipment. Use explosion-proof electrical, ventilating, and
	lighting equipment.
Storage Conditions	Store in a dry, cool place. Keep/Store away from direct sunlight,
	extremely high or low temperatures and incompatible
	materials. Store in a well-ventilated place. Keep container
	tightly closed. Keep in fireproof place.
Incompatible Materials	Strong acids, strong bases, strong oxidizers.
7.3. Specific End Use(s)	

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Ethyl Acetate (141-78-6)		
USA ACGIH	ACGIH TWA (ppm)	400 ppm
USA NIOSH REL	NIOSH REL TWA (mg/m ³)	1400 mg/m ³
USA NIOSH REL	NIOSH REL TWA (ppm)	400 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	1400 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm

8.2. Exposure Controls

Appropriate Engineering Controls

Personal Protective Equipment

Materials For Protective Clothing Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.
Wear protective gloves.
Chemical safety goggles.
Wear suitable protective clothing.
If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
When using, do not eat, drink or smoke.

Other Information

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid Appearance Colorless Odor Odorless Odor Threshold No data available No data available pН No data available **Evaporation Rate** Melting Point No data available No data available Freezing Point **Boiling Point** > 135 °C (275 °F) Flash Point -4 °C (25 °F) Auto-ignition Temperature No data available **Decomposition Temperature** No data available Not applicable Flammability (solid, gas) Vapor Pressure No data available Relative Vapor Density at 20 °C No data available **Relative Density** No data available Specific Gravity > 1 Solubility No data available Partition Coefficient n-Octanol/Water No data available Viscosity No data available

9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Extremely flammable liquid and vapor. May form flammable or explosive vapor-air mixture.

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Thermal decomposition generates: Carbon oxides (CO, CO₂). Silicon oxides.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity (Oral)	: Not classified
Acute Toxicity (Dermal)	: Not classified

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute Toxicity (Inhalation)	: Not classified
Ethyl Acetate (141-78-6)	
LD50 Dermal Mouse	1500 mg/l
Skin Corrosion/Irritation Serious Eye Damage/Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity Specific Target Organ Toxicity (Sir	Not classified. Causes serious eye irritation. Not classified Not classified Not classified : Not classified : Not classified : May cause drowsiness or dizziness.
Exposure) Specific Target Organ Toxicity (Re Exposure)	epeated : Not classified
Aspiration Hazard Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact	Not classified High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms. Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion	Contact causes severe irritation with redness and swelling of the conjunctiva. Ingestion may cause adverse effects.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General	Not classified.
Ethyl Acetate (141-78-6)	
LC50 Fish 1	212.94 – 237.73 mg/l (Exposure time: 72 h - Species: Heteropneustes fossilis)

12.2. Persistence and Degradability

Not established.
ial
Not established.
0.05 (at 25 °C)
-

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information

Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal	Dispose of contents/container in accordance with local,
Recommendations	regional, national, and international regulations.
Additional Information	Handle empty containers with care because residual vapors
	are flammable.
Ecology - Waste Materials	Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance	with DOT	
Proper Shipping Name	ETHYL ACETATE SOLUTION	
Hazard Class	3	
Identification Number	UN1173	
Label Codes	3	
Packing Group	II	
ERG Number	128	
14.2. In Accordance	with IMDG	
Proper Shipping Name	ETHYL ACETATE SOLUTION	
Hazard Class	3	
Identification Number	UN1173	
Packing Group		
Label Codes	3	
EmS-No. (Fire)	F-E	
EmS-No. (Spillage)	S-E	
14.3. In Accordance	with IATA	
Proper Shipping Name	ETHYL ACETATE SOLUTION	
Packing Group		
Identification Number	UN1173	
Hazard Class	3	
Label Codes	3	
ERG Code (IATA)	3H	

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation. MED1-1356

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SARA Section 311/312 Hazard	Physical hazard - Flammable (gases, aerosols, liquids, or solids)
Classes	Health hazard - Serious eye irritation
	Health hazard - Specific target organ toxicity (single or
	repeated exposure)

15.2. US State Regulations

Ethyl Acetate (141-78-6) RTK - U.S. - Massachusetts - Right To Know List RTK - U.S. - New Jersey - Right to Know Hazardous Substance List RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List RTK - U.S. - Pennsylvania - RTK (Right to Know) List

RTK - U.S. - Rhode Island - RTK (Right to Know) List

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest Revision	10/07/2020
Other Information	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
STOT SE 3	Specific target organ toxicity (single exposure)
	Category 3
H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 3 - Liquids and solids that can be ignited under almost all ambient conditions.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating Health Flammability Physical	: 2 Moderate Hazard - Temporary or minor injury may occur : 3 Serious Hazard : 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN

INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NUSII US GHS SDS