# MED-4102-6





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 02/09/2023 Date of Issue: 11/04/2013

Version 5.0

### **SECTION 1: Identification**

#### 1.1. Product Identifier

Product Form Mixture
Product Name MED-4102-6

Synonyms Color Masterbatch

# 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only

## 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

**USA** 

(805) 684-8780

productstewardship@avantorsciencesgcc.com

www.nusil.com

## 1.4. Emergency Telephone Number

Emergency 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International

Number and Maritime)

### **SECTION 2: Hazards Identification**

#### 2.1. Classification of the Substance or Mixture

#### **GHS-US Classification**

Reproductive toxicity Category 2 H361 Hazardous to the aquatic environment - Chronic Hazard Category 2 H411

#### 2.2. Label Elements

#### **GHS-US Labeling**

Hazard Pictograms (GHS-US)



Warning



GHS08 GHS09

Signal Word (GHS-US)

Hazard Statements (GHS-US)

H361 - Suspected of damaging fertility or the unborn child

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-

US)

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been

read and understood.

P273 - Avoid release to the environment.

P280 - Wear eye protection, protective clothing, protective

aloves.

P308+P313 - If exposed or concerned: Get medical

advice/attention. P391 - Collect spillage. P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local,

regional, national, and international regulations.

02/09/2023 EN (English US) 1/9

#### 2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory

to the Classification conditions. **Unknown Acute Toxicity (GHS-US)** 2.4.

0% of the mixture consists of ingredients of unknown acute toxicity.

# SECTION 3: Composition/Information On Ingredients

#### 3.1. Substances

Not applicable

#### **Mixtures**

| Name                         | Product Identifier | %   | GHS-US Classification   |
|------------------------------|--------------------|-----|---|
| Octamethylcyclotetrasiloxane | (CAS-No.) 556-67-2 | < 1 | Flam. Liq. 3, H226<br>Repr. 2, H361<br>Aquatic Chronic 1,<br>H410 |

Full text of H-phrases: see section 16

### **SECTION 4: First Aid Measures**

#### **Description of First-aid Measures** 4.1.

First-aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After When symptoms occur: go into open air and ventilate

Inhalation suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin

and water for at least 5 minutes. If exposed or concerned: Get Contact

medical advice/attention.

First-aid Measures After Eye

First-aid Measures After

Contact

Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Remove contaminated clothing. Wash affected area with soap

Rinse mouth. Do NOT induce vomiting. Obtain medical

Ingestion attention.

#### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries Suspected of damaging fertility or the unborn child.

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin

Contact

Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye

Contact

May cause slight irritation to eyes.

Symptoms/Injuries After

Inaestion

Ingestion may cause adverse effects.

Chronic Symptoms Suspected of damaging fertility or the unborn child.

# Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

02/09/2023 EN (English US)

# **SECTION 5: Fire-Fighting Measures**

5.1. Extinguishing Media

Suitable Extinguishing Media : Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam,

or dry chemical.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Use water spray or fog for cooling exposed containers.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Hazardous Combustion Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides. Nitrogen oxides.

Products Chlorine compounds. Formaldehyde.

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

# **SECTION 6: Accidental Release Measures**

## 6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapor, mist or spray.

**6.1.1.** For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

# 6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Absorb and/or contain spill with inert material. Transfer spilled

material to a suitable container for disposal. Contact

competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

02/09/2023 EN (English US) 3/9

# **SECTION 7: Handling And Storage**

# 7.1. Precautions for Safe Handling

Additional Hazards When Will decompose above 150 °C (> 300 °F) releasing

Processed formaldehyde vapors.

Precautions for Safe Handling Obtain special instructions before use. Do not handle until all

safety precautions have been read and understood. Avoid contact with skin, eyes and clothing. Do not breathe vapors, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when

leaving work.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked

up/in a secure area.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

**7.3. Specific End Use(S)** For professional use only.

# SECTION 8: Exposure Controls/Personal Protection

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

### 8.2. Exposure Controls

Appropriate Engineering Ensure adequate ventilation, especially in confined areas.

Controls Suitable eve/body wash equipment should be available in

Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local

regulations are observed.

Personal Protective Equipment Gloves. Protective clothing. Insufficient ventilation: wear

respiratory protection. Protective goggles or glasses.









Materials For Protective

Clothing

Hand Protection

Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves.

Chemical safety goggles or safety glasses with side shields.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

02/09/2023 EN (English US) 4/9

Other Information

When using, do not eat, drink or smoke.

# **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Green
Odor Odorless

Odor Threshold No data available Hq No data available **Evaporation Rate** No data available **Melting Point** No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) No data available **Auto-ignition Temperature Decomposition Temperature** No data available Flammability (solid, gas) Not applicable Vapor Pressure No data available Relative Vapor Density at 20°C No data available Relative Density > 1 (water = 1)

Specific Gravity > 1

Solubility

Partition Coefficient n-Octanol/Water

Viscosity

No data available

No data available

No data available

#### 9.2. Other Information

VOC Content < 1 %

# **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

#### 10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

#### 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

### 10.6. Hazardous Decomposition Products

Thermal decomposition may produce: Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides. Nitrogen oxides. Chlorine compounds. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

02/09/2023 EN (English US) 5/9

# **SECTION 11: Toxicological Information**

# 11.1. Information on Toxicological Effects

Acute Toxicity (Oral) Not classified Acute Toxicity (Dermal) Not classified Acute Toxicity (Inhalation) Not classified

| Octamethylcyclotetrasiloxane (556-67-2) |                             |
|---|-----------------------------|
| LD50 Oral Rat                           | > 4800 mg/kg (No mortality) |
| LD50 Dermal Rat                         | > 2375 mg/kg                |
| LD50 Dermal Rabbit                      | > 2.5 ml/kg (No mortality)  |
| LC50 Inhalation Rat                     | 36 mg/l/4h                  |

Skin Corrosion/Irritation Not classified Not classified Serious Eye Damage/Irritation Respiratory or Skin Sensitization Not classified Germ Cell Mutagenicity Not classified Carcinogenicity Not classified

Reproductive Toxicity Suspected of damaging fertility or the unborn child.

Not classified

Specific Target Organ Toxicity Not classified

Specific Target Organ Toxicity

(Repeated Exposure)

(Single Exposure)

**Aspiration Hazard** Not classified

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin

Contact

Symptoms/Injuries After Eye

Contact

Ingestion

Symptoms/Injuries After Ingestion may cause adverse effects.

Chronic Symptoms Suspected of damaging fertility or the unborn child.

# **SECTION 12: Ecological Information**

### 12.1. Toxicity

**Ecology - General** Toxic to aquatic life with long lasting effects.

| Octamethylcyclotetrasiloxane (556-67-2) |             |
|---|-------------|
| LC50 Fish 1                             | > 22 µg/l   |
| NOEC Chronic Fish                       | 0.0044 mg/l |

Prolonged exposure may cause skin irritation.

May cause slight irritation to eyes.

### 12.2. Persistence and Degradability

| MED-4102-6                    |   |
|-------------------------------|---|
| Persistence and Degradability | May cause long-term adverse effects in the environment. |

#### 12.3. Bioaccumulative Potential

| MED-4102-6                              |                  |
|---|------------------|
| Bioaccumulative Potential               | Not established. |
| Octamethylcyclotetrasiloxane (556-67-2) |                  |

02/09/2023 EN (English US)

### MED-4102-6

### Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| BCF Fish 1               | 12400 (dimensionless) |
|--------------------------|-----------------------|
| Partition coefficient n- | 6.488 (at 25.1 °C)    |
| octanol/water (Log Pow)  |                       |

### 12.4. Mobility In Soil

No additional information available

#### 12.5. Other Adverse Effects

Other Information Avoid release to the environment.

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

Ecology - Waste Materials Avoid release to the environment. This material is hazardous to

the aquatic environment. Keep out of sewers and waterways.

# **SECTION 14: Transport Information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1. In Accordance with DOT

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.

(Octamethylcyclotetrasiloxane)

Hazard Class 9

Identification Number UN3082

Label Codes 9
Packing Group III

Marine Pollutant Marine pollutant

ERG Number 171

#### 14.2. In Accordance with IMDG

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Octamethylcyclotetrasiloxane)

Hazard Class 9

Identification Number UN3082

Packing Group III
Label Codes 9
EmS-No. (Fire) F-A
EmS-No. (Spillage) S-F

Marine Pollutant Marine pollutant



02/09/2023 EN (English US) 7/9

#### 14.3. In Accordance with IATA

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Octamethylcyclotetrasiloxane)

Packing Group III

Identification Number UN3082

Hazard Class 9 Label Codes 9 ERG Code (IATA) 9L



# **SECTION 15: Regulatory Information**

# 15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

|            | <u> </u>                    |                                       |
|------------|-----------------------------|---------------------------------------|
| MED-4102-6 |                             |                                       |
|            | SARA Section 311/312 Hazard | Health hazard - Reproductive toxicity |
|            | Classes                     |                                       |

## 15.2. US State Regulations

### Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

# SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest 02/09/2023

Revision

Other Information This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

GHS Full Text Phrases:

| H226 | Flammable liquid and vapor                           |
|------|--|
| H227 | Combustible liquid                                   |
| H361 | Suspected of damaging fertility or the unborn child  |
| H410 | Very toxic to aquatic life with long lasting effects |
| H411 | Toxic to aquatic life with long lasting effects      |

02/09/2023 EN (English US) 8/9

### MED-4102-6

# Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA Health Hazard 1 - Materials that, under emergency

conditions, can cause significant irritation.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.

NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.


HMIS III Rating

Health 1 Slight Hazard

\* Chronic - Chronic (long-term) health effects may result from

repeated overexposure

Flammability 1 Slight Hazard
Physical 0 Minimal Hazard



Nusil US GHS SDS

02/09/2023 EN (English US) 9/9