Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 06/02/2023 Date of issue: 09/12/2014





Version: 7.0

SECTION 1: Identification

1.1. Product identifier

Product Form Product Name Synonyms Mixture MED-4211 Part A Silicone Elastomer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture For professional use only.

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. Emergency telephone number

Emergency : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US Classification

Repr. 2 H361 Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



GHS08 Signal Word (GHS-US) Warning Hazard Statements (GHS-US) H361 - Suspected of damaging fertility or the unborn child H412 - Harmful to aquatic life with long lasting effects Precautionary Statements (GHS-P201 - Obtain special instructions before use. US) P202 - Do not handle until all safety precautions have been read and understood. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, and eye protection. P308+P313 - If exposed or concerned: Get medical advice/attention. P405 - Store locked up. P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS No) 68909-20-6	10 - 30	Not classified
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226
			Repr. 2, H361
			Aquatic Chronic 1, H410

SECTION 4: First aid measures

4.1. Description of first aid measures

ус	ever give anything by mouth to an unconscious person. If bu feel unwell, seek medical advice (show the label where ossible).
First-aid measures after W	hen symptoms occur: go into open air and ventilate
	spected area. Obtain medical attention if breathing fficulty persists.
contact we	emove contaminated clothing. Drench affected area with ater for at least 15 minutes. Obtain medical attention if tation develops or persists.
First-aid measures after eye Rin contact co	nse cautiously with water for at least 15 minutes. Remove ontact lenses, if present and easy to do. Continue rinsing. btain medical attention.
First-aid measures after Rin	nse mouth. Do NOT induce vomiting. Obtain medical
ingestion at	tention.
4.2. Most important symptoms and	l effects, both acute and delayed
Symptoms/injuries Su	spected of damaging fertility or the unborn child.
Symptoms/injuries after Pro inhalation	olonged exposure may cause irritation.
Symptoms/injuries after skin Pro contact	olonged exposure may cause skin irritation.
Symptoms/injuries after eye Miccontact	ay cause slight irritation to eyes.
Symptoms/injuries after Ing ingestion	gestion may cause adverse effects.
Chronic symptoms Su	spected of damaging fertility or the unborn child.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting measures

5.1. Extinguishing media

Suitable extinguishing media	Water spray, dry chemical, alcohol-resistant foam, carbon dioxide.
Unsuitable extinguishing media	Do not use a heavy water stream. Use of heavy stream of water may spread fire. Application of water stream to hot product may cause frothing and increase fire intensity.
5.2. Special hazards arising from	m the substance or mixture
Fire hazard	Not considered flammable but may burn at high temperatures.
Explosion hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for firefighters	
Precautionary measures fire	Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.
Firefighting instructions	Use water spray or fog for cooling exposed containers.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).
6.1.1.For non-emergency personne	
Protective equipment	Use appropriate personal protective equipment (PPE).
Emergency procedures	Evacuate unnecessary personnel.
6.1.2.For emergency responders	
Protective equipment	Equip cleanup crew with proper protection.
Emergency procedures	Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precautions	

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment	Contain any spills with dikes or absorbents to prevent
	migration and entry into sewers or streams.
Methods for cleaning up	Clean up spills immediately and dispose of waste safely.
	Transfer spilled material to a suitable container for disposal.
	Contact competent authorities after a spill.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.
Hygiene measures	Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage	, including any incompatibilities
Technical measures	Comply with applicable regulations.
Storage conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible products	Strong acids, strong bases, strong oxidizers.
7.3. Specific end use(s)	

For professional use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80 mg/m ³ /%SiO ₂)

8.2. Exposure Controls

Appropriate Engineering
Controls

Personal Protective Equipment

Materials For Protective Clothing Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection

Other Information

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.

Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles. Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection. When using, do not eat, drink or smoke.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

7.1. Information on busic physic	ui unu c	mennicui propenies
Physical state	:	Liquid
Appearance	:	Colorless
Odor	:	Odorless
Odor threshold	:	No data available
рН	:	No data available
Evaporation Rate	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	> 135 °C (> 275 °F)
Auto-ignition Temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative vapor density at 20 °C	:	No data available
Specific gravity	:	>]
Solubility	:	No data available
Partition coefficient: n-octanol/wa	ter :	No data available
Viscosity	:	No data available
9.2. Other information		
VOC content	< 1%	

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous decomposition products

Silicon oxides. Carbon oxides (CO, CO₂). Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute Toxicity	: Not classified
Octamethylcyclotetrasiloxane (556-67-2)
LD50 Oral Rat	> 4800 mg/kg (No mortality)

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 Dermal Rat	> 2375 mg/kg	
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)	
LC50 Inhalation Rat	36 mg/l/4h	
Skin Corrosion/Irritation	Not classified	
Serious Eye Damage/Irritation	Not classified	
Respiratory or Skin Sensitization	Not classified	
Germ Cell Mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive Toxicity	: Suspected of damaging fertility or the unborn child.	
Specific Target Organ Toxicity (Sir	ngle : Not classified	
Exposure)		
Specific Target Organ Toxicity (Re	epeated : Not classified	
Exposure)		
Aspiration Hazard	Not classified	
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.	
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.	
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.	
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.	
Chronic Symptoms	Suspected of damaging fertility or the unborn child.	

SECTION 12: Ecological information

12.1.Toxicity

,		
Ecology – general	Harmful to aquatic life with long lasting effects	
Octamethylcyclotetrasiloxane	(556-67-2)	
LC50 Fish	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	
12.2. Persistence and degrade	ability	
MED-4211 Part A		
Persistence and degradability	May cause long-term adverse effects in the environment	
12.3. Bioaccumulative potenti	al	
MED-4211 Part A		
Bioaccumulative potential	Not established.	
Octamethylcyclotetrasiloxane	(556-67-2)	
BCF Fish 1	12400	
Partition coefficient n-	6.488 (at 25.1 °C)	
octanol/water (Log Pow)		
12.4. Mobility in soil		
No additional information availa	lble	

12.5. Other adverse effects

Other information

Avoid release to the environment.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	Dispose of contents/container in accordance with local, regional, national, and international regulations.
Additional Information	Container may remain hazardous when empty. Continue to observe all precautions.
Ecology - Waste Materials	This material is hazardous to the aquatic environment. Keep out of sewers and waterways. Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- **14.3.** In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed or exempted from being listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Environmental Protection Agency Toxic Substances Control Act (ISCA) Inventory.				
	MED-4211 Part A			
	SARA Section 311/312 Hazard	Health hazard - Reproductive toxicity		
	Classes			
	15.2. US State regulations			
	Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)			
	U.S Texas - Effects Screening Levels - Long Term			
	U.S Texas - Effects Screening Levels - Short Term			
Octamethylcyclotetrasiloxane (556-67-2)				
	U.S Texas - Effects Screening Le	evels - Long Term		
	U.S Texas - Effects Screening Le	evels - Short Term		
	U.S Maine - Chemicals of Con	cern		
	U.S Oregon - Priority Persistent	Pollutant - Tier I - Persistent Pollutants		
	U.S Minnesota - Chemicals of I	High Concern		

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other information, including date of preparation or last revision

Revision date

06/02/2023

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category		
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3		
Flam. Liq. 3	Flammable liquids Category 3		
Repr. 2	Reproductive toxicity Category 2		
H226	Flammable liquid and vapor		
H361	Suspected of damaging fertility or the unborn child		
H410	Very toxic to aquatic life with long lasting effects		
H412	Harmful to aquatic life with long lasting effects		
NFPA health hazard	1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.		
NFPA fire hazard	1 - Must be preheated before ignition can occur.		
NFPA reactivity	0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		
HMIS III Rating Health Flammability Physical	1 Slight Hazard - Irritation or minor reversible injury possible 1 Slight Hazard 0 Minimal Hazard		

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NUSII's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 06/02/2023 Date of issue: 08/07/2013





Version: 6.0

SECTION 1: Identification

1.1. Product identifier

Product Form Product Name Synonyms Mixture MED-4211 Part B Silicone Elastomer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture For professional use only.

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. Emergency telephone number

Emergency : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Irrit. 2H315Eye Irrit. 2AH319Repr. 1BH360Aquatic Chronic 2H411

Full text of hazard classes and H-statements: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)

Signal word (GHS-US)
Hazard statements (GHS-US)

Precautionary statements (GHS-US)



- Danger
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H360 May damage fertility or the unborn child
- H411 Toxic to aquatic life with long lasting effects
- Precautionary statements (GHS-: P201 Obtain special instructions before use.
 - P202 Do not handle until all safety precautions have been read and understood.

P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 – If exposed or concerned: Get medical advice/attention.

P321 - Specific treatment (see Section 4 on this SDS). P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other hazards

Other hazards not contributing to the classification

: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Siloxanes and Silicones, dimethyl,	(CAS No) 68037-59-2	< 20	Skin Irrit. 2, H315
methyl hydrogen			Eye Irrit. 2A, H319
			STOT SE 3, H335
Methyl vinylcyclosiloxane	(CAS-No.) 2554-06-5	< 5	Repr. 1B, H360
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 1	Flam. Liq. 3, H226
			Repr. 2, H361
			Aquatic Chronic 1, H410

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after	When symptoms occur: go into open air and ventilate	
inhalation	suspected area. Obtain medical attention if breathing	
	difficulty persists.	
First-aid measures after skin	Remove contaminated clothing. Drench affected area with	
contact	water for at least 15 minutes. Obtain medical attention if	
	irritation develops or persists.	
First-aid measures after eye	Rinse cautiously with water for at least 15 minutes. Remove	
contact	contact lenses, if present and easy to do. Continue rinsing.	
	Obtain medical attention.	
First-aid measures after	Rinse mouth. Do NOT induce vomiting. Obtain medical	
ingestion	attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/injuries	Causes skin irritation. Causes serious eye irritation. May	
	damage fertility or the unborn child.	
Symptoms/injuries after	Prolonged exposure may cause irritation.	
inhalation		
Symptoms/injuries after skin	Redness, pain, swelling, itching, burning, dryness, and	
contact	dermatitis.	
Symptoms/injuries after eye	Contact causes severe irritation with redness and swelling of	
contact	the conjunctiva.	
Symptoms/injuries after	Ingestion may cause adverse effects.	
ingestion	J ,	
Chronic symptoms	May damage fertility or the unborn child.	
, ,		

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, dry chemical, alcohol-resistant foam, carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire. Application of water stream to hot product may cause frothing and increase fire intensity.
5.2. Special hazards arising fro	om the substance or mixture
Fire hazard	Not considered flammable but may burn at high temperatures.
Explosion hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for firefighters	
Precautionary measures fire	Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.
Firefighting instructions Protection during firefighting	Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).
6.1.1.For non-emergency pers	onnel
Protective equipment	Use appropriate personal protective equipment (PPE).
Emergency procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responde	ers
Protective equipment	Equip cleanup crew with proper protection.
Emergency procedures	Upon arrival at the scene, a first responder is expected to
	recognize the presence of dangerous goods, protect oneself
	and the public, secure the area, and call for the assistance of

trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment	Contain any spills with dikes or absorbents to prevent
	migration and entry into sewers or streams.
Methods for cleaning up	Clean up spills immediately and dispose of waste safely.
	Transfer spilled material to a suitable container for disposal.
	Contact competent authorities after a spill.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving
	work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.
Hygiene measures	Handle in accordance with good industrial hygiene and
nygiene medsoles	safety procedures.
7.2. Conditions for safe storag	je, including any incompatibilities
Technical measures	Comply with applicable regulations.
Storage conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible products	Strong acids, strong bases, strong oxidizers.
7.3. Specific end use(s)	
For professional use only.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls Appropriate engineering Ensure adequate ventilation, especially in confined areas. controls Ensure all national/local regulations are observed. Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Personal protective Protective goggles. Gloves. Protective clothing. Insufficient equipment ventilation: wear respiratory protection. Chemically resistant materials and fabrics. Materials for protective clothing Hand protection Wear protective gloves. Eye protection Chemical safety goggles. Skin and body protection Wear suitable protective clothing. Respiratory protection

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection. When using, do not eat, drink or smoke.

Other information

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state		:	Liquid
Appearance		:	Colorless
Odor		:	Odorless
Odor threshold		:	No data available
рН		:	No data available
Evaporation Rate		:	No data available
Melting point		:	No data available
Freezing point		:	No data available
Boiling point		:	No data available
Flash point		:	> 135 °C (> 275 °F)
Auto-ignition Temperature		:	No data available
Decomposition temperature		:	No data available
Flammability (solid, gas)		:	No data available
Vapor pressure		:	No data available
Relative vapor density at 20 °C		:	No data available
Specific gravity		:	<]
Solubility		:	No data available
Partition coefficient: n-octanol/wo	ater	:	No data available
Viscosity		:	No data available
9.2. Other information			
VOC content	< 1%		

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Evolved hydrogen gas is flammable and may form explosive mixtures with air.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible materials

Water, alcohols, acids, bases, strong oxidizing agents, catalytic metals, metallic compounds.

10.6. Hazardous decomposition products

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Flammable hydrogen gas. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

SECTION 11: Toxicological information

Acute toxicity	Not classified
Octamethylcyclotetrasiloxane	(556-67-2)
LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h
Methyl vinylcyclosiloxane (2554	4-06-5)
LD50 Oral Rat	> 4800 mg/kg (Read accross, no deaths)
LD50 Dermal Rabbit	> 2000 mg/kg (no deaths)
LC50 Inhalation Rat	> 1.32 mg/l/4h
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	: May damage fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	Not classified
Symptoms/injuries after	Prolonged exposure may cause irritation
inhalation	
Symptoms/injuries after skin	Redness, pain, swelling, itching, burning, dryness, and
contact	dermatitis.
Symptoms/injuries after eye	Contact causes severe irritation with redness and swelling of
contact	the conjunctiva.
Symptoms/injuries after	Ingestion may cause adverse effects
ingestion	
Chronic symptoms	May damage fertility or the unborn child.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

12.1.10XICIIY		
Ecology – general	Toxic to aquatic life with long lasting effects	
Octamethylcyclotetrasiloxane (556-67-2)		
LC50 Fish	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	
12.2. Persistence and degrad	ability	
MED-4211 Part B		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
MED-4211 Part B		
Bioaccumulative potential	Not established.	
Methyl vinylcyclosiloxane (2554-06-5)		
Partition coefficient n-	6,47	
octanol/water (Log POW)		
Octamethylcyclotetrasiloxane (556-67-2)		
BCF Fish 1	12400	
Partition coefficient n-	6.488 (at 25.1 °C)	
octanol/water (Log Pow)		
12.4. Mobility in soil		

No additional information available

12.5. Other adverse effects

Other information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	Dispose of contents/container in accordance with local, regional, national, and international regulations.
Additional information	Container may remain hazardous when empty. Continue to
Ecology - waste materials	observe all precautions. Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name	ENVIRONMENTALLY HAZA	RDOUS SUBSTANCE, LIQUID, N.O.S.
	(Octamethylcyclotetrasild	oxane)
Hazard Class	9	
Identification Number	UN3082	
Label Codes	9	
Packing Group	III	
Marine Pollutant	Marine pollutant	
ERG Number	171	

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.2. In Accordance wit	h IMDG	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octamethylcyclotetrasiloxane)	
Hazard Class	9	
Identification Number	UN3082	
Packing Group		
Label Codes	9	
EmS-No. (Fire)	F-A	
EmS-No. (Spillage)	S-F	
Marine Pollutant	Marine pollutant	
14.3. In Accordance with IATA		
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
	(Octamethylcyclotetrasiloxane)	
Packing Group		
Identification Number	UN3082	
Hazard Class	9	
Label Codes	9	
ERG Code (IATA)	9L	

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed or exempted from being listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2. US State regulations

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other information, including date of preparation or last revision

Revision date	06/02/2023
Other information	This document has been prepared in accordance with the
	SDS requirements of the OSHA Hazard Communication
	Standard 29 CFR 1910.1200.

Full text of H-phrases:

-		
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Repr. 1B	Reproductive toxicity, Category 1B
	Repr. 2	Reproductive toxicity Category 2
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H360	May damage fertility or the unborn child
H361	Suspected of damaging fertility or the unborn child
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

NFPA health hazard	1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA fire hazard	1 - Must be preheated before ignition
	can occur.
NFPA reactivity	0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	1 Slight Hazard
Physical	0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NUSII US GHS SDS