# MED4-4115





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 12/04/2023 Date of Issue: 03/27/2014

Version 5.0

### **SECTION 1: Identification**

#### 1.1. Product Identifier

Product Form Mixture
Product Name MED4-4115

Synonyms Silicone Elastomer

#### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

### 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California

Carpinteria, California 93013

USA

(805) 684-8780

productstewardship@avantorsciencesgcc.com

www.nusil.com

#### 1.4. Emergency Telephone Number

Emergency 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International

Number and Maritime)

#### **SECTION 2: Hazards Identification**

### 2.1. Classification of the Substance or Mixture

#### **GHS-US Classification**

Skin sensitization, Category 1

Reproductive toxicity Category 1B

Hazardous to the aquatic environment - Chronic Hazard Category 3 H412

#### 2.2. Label Elements

#### **GHS-US Labeling**

Hazard Pictograms (GHS-US)





GHS07 GHS08

Signal Word (GHS-US) Danger

Hazard Statements (GHS-US) H317 - May cause an allergic skin reaction

H360 - May damage fertility or the unborn child

H412 - Harmful to aquatic life with long lasting effects

12/04/2023 EN (English US) 1/9

Precautionary Statements (GHS-US)

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been

read and understood.

P261 - Avoid breathing vapors, mist, or spray.

P272 - Contaminated work clothing must not be allowed out of

the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye

protection.

P302+P352 - If on skin: Wash with plenty of water. P308+P313 - If exposed or concerned: Get medical

advice/attention.

P321 - Specific treatment (see section 4 on this SDS). P333+P313 - If skin irritation or rash occurs: Get medical

advice/attention.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local,

regional, national, and international regulations.

#### 2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### 2.4. Unknown Acute Toxicity (GHS-US)

30 - 60% of the mixture consists of ingredients of unknown acute toxicity.

# **SECTION 3: Composition/Information On Ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product Identifier	<b>%</b> *	GHS-US Classification
2,4-Dichlorobenzoyl peroxide	(CAS-No.) 133-14-2	< 1	Org. Perox. D, H242 Skin Sens. 1, H317
			Repr. 1B, H360
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

### **SECTION 4: First Aid Measures**

#### 4.1. Description of First-aid Measures

First-aid Measures General

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

12/04/2023 EN (English US) 2/9

<sup>\*</sup>The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

First-aid Measures After When symptoms occur: go into open air and ventilate

Inhalation suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin Remove contaminated clothing. Wash affected area with soap

and water for at least 15 minutes. Obtain medical attention if Contact

irritation/rash develops or persists.

Rinse cautiously with water for at least 15 minutes. Remove First-aid Measures After Eye

contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

First-aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

Ingestion attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries Skin sensitization. May damage fertility or the unborn child.

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Contact

Symptoms/Injuries After Skin May cause an allergic skin reaction.

Contact

Symptoms/Injuries After Eye May cause slight irritation to eyes.

Contact

Symptoms/Injuries After Ingestion may cause adverse effects.

Inaestion

Chronic Symptoms May damage fertility or the unborn child. May cause an allergic

skin reaction.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# SECTION 5: Fire-Fighting Measures

**Extinguishing Media** 

Suitable Extinguishing Media : Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam,

or dry chemical.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

**Explosion Hazard** Product is not explosive.

Hazardous reactions will not occur under normal conditions. Reactivity

**Advice for Firefighters** 

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Firefighting Instructions Use water spray or fog for cooling exposed containers.

Do not enter fire area without proper protective equipment, **Protection During Firefighting** 

including respiratory protection.

Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides. Formaldehyde.

Hazardous Combustion

**Products** 

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

12/04/2023 EN (English US)

#### **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Absorb and/or contain spill with inert material. Transfer spilled

material to a suitable container for disposal. Contact

competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# **SECTION 7: Handling And Storage**

#### 7.1. Precautions for Safe Handling

Additional Hazards When Will decompose above 150 °C (> 300 °F) releasing

Processed formaldehyde vapors.

Precautions for Safe Handling Obtain special instructions before use. Do not handle until all

safety precautions have been read and understood. Avoid contact with skin, eyes and clothing. Do not breathe vapors, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when

leaving work.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked

up/in a secure area.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

**7.3. Specific End Use(S)** For professional use only.

12/04/2023 EN (English US) 4/9

# **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1. **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Octamethylcyclotetro	usiloxane (556-67-2)	
USA AIHA	WEEL TWA	10 ppm

#### 8.2. **Exposure Controls**

Appropriate Engineering Ensure adequate ventilation, especially in confined areas.

Controls Suitable eye/body wash equipment should be available in the

vicinity of any potential exposure. Ensure all national/local

regulations are observed.

Gloves. Protective clothing. Insufficient ventilation: wear Personal Protective Equipment respiratory protection. Protective goggles or glasses.



Materials For Protective

Clothina

Hand Protection

Relative Density

Eve And Face Protection Skin And Body Protection Respiratory Protection

Chemically resistant materials and fabrics.

Wear protective gloves.

Chemical safety goggles or safety glasses with side shields.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other Information When using, do not eat, drink or smoke.

# **SECTION 9: Physical and Chemical Properties**

#### Information on Basic Physical and Chemical Properties

Physical State Solid

**Appearance** Translucent Gray Odor Odorless

Odor Threshold No data available На No data available **Evaporation Rate** No data available **Melting Point** No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) **Auto-ignition Temperature** No data available Decomposition Temperature No data available Flammability (solid, gas) Not applicable Vapor Pressure No data available Relative Vapor Density at 20°C No data available

12/04/2023 EN (English US)

No data available

#### MED4-4115

#### Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific Gravity > 1

Solubility
Partition Coefficient n-Octanol/Water
Viscosity
No data available
No data available
No data available

#### 9.2. Other Information

VOC Content < 1 %

# **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

#### 10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

## 10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to Avoid

Extremely high or low temperatures and incompatible materials.

### 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

### 10.6. Hazardous Decomposition Products

Carbon oxides (CO, CO2). Silicon oxides. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation. May produce explosive hydrogen gas on contact with incompatibilities or upon thermal decomposition.

# **SECTION 11: Toxicological Information**

#### 11.1. Information on Toxicological Effects

Acute Toxicity (Oral)

Acute Toxicity (Dermal)

Acute Toxicity (Inhalation)

Not classified

Not classified

2,4-Dichlorobenzoyl peroxide (133-14-2)	
LD50 Oral Rat	> 2500 mg/kg

Octamethylcyclotetrasiloxane (556-67-2)	
LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h

Skin Corrosion/Irritation Not classified Serious Eye Damage/Irritation Not classified

Respiratory or Skin Sensitization May cause an allergic skin reaction.

Germ Cell Mutagenicity Not classified Carcinogenicity Not classified

Reproductive Toxicity May damage fertility or the unborn child.

Specific Target Organ Toxicity Not classified

(Single Exposure)

12/04/2023 EN (English US) 6/9

### MED4-4115

#### Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulation

Specific Target Organ Toxicity

(Repeated Exposure)

Not classified

Aspiration Hazard

Not classified

Symptoms/Injuries After

Chronic Symptoms

Prolonged exposure may cause irritation.

May cause an allergic skin reaction.

May cause slight irritation to eyes.

Inhalation

Symptoms/Injuries After Skin

Contact

Symptoms/Injuries After Eye

Contact

Symptoms/Injuries After

Ingestion may cause adverse effects. Ingestion

> May damage fertility or the unborn child. May cause an allergic skin reaction.

# **SECTION 12: Ecological Information**

### 12.1. Toxicity

Ecology - General Harmful to aquatic life with long lasting effects.

2,4-Dichlorobenzoyl peroxide (133-14-2)		
LC50 Fish 1	> 1000 mg/l (Exposure time: 96 h - Species: Poecilia reticulata	
	[semi-static])	
NOEC Chronic Fish	1000 mg/l (Exposure: 96h Species: Poecilia reticulata [semi-	
	static])	
Octamethylcyclotetrasiloxane (556-67-2)		
LC50 Fish 1	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	

#### 12.2. Persistence and Degradability

MED4-4115	
Persistence and Degradability	May cause long-term adverse effects in the environment.

#### 12.3. Bioaccumulative Potential

MED4-4115	
Bioaccumulative Potential	Not established.
2,4-Dichlorobenzoyl peroxide (133-14-2)	
Partition coefficient n-	6.01 KowWin
octanol/water (Log Pow)	
Octamethylcyclotetrasiloxane (556-67-2)	
BCF Fish 1	(12400 dimensionless)
Partition coefficient n-	6.488 (at 25.1 °C)
octanol/water (Log Pow)	

### 12.4. Mobility In Soil

No additional information available

#### 12.5. Other Adverse Effects

Other Information Avoid release to the environment.

12/04/2023 EN (English US)

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

Ecology - Waste Materials Avoid release to the environment. This material is hazardous to

the aquatic environment. Keep out of sewers and waterways.

# **SECTION 14: Transport Information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

#### 14.1. In Accordance with DOT

Not regulated for transport

#### 14.2. In Accordance with IMDG

Not regulated for transport

#### 14.3. In Accordance with IATA

Not regulated for transport

# **SECTION 15: Regulatory Information**

### 15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

•	
MED4-4115	
SARA Section 311/312 Hazard	Health hazard - Respiratory or skin sensitization
Classes	Health hazard - Reproductive toxicity

## 15.2. US State Regulations

#### Octamethylcyclotetrasiloxane (556-67-2)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Maine Chemicals of Concern
- U.S. Oregon Priority Persistent Pollutant Tier I Persistent Pollutants
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Chemicals of High Concern Persistent Bioaccumulative Toxins
- U.S. California Safer Consumer Products Initial List of Candidate Chemicals and Chemical

Groups

# SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest 12/04/2023 Revision

12/04/2023 EN (English US) 8/9

Other Information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### GHS Full Text Phrases:

H226	Flammable liquid and vapor
H242	Heating may cause a fire.
H317	May cause an allergic skin reaction
H360	May damage fertility or the unborn child
H361	Suspected of damaging fertility or the unborn child
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

NFPA Health Hazard 2 - Materials that, under emergency

conditions, can cause temporary incapacitation or residual injury.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.

NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.

**HMIS III Rating** 

Health 2 Moderate Hazard

\* Chronic - Chronic (long-term) health effects may result from

repeated overexposure

Flammability 1 Slight Hazard
Physical 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Nusil US GHS SDS

12/04/2023 EN (English US) 9/9