Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date:: 04/22/2022 Date of Issue: 05/02/2014





Version 4.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Product Name Synonyms Mixture MED4-4420 Part A Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet
NUSil Technology LLC
1050 Cindy Lane
Carpinteria, California 93013
USA
(805) 684-8780
ehs@nusil.com
www.nusil.com

1.4. Emergency Telephone Number

Emergency Number 800-424-9300 CHEMTREC (in US) +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification Repr. 2 H361 Aquatic Chronic 2 H411 Full text of hazard classes and H-statements : see section 16 2.2. Label Elements

GHS-US Labelina

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) Hazard Statements (GHS-US) Warning H361 - Suspected of damaging fertility or the unborn child H411 - Toxic to aquatic life with long lasting effects Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary Statements (GHS-US) P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with

local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No additional information available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	GHS-US Classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS-No.) 68909-20-6	10 - 30	Not classified
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 1	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]. Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid Measures After	When symptoms occur: go into open air and ventilate
Inhalation	suspected area. Obtain medical attention if breathing difficulty persists.
First-aid Measures After Skin	Remove contaminated clothing. Drench affected area with
Contact	water for at least 15 minutes. Obtain medical attention if
	irritation develops or persists.
First-aid Measures After Eye	Rinse cautiously with water for at least 15 minutes. Remove
Contact	contact lenses, if present and easy to do. Continue rinsing.
	Obtain medical attention.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most Important Symptoms	and Effects Both Acute and Delayed
Symptoms/Injuries	Suspected of damaging fertility or the unborn child.
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.

Indication of Any Immediate Medical Attention and Special Treatment Needed 4.3.

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. **Extinguishing Media**

Suitable Extinguishing Media	: Water spray, dry chemical, foam, carbon dioxide.
Unsuitable Extinguishing Media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special Hazards Arising F	rom the Substance or Mixture
Fire Hazard	Not considered flammable but may burn at high temperatures.
Explosion Hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for Firefighters	
Precautionary Measures Fire	Exercise caution when fighting any chemical fire.
Firefighting Instructions	Use water spray or fog for cooling exposed containers.
Protection During Firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
Hazardous Combustion Products	Carbon oxides (CO, CO ₂). Formaldehyde. Silicon oxides.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures	Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).
6.1.1. For Non-Emergency Persor	
Protective Equipment	Use appropriate personal protective equipment (PPE).
Emergency Procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	i de la constante de la constan
Protective Equipment	Equip cleanup crew with proper protection.
Emergency Procedures	Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.
04/22/2022 EN (English	US)

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment	Contain any spills with dikes or absorbents to prevent migration
	and entry into sewers or streams.
Methods for Cleaning Up	Clean up spills immediately and dispose of waste safely.
	Transfer spilled material to a suitable container for disposal.
	Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When	Will decompose above 150 °C (> 300 °F) releasing
Processed	formaldehyde vapors.
Precautions for Safe Handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for Safe Storag	e, Including Any Incompatibilities
Technical Measures	Comply with applicable regulations.
Storage Conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible Materials	Strong acids, strong bases, strong oxidizers.
7.3. Specific End Use(s)	

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)		
USA OSHA	OSHA PEL TWA	6 mg/m ³
USA OSHA	OSHA PEL TWA	20 mppcf (80mg/m ³ /%SiO ₂)

8.2. Exposure Controls

Appropriate Engineering Controls Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal Protective Equipment

Materials For Protective Clothing Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Gloves. Protective clothing. Protective goggles.



Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles. Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection. When using, do not eat, drink or smoke.

Other Information

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State	Liquid
Appearance	Colorless
Odor	Odorless
Odor Threshold	No data available
рН	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 °C (275 °F)
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (solid, gas)	Not applicable
Vapor Pressure	No data available
Relative Vapor Density at 20°C	No data available
Relative Density	No data available
Specific Gravity	>]
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity	No data available
9.2. Other Information	
VOC Content	<1%

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Thermal decomposition generates: Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity (Oral)	Not classified	
Acute Toxicity (Dermal)	Not classified	
Acute Toxicity (Inhalation)	Not classified	
Octamethylcyclotetrasiloxane (5	56-67-2)	
LD50 Oral Rat	> 4800 mg/kg (No mortality)	
LD50 Dermal Rat	> 2375 mg/kg	
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)	
LC50 Inhalation Rat	36 mg/l/4h	
Skin Corrosion/Irritation	Not classified	
Serious Eye Damage/Irritation	Not classified	
Respiratory or Skin Sensitization	Not classified	
Germ Cell Mutagenicity	Not classified	
Carcinogenicity Not classified		
Reproductive Toxicity	Suspected of damaging fertility or the unborn child.	
Specific Target Organ Toxicity Not classified		
(Single Exposure)		
Specific Target Organ Toxicity	Not classified	
(Repeated Exposure)		
Aspiration Hazard Not classified		
Symptoms/Injuries After Inhalatio		
Symptoms/Injuries After Skin Con		
Symptoms/Injuries After Eye Con		
Symptoms/Injuries After Ingestion		
Chronic Symptoms	Suspected of damaging fertility or the unborn child.	

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General	Toxic to aquatic life with long lasting effects.	
Octamethylcyclotetrasiloxane (55	6-67-2)	
LC50 Fish	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	
12.2. Persistence and Degrada	oility	
MED4-4420 Part A		

04/22/2022

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Persistence and Degradability	Not established.
12.3. Bioaccumulative Potential	
MED4-4420 Part A	
Bioaccumulative Potential	Not established.
Octamethylcyclotetrasiloxane (556-67-2)	
BCF Fish	12400
Partition coefficient n-octanol/water (Log POW)	5.1

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information

Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Treatment Methods	Dispose of waste material in accordance with all local,
	regional, national, and international regulations.
Waste Disposal	Dispose of contents/container in accordance with local,
Recommendations	regional, national, and international regulations.
Ecology - Waste Materials	Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.
	(Octamethylcyclotetrasiloxane)
Hazard Class	9
Identification Number	UN3082
Label Codes	9
Packing Group	III
Marine Pollutant	Marine pollutant
ERG Number	171
14.2. In Accordance	with IMDG
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(Octamethylcyclotetrasiloxane)
Hazard Class	9
Identification Number	UN3082
Packing Group	
Label Codes	9
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	S-F
Marine Pollutant	Marine pollutant

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9

9

91

In Accordance with IATA 14.3.

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octamethylcyclotetrasiloxane) Ш

Packing Group Identification Number Hazard Class Label Codes ERG Code (IATA)

UN3082



SECTION 15: Regulatory Information

15.1. **US Federal Regulations**

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED4-4420 Part A

SARA Section 311/312 Hazard Classes | Health hazard - Reproductive toxicity

15.2. **US State Regulations**

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

04/22/2022

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest Revision Other Information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
H226	Flammable liquid and vapor
H361	Suspected of damaging fertility or the unborn child
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA Health Hazard	 Materials that, under emergency conditions, can cause significant irritation. 	
NFPA Fire Hazard	 Materials that must be preheated before ignition can occur. 	
NFPA Reactivity Hazard	0 - Material that in themselves are normally stable, even under fire conditions.	
HMIS III Rating		
Health	1 Slight Hazard	
Flammability	1 Slight Hazard	
Physical	0 Minimal Hazard	

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND. INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT **RECALL OR BUSINESS INTERRUPTION.**

Nusil US GHS SDS

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date:: 04/22/2022 Date of Issue: 05/02/2014





Version 4.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Product Name Synonyms Mixture MED4-4420 Part B Silcone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 ehs@nusil.com www.nusil.com

1.4. Emergency Telephone Number

Emergency Number 800-424-9300 CHEMTREC (in US) +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification Repr. 2 H361 Aquatic Chronic 2 H411 Full text of hazard classes and H-statements : see section 16 2.2. Label Elements

GHS-US Labelina

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) Hazard Statements (GHS-US) Warning H361 - Suspected of damaging fertility or the unborn child H411 - Toxic to aquatic life with long lasting effects Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary Statements (GHS-US) P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with

local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No additional information available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	GHS-US Classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS-No.) 68909-20-6	10 - 30	Not classified
Siloxanes and Silicones, dimethyl, methyl hydrogen	(CAS-No.) 68037-59-2	< 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 1	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid Measures After Inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid Measures After Skin Contact	Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid Measures After Eye Contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid Measures After	Obtain medical attention. Rinse mouth. Do NOT induce vomiting. Obtain medical
Ingestion	attention.
4.2. Most Important Symptoms	and Effects Both Acute and Delayed
Symptoms/Injuries	Suspected of damaging fertility or the unborn child.
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media	: Water spray, dry chemical, foam, carbon dioxide.
Unsuitable Extinguishing Media	: Do not use a heavy water stream. Use of heavy stream of water
	may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard	Not considered flammable but may burn at high temperatures.
Explosion Hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for Firefighters	
Precautionary Measures Fire	Exercise caution when fighting any chemical fire.
Firefighting Instructions	Use water spray or fog for cooling exposed containers.
Protection During Firefighting	Do not enter fire area without proper protective equipment,
	including respiratory protection.

Formaldehyde. Silicon oxides.

Carbon oxides (CO, CO₂). Explosive hydrogen gas.

Hazardous Combustion Products

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

	······································
General Measures	Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).
6.1.1. For Non-Emergency Personn	nel
Protective Equipment	Use appropriate personal protective equipment (PPE).
Emergency Procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective Equipment	Equip cleanup crew with proper protection.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency Procedures	Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions
	permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment	Contain any spills with dikes or absorbents to prevent migration
	and entry into sewers or streams.
Methods for Cleaning Up	Clean up spills immediately and dispose of waste safely.
	Transfer spilled material to a suitable container for disposal.
	Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When	Will decompose above 150 °C (> 300 °F) releasing
Processed	formaldehyde vapors.
Precautions for Safe Handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety
	procedures.
7.2. Conditions for Safe Storag	e, Including Any Incompatibilities
Technical Measures	Comply with applicable regulations.
Storage Conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible Materials	Strong acids, strong bases, strong oxidizers.
7.3. Specific End Use(s)	

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trin	nethyl-N-(trimethylsilyl)-, hydrolysis produ	ucts with silica (68909-20-6)
USA OSHA	OSHA PEL TWA	6 mg/m³
USA OSHA	OSHA PEL TWA	20 mppcf (80mg/m ³ /%SiO ₂)

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure Controls

Appropriate Engineering Controls

Personal Protective Equipment

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles.



Materials For Protective Clothing Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles. Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection. When using, do not eat, drink or smoke.

Other Information

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State	Liquid
Appearance	Colorless
Odor	Odorless
Odor Threshold	No data available
рН	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 °C (275 °F)
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (solid, gas)	Not applicable
Vapor Pressure	No data available
Relative Vapor Density at 20°C	No data available
Relative Density	No data available
Specific Gravity	>]
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity	No data available
9.2. Other Information	
VOC Content	<1%

SECTION 10: Stability and Reactivity

10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

10.2. Chemical Stability

Stable at normal conditions.

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur. Evolved hydrogen gas is flammable and may form explosive mixtures with air.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Water, alcohols, acids, bases, strong oxidizing agents, catalytic metals, metallic compounds.

10.6. Hazardous Decomposition Products

May produce explosive hydrogen gas on contact with incompatibilities or upon thermal decomposition. Thermal decomposition generates: Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity (Oral)	Not classified
Acute Toxicity (Dermal)	Not classified
Acute Toxicity (Inhalation)	Not classified
Octamethylcyclotetrasiloxane (5	556-67-2)
LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h
Skin Corrosion/Irritation	Not classified
Serious Eye Damage/Irritation	Not classified
Respiratory or Skin Sensitization	Not classified
Germ Cell Mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive Toxicity	Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity	Not classified
(Single Exposure)	
Specific Target Organ Toxicity	Not classified
(Repeated Exposure)	
Aspiration Hazard	Not classified
Symptoms/Injuries After Inhalatio	n Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Con	tact Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Cont	tact May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	n Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological Information

12.1. Toxicity

• 11. 1 1.0

Ecology - General Toxic to aquatic life with long lasting effects.		
Octamethylcyclotetrasiloxane (556-67-2)		
LC50 Fish	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	
12.2. Persistence and Degradability		
MED4-4420 Part B		
Persistence and Degradability	Not established.	
12.3. Bioaccumulative Potential		
MED4-4420 Part B		
Bioaccumulative Potential	Not established.	
Octamethylcyclotetrasiloxane (556-67-2)		
BCF Fish	12400	
Partition coefficient n-octanol/water (Log POW)	5.1	

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information

Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Treatment Methods	Dispose of waste material in accordance with all local,
	regional, national, and international regulations.
Waste Disposal	Dispose of contents/container in accordance with local,
Recommendations	regional, national, and international regulations.
Ecology - Waste Materials	Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Octamethylcyclotetrasiloxane)
Hazard Class	9
Identification Number	UN3082
Label Codes	9
Packing Group	III
Marine Pollutant	Marine pollutant
ERG Number	171
14.2. In Accordance with IMDG	
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
	(Octamethylcyclotetrasiloxane)
Hazard Class	9
04/22/2022	EN (English US)

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Identification Number	UN3082
Packing Group	
Label Codes	9
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	S-F
Marine Pollutant	Marine pollutant
14.3. In Accordance	with IATA
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octamethylcyclotetrasiloxane)
Packing Group	
Identification Number	UN3082
Hazard Class	9
Label Codes	9
ERG Code (IATA)	9L

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED4-4420 Part B

SARA Section 311/312 Hazard Classes Health hazard - Reproductive toxicity

15.2. US State Regulations

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Siloxanes and Silicones, dimethyl, methyl hydrogen (68037-59-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

04/22/2022

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest Revision Other Information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

GHS Full Text Phrases:

GU2			
	Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1	
	Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2	
	Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
	Flam. Liq. 3	Flammable liquids Category 3	
	Repr. 2	Reproductive toxicity Category 2	
	Skin Irrit. 2	Skin corrosion/irritation Category 2	
	STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
	H226	Flammable liquid and vapor	
	H315	Causes skin irritation	
	H319	Causes serious eye irritation	
	H335	May cause respiratory irritation	
	H361	Suspected of damaging fertility or the unborn child	
	H410	Very toxic to aquatic life with long lasting effects	
	H411	Toxic to aquatic life with long lasting effects	
NFPA	Health Hazard	1 - Materials that, under emergency conditions, can cause significant irritation.	
NFPA	Fire Hazard	1 - Materials that must be preheated before ignition can occur.	
NFPA	Reactivity Hazard	0 - Material that in themselves are	
		normally stable, even under fire	
HMIS	III Rating		
Heal	-	1 Slight Hazard	
Flam	mability	1 Slight Hazard	
Physi	cal	0 Minimal Hazard	

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a auide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT **RECALL OR BUSINESS INTERRUPTION.**

Nusil US GHS SDS