MED-4901 Part A





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 10/15/2020 Date of Issue: 08/27/2014

SECTION 1: Identification

Product Identifier 1.1.

Product Form Mixture

MED-4901 Part A Product Name Synonyms Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

Details of the Supplier of the Safety Data Sheet 1.3.

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780 ehs@nusil.com www.nusil.com

Emergency Telephone Number

Emergency 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International

Number and Maritime)

SECTION 2: Hazards Identification

Classification of the Substance or Mixture 2.1.

GHS-US Classification

Repr. 2 H361

Full text of hazard classes and H-statements: see section 16

Label Elements 2.2.

GHS-US Labeling

Hazard Pictograms (GHS-US)



GHS08

Signal Word (GHS-US)

Warning

Hazard Statements (GHS-US)

H361 - Suspected of damaging fertility or the unborn child

Precautionary Statements (GHS-

P201 - Obtain special instructions before use.

US)

P202 - Do not handle until all safety precautions have been

read and understood.

P280 - Wear protective gloves, protective clothing, and eye protection.

P308+P313 - If exposed or concerned: Get medical

advice/attention. P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local,

regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

10/15/2020 EN (English US) 1/8

Version: 4.0

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS-US Classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS No) 68909-20-6	10 - 30	Not classified
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 1	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 4, H413

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After When symptoms occur: go into open air and ventilate

Inhalation suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin Remove contaminated clothing. Drench affected area with

Contact water for at least 15 minutes. Obtain medical attention if

irritation develops or persists.

First-aid Measures After Eye Rinse cautiously with water for at least 15 minutes. Remove

Contact contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

First-aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

Ingestion attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries Suspected of damaging fertility or the unborn child.

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin Prolonged exposure may cause skin irritation.

Contact

Symptoms/Injuries After Eye May cause slight irritation to eyes.

Contact

Symptoms/Injuries After Ingestion may cause adverse effects.

Ingestion

Chronic Symptoms Suspected of damaging fertility or the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

10/15/2020 EN (English US) 2/8

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media : Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Firefighting Instructions

Use water spray or fog for cooling exposed containers.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

10/15/2020 EN (English US) 3/8

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor,

mist, spray).

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials. Strong acids, strong bases, strong oxidizers.

Incompatible Materials
7.3. Specific End Use(s)

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³
USA OSHA	OSHA PEL (TWA) (mppcf)	20 mppcf (80 mg/m³/%SiO ₂)

8.2. Exposure Controls

Appropriate Engineering Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas.

Ensure all national/local regulations are observed.

Personal Protective Equipment Gloves. Protective clothing. Protective goggles. Insufficient

ventilation: wear respiratory protection.









Materials For Protective

Clothing

Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

10/15/2020 EN (English US) 4//

Other Information

When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Colorless
Odor Odorless

Odor Threshold No data available На No data available **Evaporation Rate** No data available **Melting Point** No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) **Auto-ignition Temperature** No data available **Decomposition Temperature** No data available Flammability (solid, gas) Not applicable No data available Vapor Pressure Relative Vapor Density at 20 °C No data available

Relative Density > 1

Solubility
Partition Coefficient n-Octanol/Water
Viscosity
No data available
No data available
No data available

9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity : Not classified

10/15/2020 EN (English US) 5/8

MED-4901 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Octamethylcyclotetrasiloxane (556-67-2)	
LD50 Oral Rat	1540 mg/kg
LD50 Dermal Rabbit	794 µl/kg
LC50 Inhalation Rat	36 g/m³ (Exposure time: 4 h)

Skin Corrosion/Irritation
Serious Eye Damage/Irritation
Respiratory or Skin Sensitization
Germ Cell Mutagenicity
Carcinogenicity
Not classified
Not classified
Not classified
Not classified

Reproductive Toxicity : Suspected of damaging fertility or the unborn

child.

Specific Target Organ Toxicity (Single : Not classified

Exposure)

Specific Target Organ Toxicity (Repeated : Not classified

Exposure)

Aspiration Hazard Not classified

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin Prolonged exposure may cause skin irritation.

Contact

Symptoms/Injuries After Eye May cause slight irritation to eyes.

Contact

Symptoms/Injuries After Ingestion may cause adverse effects.

Ingestion

Chronic Symptoms Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Not classified.

Octamethylcyclotetrasiloxane (556-67-2)		
LC50 Fish 1	> 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)	
LC50 Fish 2	> 1000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	

12.2. Persistence and Degradability

MED-4901 Part A	
Persistence and Dearadability	Not established.

12.3. Bioaccumulative Potential

MED-4901 Part A	
Bioaccumulative Potential	Not established.
Octamethylcyclotetrasiloxane (556-67-2)	
BCF Fish 1	12400
Log Pow	5.1

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information Avoid release to the environment.

10/15/2020 EN (English US) 6/8

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-4901 Part A	
SARA Section 311/312 Hazard	Health hazard - Reproductive toxicity
Classes	

15.2. US State Regulations

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Maine - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest

10/15/2020

Revision

Other Information This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

10/15/2020 EN (English US) 7/8

GHS Full Text Phrases:

Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Single target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H413	May cause long lasting harmful effects to aquatic life

NFPA Health Hazard 1 - Materials that, under emergency

conditions, can cause significant irritation.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.

NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.

HMIS III Rating

Health 1 Slight Hazard - Irritation or minor reversible injury possible

* Chronic - Chronic (long-term) health effects may result from

repeated overexposure

Flammability 1 Slight Hazard
Physical 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS

10/15/2020 EN (English US) 8/8

MED-4901 Part B





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 10/15/2020 Date of Issue: 08/27/2014

Version: 3.0

SECTION 1: Identification

Product Identifier 1.1.

Product Form Mixture

MED-4901 Part B Product Name Synonyms Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

Details of the Supplier of the Safety Data Sheet 1.3.

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780 ehs@nusil.com www.nusil.com

Emergency Telephone Number

Emergency 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International

Number and Maritime)

SECTION 2: Hazards Identification

Classification of the Substance or Mixture 2.1.

GHS-US Classification

Repr. 2 H361

Full text of hazard classes and H-statements: see section 16

Label Elements 2.2.

GHS-US Labeling

Hazard Pictograms (GHS-US)



GHS08

Signal Word (GHS-US)

Warning

Hazard Statements (GHS-US)

H361 - Suspected of damaging fertility or the unborn child

Precautionary Statements (GHS-

P201 - Obtain special instructions before use.

US)

P202 - Do not handle until all safety precautions have been

read and understood.

P280 - Wear protective gloves, protective clothing, and eye

protection.

P308+P313 - If exposed or concerned: Get medical

advice/attention. P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local,

regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

10/15/2020 EN (English US) 1/8

2.4. **Unknown Acute Toxicity (GHS-US)**

No data available

SECTION 3: Composition/Information On Ingredients

3.1. **Substances**

Not applicable

3.2. **Mixture**

Name	Product Identifier	%	GHS-US Classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS No) 68909-20-6	10 - 30	Not classified
Siloxanes and Silicones, dimethyl, methyl hydrogen	(CAS No) 68037-59-2	< 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 1	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 4, H413

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. **Description of First-aid Measures**

First-aid Measures General	Never give anything by mout	th to c	n unconscious person. I	t you
----------------------------	-----------------------------	---------	-------------------------	-------

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After

When symptoms occur: go into open air and ventilate

Inhalation

suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin

Contact

Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if

irritation develops or persists.

First-aid Measures After Eye

Contact

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

First-aid Measures After

Rinse mouth. Do NOT induce vomiting. Obtain medical Ingestion attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries Suspected of damaging fertility or the unborn child.

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin

Contact

Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye

Contact

May cause slight irritation to eyes.

Symptoms/Injuries After

Ingestion may cause adverse effects.

Ingestion

Chronic Symptoms Suspected of damaging fertility or the unborn child.

10/15/2020 EN (English US)

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media : Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

10/15/2020 EN (English US) 3/8

SECTION 7: Handling And Storage

7.1. **Precautions for Safe Handlina**

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

> water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor,

mist, spray).

Handle in accordance with good industrial hygiene and safety Hygiene Measures

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Comply with applicable regulations. **Technical Measures**

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials. Strong acids, strong bases, strong oxidizers.

Incompatible Materials 7.3. Specific End Use(s)

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³
USA OSHA	OSHA PEL (TWA) (mppcf)	20 mppcf (80 mg/m³/%SiO ₂)

8.2. **Exposure Controls**

Appropriate Engineering Emergency eye wash fountains and safety showers should be Controls

available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas.

Ensure all national/local regulations are observed.

Gloves. Protective clothing. Protective goggles. Insufficient Personal Protective Equipment

ventilation: wear respiratory protection.









Materials For Protective

Clothing

Hand Protection Eve And Face Protection Skin And Body Protection Respiratory Protection

Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

10/15/2020 EN (English US) According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information

When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Colorless
Odor Odorless

Odor Threshold No data available На No data available **Evaporation Rate** No data available **Melting Point** No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) **Auto-ignition Temperature** No data available **Decomposition Temperature** No data available Flammability (solid, gas) Not applicable No data available Vapor Pressure Relative Vapor Density at 20 °C No data available

Relative Density > 1

Solubility

Partition Coefficient n-Octanol/Water

Viscosity

No data available

No data available

No data available

9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity : Not classified

10/15/2020 EN (English US) 5/8

MED-4901 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Octamethylcyclotetrasiloxane (556-67-2)	
LD50 Oral Rat	1540 mg/kg
LD50 Dermal Rabbit	794 µl/kg
LC50 Inhalation Rat	36 g/m³ (Exposure time: 4 h)

Skin Corrosion/Irritation
Serious Eye Damage/Irritation
Respiratory or Skin Sensitization
Germ Cell Mutagenicity
Not classified
Not classified
Not classified
Not classified

Reproductive Toxicity : Suspected of damaging fertility or the unborn

child.

Specific Target Organ Toxicity (Single : Not classified

Exposure)

Specific Target Organ Toxicity (Repeated : Not classified

Exposure)

Aspiration Hazard Not classified

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin Prolonged exposure may cause skin irritation.

Contact

Symptoms/Injuries After Eye May cause slight irritation to eyes.

Contact

Symptoms/Injuries After Ingestion may cause adverse effects.

Ingestion

Chronic Symptoms Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Not classified.

Octamethylcyclotetrasiloxane (556-67-2)		
LC50 Fish 1	> 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)	
LC50 Fish 2	> 1000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	

12.2. Persistence and Degradability

MED-4901 Part B	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

MED-4901 Part B		
Bioaccumulative Potential	Not established.	
Octamethylcyclotetrasiloxane (556-67-2)		
BCF Fish 1	12400	
Log Pow	5.1	

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information Avoid release to the environment.

10/15/2020 EN (English US) 6/8

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-4901 Part B	
SARA Section 311/312 Hazard	Health hazard - Reproductive toxicity
Classes	

15.2. US State Regulations

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Maine - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest 10/15/2020 Revision

10/15/2020 EN (English US) 7/8

MED-4901 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
H226	Flammable liquid and vapor
H361	Suspected of damaging fertility or the unborn child
H413	May cause long lasting harmful effects to aquatic life

NFPA Health Hazard 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.

NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.


HMIS III Rating

Health 1 Slight Hazard - Irritation or minor reversible injury possible

* Chronic - Chronic (long-term) health effects may result from

repeated overexposure

Flammability 1 Slight Hazard
Physical 0 Minimal Hazard



NuSil US GHS SDS

10/15/2020 EN (English US) 8/8