Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 08/23/2023 Date of Issue: 02/21/2014





Version: 4.0

SECTION 1: Identification

1.1. Product identifier

12	Polovant identified	luses of the substance or
Sync	onyms	: Silicone Elastomer
Proc	duct Name	: MED-4917 Part A
Proc	duct Form	: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : For professional use only.

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. Emergency telephone number

Emergency : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Repr. 1BH360Aquatic Chronic 3H412Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US)

Danger
H360 - May damage fertility or the unborn child
H412 - Harmful to aquatic life with long lasting effects
P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been
read and understood.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, and eye protection.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P405 - Store locked up.
P501 - Dispose of contents/container in accordance with local,

regional, national, and international regulations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS No) 68909-20-6	10 - 30	Not classified
Methyl vinylcyclosiloxane	(CAS-No.) 2554-06-5	< 1	Repr. 1B, H360
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptom	s and effects, both acute and delayed
Symptoms/injuries	: May damage fertility or the unborn child.
Symptoms/injuries after inhalation	: Prolonged exposure may cause irritation.
Symptoms/injuries after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/injuries after eye contact	: May cause slight irritation to eyes.
Symptoms/injuries after ingestion	: Ingestion may cause adverse effects.
Chronic symptoms	: May damage fertility or the unborn child.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray, dry chemical, alcohol-resistant foam, carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire. Application of water stream to hot product may cause frothing and increase fire intensity.
5.2. Special hazards arising f	rom the substance or mixture
Fire hazard	: Not considered flammable but may burn at high temperatures.
Explosion hazard	: Product is not explosive.
Reactivity	: Hazardous reactions will not occur under normal conditions.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).
6.1.1. For non-emergency pe	rsonnel
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency respon	ders
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental preca	
Prevent entry to sewers and p	
	al for containment and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.
/ A Defense a la aller a	

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe stora	ige, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible products	: Strong acids, strong bases, strong oxidizers.

7.3. Specific end use(s)

For professional use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	6 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80 mg/m ³ /%SiO ₂)
8.2. Exposure	controls	

8.2. Exposure controls	
Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
Personal protective equipment	: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.
Materials for protective clothing	
Hand protection	: Wear protective gloves.
Eye protection	: Chemical safety goggles.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Other information	: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colorless
Odor	: Odorless
Odor threshold	: No data available
рН	: No data available
Evaporation Rate	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 135 °C (> 275 °F)
Auto-ignition Temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity	: 1.12
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available
9.2. Other information	
VOC content : < 1%	,

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous decomposition products

Silicon oxides. Carbon oxides (CO, CO₂). Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methyl vinylcyclosiloxane (2554	
LD50 Oral Rat	> 4800 mg/kg (Read accross, no deaths)
LD50 Dermal Rabbit	> 2000 mg/kg (no deaths)
LC50 Inhalation Rat	> 1.32 mg/l/4h
Octamethylcyclotetrasiloxane ((556-67-2)
LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: May damage fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Prolonged exposure may cause irritation.
Symptoms/injuries after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/injuries after eye contact	: May cause slight irritation to eyes.
Symptoms/injuries after ingestion	: Ingestion may cause adverse effects.
Chronic symptoms	: May damage fertility or the unborn child.

SECTION 12: Ecological information

12.1. Toxicity

12.3. Bioaccumulative potential MED-4917 Part A Bioaccumulative potential Not established. Methyl vinylcyclosiloxane (2554-06-5) Partition coefficient n- 6,47 octanol/water (Log POW) Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 (12400 dimensionless)		
LC50 Fish > 22 µg/l NOEC Chronic Fish 0.0044 mg/l 12.2. Persistence and degradability May cause long-term adverse effects in the environment. MED-4917 Part A Persistence and degradability MED-4917 Part A May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential May cause long-term adverse effects in the environment. MED-4917 Part A Bioaccumulative potential Methyl vinylcyclosiloxane (2554-06-5) Not established. Partition coefficient n- 6,47 octanol/water (Log POW) 656-67-2) BCF Fish 1 (12400 dimensionless)	Ecology – general	: Harmful to aquatic life with long lasting effects.
NOEC Chronic Fish 0.0044 mg/l 12.2. Persistence and degradability May cause long-term adverse effects in the environment. MED-4917 Part A May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential May cause long-term adverse effects in the environment. MED-4917 Part A Bioaccumulative potential Methyl vinylcyclosiloxane (2554-06-5) Partition coefficient n- octanol/water (Log POW) Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 BCF Fish 1 (12400 dimensionless)	Octamethylcyclotetrasiloxane (556-67-2)	
12.2. Persistence and degradability MED-4917 Part A Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential Method established. MED-4917 Part A Bioaccumulative potential Methyl vinylcyclosiloxane (2554-06-5) Partition coefficient n- 6,47 octanol/water (Log POW) 6,47 Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 BCF Fish 1 (12400 dimensionless)	LC50 Fish	> 22 µg/l
MED-4917 Part A Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential May cause long-term adverse effects in the environment. MED-4917 Part A Bioaccumulative potential Bioaccumulative potential Not established. Methyl vinylcyclosiloxane (2554-06-5) Partition coefficient n- Partition coefficient n- 6,47 octanol/water (Log POW) Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 (12400 dimensionless)	NOEC Chronic Fish	0.0044 mg/l
Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential May cause long-term adverse effects in the environment. MED-4917 Part A Bioaccumulative potential Not established. Methyl vinylcyclosiloxane (2554-06-5) Partition coefficient n- 6,47 octanol/water (Log POW) Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 BCF Fish 1 (12400 dimensionless)	12.2. Persistence and degrade	ability
12.3. Bioaccumulative potential MED-4917 Part A Bioaccumulative potential Not established. Methyl vinylcyclosiloxane (2554-06-5) Partition coefficient n- 6,47 octanol/water (Log POW) Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 (12400 dimensionless)	MED-4917 Part A	
MED-4917 Part A Bioaccumulative potential Not established. Methyl vinylcyclosiloxane (2554-06-5) Partition coefficient n- 6,47 octanol/water (Log POW) Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 (12400 dimensionless)	Persistence and degradability	May cause long-term adverse effects in the environment.
Bioaccumulative potential Not established. Methyl vinylcyclosiloxane (2554-06-5) Partition coefficient n- 6,47 octanol/water (Log POW) 6,47 6,47 Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 (12400 dimensionless)	12.3. Bioaccumulative potential	
Methyl vinylcyclosiloxane (2554-06-5) Partition coefficient n- 6,47 octanol/water (Log POW) 6,47 Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 (12400 dimensionless)	MED-4917 Part A	
Partition coefficient n- octanol/water (Log POW) 6,47 Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 (12400 dimensionless)	Bioaccumulative potential	Not established.
octanol/water (Log POW) Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 (12400 dimensionless)	Methyl vinylcyclosiloxane (2554-	.06-5)
Octamethylcyclotetrasiloxane (556-67-2)BCF Fish 1(12400 dimensionless)	Partition coefficient n-	6,47
BCF Fish 1 (12400 dimensionless)	octanol/water (Log POW)	
	Octamethylcyclotetrasiloxane (5	556-67-2)
Partition coefficient n- 6.488 (at 25.1 °C)	BCF Fish 1	(12400 dimensionless)
	Partition coefficient n-	6.488 (at 25.1 °C)
octanol/water (Log Pow)	octanol/water (Log Pow)	
08/23/2023 EN (English US)	08/23/2023 EN (English	6/8

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local,
recommendations	regional, national, and international regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

- 14.2. In Accordance with IMDG Not regulated for transport
- **14.3.** In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

CBI requirements or disclosure rule	es according to the relevant regulation.
MED-4917 Part A	
SARA Section 311/312 Hazard	Health hazard - Reproductive toxicity
Classes	
15.2. US State regulations	
Silanamine, 1,1,1-trimethyl-N-(tri	methylsilyl)-, hydrolysis products with silica (68909-20-6)
U.S Texas - Effects Screening Le	evels - Long Term
U.S Texas - Effects Screening Le	evels - Short Term
Octamethylcyclotetrasiloxane (556-67-2)
U.S Texas - Effects Screening Le	evels - Long Term
U.S Texas - Effects Screening Le	evels - Short Term
U.S Maine - Chemicals of Cond	cern
US Oragon Priority Porsistant (Pollutant Tior L. Dersistant Pollutants

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other information, including date of preparation or last revision

Revision date

: 08/23/2023

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.
NFPA Health Hazard	1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA Fire Hazard	1 - Materials that must be preheated before ignition can occur.
NFPA Reactivity Hazard	0 - Material that in themselves are normally stable, even under fire conditions.
HMIS III Rating	
Health	 Slight Hazard - Irritation or minor reversible injury possible Chronic - Chronic (long-term) health effects may result from repeated overexposure
Flammability Physical	1 Ślight Hazard 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NUSII's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 08/23/2023 Revision date: 02/21/2014





Version: 4.0

SECTION 1: Identification

1.1. Product identifier

Product Form: MixtureProduct Name: MED-4917 Part BSynonyms: Silicone Elastomer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : For professional use only.

1.3. Details of the supplier of the safety data sheet NuSil Technology LLC

1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. Emergency telephone number

Emergency : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

H315
H319
H361
H412

Full text of hazard classes and H-statements: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



	Children and Chi
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H315 - Causes skin irritation
	H319 - Causes serious eye irritation
	H361 - Suspected of damaging fertility or the unborn child
	H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS-	: P201 - Obtain special instructions before use.
US)	P202 - Do not handle until all safety precautions have been
	read and understood.
	P264 - Wash hands forearms and exposed areas thoroughly

P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear eye protection, face protection, protective

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

> clothing, protective gloves. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see Section 4 on this SDS). P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

Other hazards not contributing : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS No) 68909-20-6	10 - 30	Not classified
Siloxanes and Silicones, dimethyl, methyl hydrogen	(CAS No) 68037-59-2	< 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after	: Rinse mouth. Do NOT induce vomiting. Obtain medical
ingestion	attention.
4.2. Most important sympto	oms and effects, both acute and delayed
Symptoms/Injuries	: Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child.
Symptoms/Injuries After Inhalation	: Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	: Redness, pain, swelling, itching, burning, dryness, and dermatitis.
Symptoms/Injuries After Eye Contact	: Contact causes severe irritation with redness and swelling of the conjunctiva.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects.
4.3. Indication of any imme	ediate medical attention and special treatment needed

4.3. Indication of any immediate medical attention and special treatment needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting measures

5.1. Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	 Water spray, dry chemical, foam, carbon dioxide. Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising f	rom the substance or mixture
Fire hazard	: Not considered flammable but may burn at high temperatures.
Explosion hazard	: Product is not explosive.
Reactivity	: Hazardous reactions will not occur under normal conditions.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid breathing (vapor, mist, spray). Avoid all contact with skin,
	eyes, or clothing.
6.1.1. For non-emergency perso	onnel
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responde	rs
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to
	recognize the presence of dangerous goods, protect oneself
	and the public, secure the area, and call for the assistance of
	trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up		
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.	
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.	

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Avoid contact with skin, eyes and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe store	age, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible materials	: Strong acids, strong bases, strong oxidizers.

7.3. Specific end use(s)

For professional use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)		
	PEL (TWA) (mg/m ³)	6 mg/m ³
USA OSHA OSHA	PEL (TWA) (ppm)	20 mppcf (80 mg/m ³ /%SiO ₂)
8.2. Exposure controls		
Appropriate engineering controls	available in the im Ensure adequate v	ash fountains and safety showers should be mediate vicinity of any potential exposure. ventilation, especially in confined areas. 'local regulations are observed.
Personal protective equipn	sonal protective equipment : Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.	
Materials for protective clo Hand protection Eye protection Skin and body protection	thing : Chemically resistan : Wear protective gl : Chemical safety g : Wear suitable prot	oggles.
08/23/2023	EN (English US)	4/8

Safety Data Sheet According to Federal Register / V

ccording to Feder	I Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regu	lations

Respiratory protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Other information	: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colorless
Odor	: Odorless
Odor threshold	: No data available
рН	: No data available
Evaporation Rate	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 135 °C (> 275 °F)
Auto-ignition Temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific Gravity	: > 1 (water=1)
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available
9.2. Other information	
VOC contant $i < 107$	

VOC content : < 1%

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Evolved hydrogen gas is flammable and may form explosive mixtures with air.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible materials

Water, alcohols, acids, bases, strong oxidizing agents, catalytic metals, metallic compounds.

10.6. Hazardous decomposition products

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Flammable hydrogen gas. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified		
/			
Octamethylcyclotetrasiloxane (
LD50 Oral Rat	> 4800 mg/kg (No mortality)		
LD50 Dermal Rat > 2375 mg/kg			
LD50 Dermal Rabbit			
LC50 Inhalation Rat	36 mg/l/4h		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation : Causes serious eye irritation.			
Respiratory or skin sensitization : Not classified			
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.		
Specific target organ toxicity – s exposure	ingle : Not classified		
Specific target organ toxicity – re exposure	epeated : Not classified		
Aspiration hazard	: Not classified		
Symptoms/effects after inhalation	: Prolonged exposure may cause irritation.		
Symptoms/effects after skin contact	: Redness, pain, swelling, itching, burning, dryness, and dermatitis.		
Symptoms/effects after eye contact	: Contact causes severe irritation with redness and swelling of the conjunctiva.		
Symptoms/effects after ingestion	: Ingestion may cause adverse effects.		

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.	
Octamethylcyclotetrasiloxane (556-67-2)	
LC50 Fish	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	
12.2. Persistence and degrade	bility	
MED-4917 Part B		
Persistence and degradability May cause long-term adverse effects in the environment.		

12.3. Bioaccumulative potential MED-4917 Part B Bioaccumulative potential Not established. Octamethylcyclotetrasiloxane (556-67-2) BCF Fish 1 (12400 dimensionless) Partition coefficient noctanol/water (Log Pow) 6.488 (at 25.1 °C)

12.4. Mobility in soil

No additional information available

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulation

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of contents/container in accordance with local,
egional, national, and international regulations.
Container may remain hazardous when empty. Continue to bserve all precautions.
void release to the environment.
)

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

SARA Section 311/312 Hazard	Health hazard - Reproductive toxicity
Classes	Immediate (acute) health hazard

15.2. US State regulations

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other information, including date of preparation or last revision

Date of Preparation or Latest : 08/23/2023 Revision

Safety Data Sheet

cording to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Other information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.
- Full text of H-phrases:

	Aquatic Chronic 1		Hazardous to the aquatic environment - Chronic Hazard Category 1
	Aquatic Chronic 3		Hazardous to the aquatic environment - Chronic Hazard Category 3
	Flam. Liq. 3		Flammable liquids Category 3
	Repr. 2		Reproductive toxicity Category 2
	Eye Irrit. 2A		Serious eye damage/eye irritation Category 2A
	Skin Irrit. 2		Skin corrosion/irritation Category 2
	STOT SE 3		Specific target organ toxicity (single exposure)
			Category 3
	H226		Flammable liquid and vapor
	H315		Causes skin irritation
	H319		Causes serious eye irritation
	H335		May cause respiratory irritation
	H361		Suspected of damaging fertility or the unborn child
	H410		Very toxic to aquatic life with long lasting effects
	H412		Harmful to aquatic life with long lasting effects
NFPA	A Health Hazard	: 2 - Mate	erials that, under emergency
			ons, can cause temporary citation or residual injury.
NFP/	A Fire Hazard	: 1 - Mate	erials that must be preheated

- NFPA Fire Hazard: 1 Materials that must be preheated
before ignition can occur.NFPA Reactivity Hazard: 0 Material that in themselves are
 - : 0 Material that in themselves are normally stable, even under fire conditions.

2 0
\checkmark

HMIS III Rating Health Flammability

Physical

2 Moderate Hazard * Chronic - Chronic (long-term) health effects may result from repeated overexposure 1 Slight Hazard 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NUSII's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.