Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Revision: 04/25/2023 Date of Issue: 05/25/2013





Version: 6.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Product Name Synonyms Mixture MED-4940 Part A Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. Emergency Telephone Number

Emergency800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International
and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Repr. 2H361Aquatic Chronic 3H412Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Warning

Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US)

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, and eye protection.

H361 - Suspected of damaging fertility or the unborn child H412 - Harmful to aquatic life with long lasting effects

P308+P313 - If exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS-US Classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS No) 68909-20-6	20 - 40	Not classified
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid Measures After Inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid Measures After Skin Contact	Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid Measures After Eye Contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-aid Measures After	Rinse mouth. Do NOT induce vomiting. Obtain medical
Ingestion	attention.
4.2. Most Important Symptoms	and Effects Both Acute and Delayed
Symptoms/Injuries	Suspected of damaging fertility or the unborn child.
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

······································	
Fire Hazard	Not considered flammable but may burn at high temperatures.
Explosion Hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for Firefighters	
Precautionary Measures Fire	Exercise caution when fighting any chemical fire.
Firefighting Instructions	Use water spray or fog for cooling exposed containers.
Protection During Firefighting	Do not enter fire area without proper protective equipment,
	including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

6.1. rersonal rrecautions, rrd	nective Equipment And Emergency Procedures
General Measures	Do not get in eyes, on skin, or on clothing. Do not breathe
	vapor, mist or spray.
6.1.1. For Non-Emergency Person	nel
Protective Equipment	Use appropriate personal protective equipment (PPE).
Emergency Procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective Equipment	Equip cleanup crew with proper protection.
Emergency Procedures	Upon arrival at the scene, a first responder is expected to
	recognize the presence of dangerous goods, protect oneself
	and the public, secure the area, and call for the assistance of
	trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment	Contain any spills with dikes or absorbents to prevent migration
	and entry into sewers or streams.
Methods for Cleaning Up	Clean up spills immediately and dispose of waste safely.
	Transfer spilled material to a suitable container for disposal.
	Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Precautions for Safe Handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor,
	mist, spray).
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for Safe Storag	e, Including Any Incompatibilities
Technical Measures	Comply with applicable regulations.
Storage Conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible Materials 7.3. Specific End Use(s) For professional use only.	Strong acids, strong bases, strong oxidizers.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80 mg/m³/%SiO ₂)

8.2. Exposure Controls

Appropriate Engineering
Controls

Personal Protective Equipment

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials For Protective Clothing Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles. Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information

When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State	Liquid
Appearance	Colorless
Odor	Odorless
Odor Threshold	No data available
рН	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 °C (275 °F)
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (solid, gas)	Not applicable
Vapor Pressure	No data available
Relative Vapor Density at 20 °C	No data available
Relative Density	>]
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity	No data available

9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity	: Not classified	
04/25/2023	EN (English US)	5/8

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Octamethylcyclotetrasiloxane (
LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h
Skin Corrosion/Irritation	Not classified
Serious Eye Damage/Irritation	Not classified
Respiratory or Skin Sensitization	Not classified
Germ Cell Mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive Toxicity	: Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity (Si Exposure)	ngle : Not classified
Specific Target Organ Toxicity (Re Exposure)	epeated : Not classified
Aspiration Hazard	Not classified
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

Ecology - General	Harmful to aquatic life with long lasting effects.
Octamethylcyclotetrasiloxane (556-67-2)
LC50 Fish	> 22 µg/l
NOEC Chronic Fish	0.0044 mg/l
12.2. Persistence and Degrad	ability
MED-4940 Part A	
Persistence and Degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative Potent	ial
MED-4940 Part A	
Bioaccumulative Potential	Not established.
Octamethylcyclotetrasiloxane (556-67-2)	
BCF Fish 1	12400
Log Pow	5.1

12.4. Mobility In Soil

12.1. Toxicity

No additional information available

12.5. Other Adverse Effects

Other Information

Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal	Dispose of contents/container in accordance with local,
Recommendations	regional, national, and international regulations.
Additional Information	Container may remain hazardous when empty. Continue to
	observe all precautions.
Ecology - Waste Materials	Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

- 14.2. In Accordance with IMDG Not regulated for transport
- **14.3.** In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-4940 Part A	
SARA Section 311/312 Hazard	Health hazard - Reproductive toxicity
Classes	

15.2. US State Regulations

Silanamine	e, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)
U.S Texas	s - Effects Screening Levels - Long Term
U.S Texas	s - Effects Screening Levels - Short Term
Octamethy	ylcyclotetrasiloxane (556-67-2)
U.S Texas	s - Effects Screening Levels - Long Term
U.S Texas	s - Effects Screening Levels - Short Term
U.S Main	ne - Chemicals of Concern
U.S Oreg	gon - Priority Persistent Pollutant - Tier I - Persistent Pollutants
U.S Minne	esota - Chemicals of High Concern
U.S Minne	esota - Chemicals of High Concern - Persistent Bioaccumulative Toxins
U.S Califo	ornia - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical
Groups	

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest	04/25/2023
Revision	
Other Information	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic		
		Hazard Category 1		
	Flam. Liq. 3	Flammable liquids Category 3		
	Repr. 2	Reproductive toxicity Category 2		
	H226	Flammable liquid and vapor		
	H361	Suspected of damaging fertility or the unborn child		
	H410	Very toxic to aquatic life with long lasting effects		
NFPA	Health Hazard	1 - Materials that, under emergency conditions, can cause significant irritation.		
NFPA	Fire Hazard	1 - Materials that must be preheated before ignition can occur.		
NFPA	Reactivity Hazard	0 - Material that in themselves are normally stable, even under fire conditions.		
HMIS	III Rating			
* Chronic - C		 Slight Hazard - Irritation or minor reversible injury possible Chronic - Chronic (long-term) health effects may result from repeated overexposure 		
Flammability1 Slight HazardPhysical0 Minimal Hazard		1 Slight Hazard		

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC and its affiliated companies ("nusil") expressly disclaims any and all representations and WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NUSILUS GHS SDS

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Revision: 04/25/2023 Date of Issue: 05/25/2013





Version: 6.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Product Name Synonyms Mixture MED-4940 Part B Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. Emergency Telephone Number

Emergency800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International
and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Eye Irrit. 2AH319Repr. 2H361Aquatic Chronic 3H412

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Warning

Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US)

- H319 Causes serious eye irritation H361 - Suspected of damaging fertility or the unborn child H412 - Harmful to aquatic life with long lasting effects
- P201 Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P321 - Specific treatment (see Section 4 on this SDS).
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS-US Classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS No) 68909-20-6	20 - 40	Not classified
Siloxanes and Silicones, dimethyl, methyl hydrogen	(CAS-No.) 68037-59-2	< 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
3-Butyn-2-ol, 2-methyl-	(CAS No) 115-19-5	< 1	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Repr. 2, H361 STOT SE 3, H336
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, Mo	arch 26, 2012 / Rules and Regulations
First-aid Measures After	When symptoms occur: go into open air and ventilate
Inhalation	suspected area. Obtain medical attention if breathing difficulty persists.
First-aid Measures After Skin	Remove contaminated clothing. Drench affected area with
Contact	water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid Measures After Eye	Rinse cautiously with water for at least 15 minutes. Remove
Contact	contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-aid Measures After	Rinse mouth. Do NOT induce vomiting. Obtain medical
Ingestion	attention.
4.2. Most Important Sympto	ms and Effects Both Acute and Delayed
Symptoms/Injuries	Causes serious eye irritation. Suspected of damaging fertility or the unborn child.
Symptoms (Injurios Aftor	Dralanged experience may equica irritation

Symptoms/Injuries After	Prolonged exposure may cause irritation.
Inhalation	
Symptoms/Injuries After Skin	Prolonged exposure may cause skin irritation.
Contact	
Symptoms/Injuries After Eye	Contact causes severe irritation with redness and swelling of the
Contact	conjunctiva.
Symptoms/Injuries After	Ingestion may cause adverse effects.
Ingestion	
Chronic Symptoms	Suspected of damaging fertility or the unborn child.
12 Indiantion of Any Immo	diate Medical Attention and Special Treatment Needed

Indication of Any Immediate Medical Attention and Special Treatment Needed 4.3. If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. **Extinguishing Media**

: Water spray, dry chemical, foam, carbon dioxide.
: Do not use a heavy water stream. Use of heavy stream of water
may spread fire.
From the Substance or Mixture
Not considered flammable but may burn at high temperatures.
Product is not explosive.
Hazardous reactions will not occur under normal conditions.
Exercise caution when fighting any chemical fire.
Use water spray or fog for cooling exposed containers.
Do not enter fire area without proper protective equipment,
including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures

Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment	Use appropriate personal protective equipment (PPE).
04/25/2023	EN (English US)

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency Procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective Equipment	Equip cleanup crew with proper protection.
Emergency Procedures	Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental Precaution	S
Prevent entry to sewers and public	waters.
6.3. Methods and Materials fo	r Containment and Cleaning Up
For Containment	Contain any spills with dikes or absorbents to prevent migration

Methods for Cleaning Up

and entry into sewers or streams.

Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. **Reference to Other Sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

Precautions for Safe Handling 7.1.

	anng
Precautions for Safe Handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor, mist, spray).
Hygiene Measures	Handle in accordance with good industrial hygiene and safety
	procedures.
7.2. Conditions for Safe Storag	ge, Including Any Incompatibilities
Technical Measures	Comply with applicable regulations.
Storage Conditions	Keep container closed when not in use. Store in a dry, cool

ncompatible Materials	Strong acids, strong bases, strong oxidizers.
	low temperatures and incompatible materials.
	place. Keep/Store away from direct sunlight, extremely high or
Storage Conditions	Keep container closed when not in use. Store in a dry, cool

h 7.3. Specific End Use(s)

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

Control Parameters 8.1.

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80 mg/m³/%SiO ₂)

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure Controls

Appropriate Engineering Controls

Personal Protective Equipment

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials For Protective Clothing Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles. Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection. When using, do not eat, drink or smoke.

Other Information

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State	Liquid
Appearance	Colorless
Odor	Odorless
Odor Threshold	No data available
рН	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 °C (275 °F)
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (solid, gas)	Not applicable
Vapor Pressure	No data available
Relative Vapor Density at 20 °C	No data available
Relative Density	>]
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity	No data available
9.2. Other Information	

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

10.2. Chemical Stability

Stable at normal conditions.

10.3. Possibility of Hazardous Reactions

Evolved hydrogen gas is flammable and may form explosive mixtures with air.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Water, alcohols, acids, bases, strong oxidizing agents, catalytic metals, metallic compounds.

10.6. Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Flammable hydrogen gas. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity	: Not class	ified
Octamethylcyclotetrasiloxane (556-67-2)	
LD50 Oral Rat	> 4800 mg/kg (No mortality)	
LD50 Dermal Rat	> 2375 mg	g/kg
LD50 Dermal Rabbit	> 2.5 ml/k	g (No mortality)
LC50 Inhalation Rat	36 mg/l/4h	
3-Butyn-2-ol, 2-methyl- (115-19-	5)	
LD50 oral rat	1420	mg/kg
LD50 dermal rat		0 mg/kg
LC50 inhalation rat (mg/l)	21.3 r	mg/l/4h
LC50 inhalation rat (mg/l)	> 21.3	3 mg/l/4h
Skin Corrosion/Irritation	Not class	sified
Serious Eye Damage/Irritation	Causes s	erious eye irritation.
Respiratory or Skin Sensitization	Not class	ified
Germ Cell Mutagenicity	Not class	sified
Carcinogenicity	Not class	sified
Reproductive Toxicity		: Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity (Single Exposure)		: Not classified
Specific Target Organ Toxicity (R Exposure)	epeated	: Not classified
Aspiration Hazard Not classif		sified
Symptoms/Injuries After Inhalation	Prolonge	ed exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonge	ed exposure may cause skin irritation.
04/05/0002 EN / En aliabet		

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After Eye	Contact causes severe irritation with redness and swelling of
Contact	the conjunctiva.
Symptoms/Injuries After	Ingestion may cause adverse effects.
Ingestion	
Chronic Symptoms	Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General

Harmful to aquatic life with long lasting effects.

87		
Octamethylcyclotetrasiloxane (5	556-67-2)	
LC50 Fish	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	
3-Butyn-2-ol, 2-methyl- (115-19-	5)	
LC50 fish 1	3120 (3120 - 3480) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 Daphnia 1	500 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 other aquatic organisms 1	500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)	
LC50 fish 2	2200 (2200 - 4600) mg/l (Exposure time: 96 h - Species: Leuciscus idus [static])	
EC50 other aquatic organisms 2	500 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)	
12.2. Persistence and Degrado	bility	
MED-4940 Part B	· · · ·	
Persistence and Degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative Potenti	al	
MED-4940 Part B		
Bioaccumulative Potential	Not established.	
Octamethylcyclotetrasiloxane (5	556-67-2)	
BCF Fish 1	12400	
Log Pow	5.1	
3-Butyn-2-ol 2-methyl- (115-19-	5)	

3-Butyn-2-ol, 2-methyl- (115-19-5) 0.318 (at 25 °C)

Log Pow

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information

Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal	Dispose of contents/container in accordance with local,
Recommendations	regional, national, and international regulations.
Additional Information	Container may remain hazardous when empty. Continue to
	observe all precautions.
Ecology - Waste Materials	Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-4940 Part B		
SARA Section 311/312 Hazard Health hazard - Reproductive toxicity		
Classes Health hazard - Serious eye damage/eye irritation		
15.2. US State Regulations		
	methylsilyl)-, hydrolysis products with silica (68909-20-6)	
U.S Texas - Effects Screening Levels - Long Term		
U.S Texas - Effects Screening Le	vels - Short Term	
Octamethylcyclotetrasiloxane (5	56-67-2)	
U.S Texas - Effects Screening Le	vels - Long Term	
U.S Texas - Effects Screening Levels - Short Term		
U.S Maine - Chemicals of Concern		
U.S Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants		
U.S Minnesota - Chemicals of High Concern		
U.S Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins		
U.S California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical		
Groups		
3-Butyn-2-ol, 2-methyl- (115-19-5	5)	
RTK - U.S Massachusetts - Right	To Know List	
RTK - U.S New Jersey - Right to Know Hazardous Substance List		
U.S New Jersey - Special Health Hazards Substances List		
RTK - U.S Pennsylvania - RTK (Right to Know) List		

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest Revision	04/25/2023
Other Information	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Eye Dam. 1	Serious eye damage/eye irritation Category 1
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Flam. Liq. 2	Flammable liquids Category 2
	Flam. Liq. 3	Flammable liquids Category 3
	Repr. 2	Reproductive toxicity Category 2
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H225	Highly flammable liquid and vapor
	H226	Flammable liquid and vapor
	H302	Harmful if swallowed
	H315	Causes skin irritation
	H318	Causes serious eye damage
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
	H336	May cause drowsiness or dizziness
	H361	Suspected of damaging fertility or the unborn child
	H410	Very toxic to aquatic life with long lasting effects
	H412	Harmful to aquatic life with long lasting effects
NFPA	Health Hazard	1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA	Fire Hazard	1 - Materials that must be preheated before ignition can occur.
NFPA Reactivity Hazard		0 - Material that in themselves are normally stable, even under fire
		conditions.
HMIS	III Rating	
Heal	th	 Slight Hazard - Irritation or minor reversible injury possible Chronic - Chronic (long-term) health effects may result from repeated overexposure
Flammability Physical		1 Slight Hazard 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NUSII US GHS SDS