MED-4950 Part A





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Revision: 11/02/2023 Date of Issue: 02/11/2014

Version: 4.0

SECTION 1: Identification

Product Identifier 1.1.

Product Form Mixture

MED-4950 Part A Product Name Synonyms Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

Details of the Supplier of the Safety Data Sheet 1.3.

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780

productstewardship@avantorsciencesgcc.com

www.nusil.com

1.4. **Emergency Telephone Number**

800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International Emergency

Number and Maritime)

SECTION 2: Hazards Identification

Classification of the Substance or Mixture 2.1.

GHS-US Classification

Repr. 2 H361 Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



GHS08

Signal Word (GHS-US) Warning

Hazard Statements (GHS-US) H361 - Suspected of damaging fertility or the unborn child

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements (GHS-P201 - Obtain special instructions before use.

US)

P202 - Do not handle until all safety precautions have been

read and understood.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye

protection.

P308+P313 - If exposed or concerned: Get medical

advice/attention. P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local,

regional, national, and international regulations.

11/02/2023 EN (English US) 1/8

2.3. Other Hazards

Other Hazards Not Contributina Exposure may aggravate pre-existing eye, skin, or respiratory to the Classification

2.4. **Unknown Acute Toxicity (GHS-US)**

No data available

SECTION 3: Composition/Information On Ingredients

3.1. **Substances**

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS-US Classification
Silanamine, 1,1,1-trimethyl-N-	(CAS-No.) 68909-20-6	10 - 30	Not classified
(trimethylsilyl)-, hydrolysis			
products with silica			
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226
			Repr. 2, H361
			Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. **Description of First-aid Measures**

E: 1 : 1 \ 4		11 * 1 11		• 16
First-aid Measures General	Never aive ar	nythina by mouth	n ta an una	conscious person. If you
11131 414 1110 4301 63 6 61 101 41	110101 9110 01	1,111119 2,1110011	1 10 011	2011301003 2013011: 11 700

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After

Inhalation

When symptoms occur: go into open air and ventilate

suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin

Contact

Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if

irritation develops or persists.

First-aid Measures After Eye

Contact

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

First-aid Measures After

Ingestion

Rinse mouth. Do NOT induce vomiting. Obtain medical

Most Important Symptoms and Effects Both Acute and Delayed

Suspected of damaging fertility or the unborn child. Symptoms/Injuries

attention.

Symptoms/Injuries After

Inhalation

Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin

Contact

Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye

Contact

May cause slight irritation to eyes.

Symptoms/Injuries After

Ingestion may cause adverse effects.

Inaestion

Suspected of damaging fertility or the unborn child. Chronic Symptoms

11/02/2023 EN (English US)

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media : Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

11/02/2023 EN (English US) 3/8

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor,

mist, spray).

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials. Strong acids, strong bases, strong oxidizers.

Incompatible Materials Stra 7.3. Specific End Use(s)

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)			
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80 mg/m³/%SiO ₂)	

8.2. Exposure Controls

Appropriate Engineering Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

available in the immediate vicinity of any potential exposure.

Ensure adequate ventilation, especially in confined areas.

Ensure all national/local regulations are observed.

Personal Protective Equipment Gloves. Protective clothing. Protective goggles. Insufficient

ventilation: wear respiratory protection.









Materials For Protective

Clothing

Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

11/02/2023 EN (English US) 4/i

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information

When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Colorless
Odor Odorless

Odor Threshold No data available На No data available **Evaporation Rate** No data available **Melting Point** No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) **Auto-ignition Temperature** No data available Decomposition Temperature No data available Flammability (solid, gas) Not applicable No data available Vapor Pressure Relative Vapor Density at 20 °C No data available

Relative Density > 1

Solubility
Partition Coefficient n-Octanol/Water
Viscosity
No data available
No data available
No data available

9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity : Not classified

MED-4950 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Octamethylcyclotetrasiloxane (556-67-2)		
LD50 Oral Rat	> 4800 mg/kg (No mortality)	
LD50 Dermal Rat	> 2375 mg/kg	
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)	
LC50 Inhalation Rat	36 mg/l/4h	

Skin Corrosion/Irritation
Serious Eye Damage/Irritation
Respiratory or Skin Sensitization
Germ Cell Mutagenicity
Carcinogenicity
Not classified
Not classified
Not classified
Not classified

Reproductive Toxicity : Suspected of damaging fertility or the unborn

child.

Specific Target Organ Toxicity (Single : Not classified

Exposure)

Specific Target Organ Toxicity (Repeated : Not classified

Exposure)

Aspiration Hazard Not classified

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin Prolonged exposure may cause skin irritation.

Contact

Symptoms/Injuries After Eye May cause slight irritation to eyes.

Contact

Symptoms/Injuries After Ingestion may cause adverse effects.

Ingestion

Chronic Symptoms Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Harmful to aquatic life with long lasting effects.

Octamethylcyclotetrasiloxane (556-67-2)	
LC50 Fish	> 22 µg/l
NOEC Chronic Fish	0.0044 mg/l

12.2. Persistence and Degradability

MED-4950 Part A	
Persistence and Degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

MED-4950 Part A	
Bioaccumulative Potential	Not established.
Octamethylcyclotetrasiloxane (556-67-2)
BCF Fish 1	12400
Partition coefficient n-	6.488 (at 25.1 °C)
octanol/water (Log Pow)	

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information Avoid release to the environment.

11/02/2023 EN (English US) 6/8

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

Ecology - Waste Materials This material is hazardous to the aquatic environment. Keep

out of sewers and waterways. Avoid release to the

environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-4950 Part A	
SARA Section 311/312 Hazard	Health hazard - Reproductive toxicity
Classes	

15.2. US State Regulations

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest 11/02/2023 Revision

11/02/2023 EN (English US) 7/8

MED-4950 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
H226	Flammable liquid and vapor
H361	Suspected of damaging fertility or the unborn child
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

NFPA Health Hazard 1 - Materials that, under emergency

conditions, can cause significant irritation.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.

NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.




Health 1 Slight Hazard - Irritation or minor reversible injury possible

* Chronic - Chronic (long-term) health effects may result from

repeated overexposure

Flammability 1 Slight Hazard
Physical 0 Minimal Hazard



NuSil US GHS SDS

11/02/2023 EN (English US) 8/8

MED-4950 Part B





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 11/02/2023 Date of Issue: 02/11/2014

Version: 4.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Mixture

Product Name MED-4950 Part B Synonyms Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780

productstewardship@avantorsciencesgcc.com

www.nusil.com

1.4. Emergency Telephone Number

Emergency 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International

Number and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Eye Irrit. 2A H319 Repr. 2 H361 Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)





GHS07

GHS08

Signal Word (GHS-US) Warning

Hazard Statements (GHS-US) H319 - Causes serious eye irritation

H361 - Suspected of damaging fertility or the unborn child

H412 - Harmful to aquatic life with long-lasting effects

Precautionary Statements (GHS-

US)

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been

read and understood.

P264 - Wash hands, forearms, and exposed areas thoroughly

after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye

protection.

11/02/2023 EN (English US) 1/9

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P321 - Specific treatment (see Section 4 on this SDS). P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS-US classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS No) 68909-20-6	20 - 40	Not classified
Siloxanes and Silicones, dimethyl, methyl hydrogen	(CAS-No.) 68037-59-2	< 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
3-Butyn-2-ol, 2-methyl-	(CAS No) 115-19-5	< 1	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Repr. 2, H361 STOTE SE 3, H336
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where
First-aid Measures After	possible). When symptoms occur: go into open air and ventilate
Inhalation	suspected area. Obtain medical attention if breathing difficulty persists.

11/02/2023 EN (English US) 2/5

MED-4950 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid Measures After Skin Remove contaminated clothing. Drench affected area with

Contact water for at least 5 minutes. Obtain medical attention if irritation

develops or persists.

First-aid Measures After Eye Rinse cautiously with water for at least 15 minutes. Remove

Contact contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention if irritation develops or persists.

First-aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

Ingestion attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries Causes serious eye irritation. Suspected of damaging fertility or

the unborn child.

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin Prolonged exposure may cause skin irritation.

Contact

Contact

Symptoms/Injuries After Eye Contact causes severe irritation with redness and swelling of the

conjunctiva.

Symptoms/Injuries After Ingestion may cause adverse effects.

Ingestion

Chronic Symptoms Suspected of damaging fertility or the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media : Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam,

or dry chemical.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Firefighting Instructions

Use water spray or fog for cooling exposed containers.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Avoid prolonged contact with eyes, skin and clothing. Avoid

breathing (vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

11/02/2023 EN (English US) 3/9

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Precautions for Safe Handling Avoid prolonged contact with eyes, skin and clothing. Avoid

breathing vapors, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80 mg/m³/%SiO ₂)

11/02/2023 EN (English US) 4/5

8.2. Exposure Controls

Appropriate Engineering Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Ensure adequate ventilation, especially in confined areas.

Ensure all national/local regulations are observed.

Personal Protective Equipment Gloves. Protective clothing. Protective goggles. Insufficient

ventilation: wear respiratory protection.









Materials For Protective

Clothing

Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other Information When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Colorless
Odor Odorless

Odor Threshold No data available No data available Hq **Evaporation Rate** No data available Melting Point No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (> 275 °F) **Auto-ignition Temperature** No data available

Auto-ignition Temperature

Decomposition Temperature

Flammability (solid, gas)

Vapor Pressure

Relative Vapor Density at 20 °C

Relative Density

No data available

Solubility
Partition Coefficient n-Octanol/Water
Viscosity
No data available
No data available
No data available

9.2. Other Information

No additional information available

11/02/2023 EN (English US) 5/9

SECTION 10: Stability and Reactivity

10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

10.2. Chemical Stability

Stable at normal conditions.

10.3. Possibility of Hazardous Reactions

Evolved hydrogen gas is flammable and may form explosive mixtures with air.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Water, alcohols, acids, bases, strong oxidizing agents, catalytic metals, metallic compounds.

10.6. Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Flammable hydrogen gas. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity : Not classified

3-Butyn-2-ol, 2-methyl- (115-19-	5)
LD50 oral rat	1420 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	21.3 mg/l/4h
LC50 inhalation rat (mg/l)	> 21.3 mg/l/4h
Octamethylcyclotetrasiloyane (554-47-2)	

Octamethylcyclotetrasiloxane (556-67-2)	
LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h

Skin Corrosion/Irritation Not classified

Serious Eye Damage/Irritation Causes serious eye irritation.

Respiratory or Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

Not classified

Not classified

Not classified

Reproductive Toxicity : Suspected of damaging fertility or the

unborn child.

Specific Target Organ Toxicity (Single Exposure) : Not classified Specific Target Organ Toxicity (Repeated Exposure) : Not classified

Aspiration Hazard Not classified

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin Prolonged exposure may cause skin irritation.

Contact

Symptoms/Injuries After Eye Contact causes severe irritation with redness and swelling of

Contact the conjunctiva.

11/02/2023 EN (English US) 6/9

MED-4950 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After

Ingestion may cause adverse effects.

Ingestion

Chronic Symptoms Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Harmful to aquatic life with long-lasting effects.

3-Butyn-2-ol, 2-methyl- (115-19-5)		
LC50 fish 1	3120 (3120 - 3480) mg/l (Exposure time: 96 h - Species:	
	Pimephales promelas [flow-through])	
EC50 Daphnia 1	500 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 other aquatic organisms 1	500 mg/l (Exposure time: 72 h - Species: Desmodesmus	
	subspicatus)	
LC50 fish 2	2200 (2200 - 4600) mg/l (Exposure time: 96 h - Species:	
	Leuciscus idus [static])	
EC50 other aquatic organisms 2	500 mg/l (Exposure time: 96 h - Species: Desmodesmus	
	subspicatus)	
Octamethylcyclotetrasiloxane (556-67-2)		
LC50 Fish	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	

12.2.	Persistence	and	Degrado	vtilide

MED-4950 Part B	
Persistence and Degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

MED-4950 Part B	
Bioaccumulative Potential	Not established.
3-Butyn-2-ol, 2-methyl- (115-19-5)	
Log Pow	0.318 (at 25 °C)
Octamethylcyclotetrasiloxane (556-67-2)	
BCF Fish	12400
Partition coefficient n-	5.1
octanol/water (Log Pow)	

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

Ecology - Waste Materials This material is hazardous to the aquatic environment. Keep

out of sewers and waterways. Avoid release to the

environment.

11/02/2023 EN (English US) 7/9

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- **14.1. In Accordance with DOT** Not regulated for transport
- **14.2. In Accordance with IMDG** Not regulated for transport
- **14.3. In Accordance with IATA** Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

15.2. US State Regulations

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

3-Butyn-2-ol, 2-methyl- (115-19-5)

- RTK U.S. Massachusetts Right To Know List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- RTK U.S. Pennsylvania RTK (Right to Know) List

Octamethylcyclotetrasiloxane (556-67-2)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Maine Chemicals of Concern
- U.S. Oregon Priority Persistent Pollutant Tier I Persistent Pollutants
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Chemicals of High Concern Persistent Bioaccumulative Toxins
- U.S. California Safer Consumer Products Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest Revision

11/02/2023

Other Information

This document has been prepared in accordance with

the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2

11/02/2023 EN (English US) 8/

STOT SE 3	Specific target organ toxicity (single exposure) Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long-lasting effects

NFPA Health Hazard 2 - Materials that, under emergency

conditions, can cause temporary incapacitation or residual injury.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.

NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.

HMIS III Rating

Health 2 Moderate Hazard

* Chronic - Chronic (long-term) health effects may result from

repeated overexposure

Flammability 1 Slight Hazard
Physical 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS

11/02/2023 EN (English US) 9/5