Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Revision: 06/09/2023 Date of Issue: 05/10/2013





Version: 5.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Product Name Synonyms Mixture MED-4970 Part A Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. Emergency Telephone Number

Emergency800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International
and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Repr. 2H361Aquatic Chronic 3H412Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Warning

Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US)

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, and eye

H361 - Suspected of damaging fertility or the unborn child H412 - Harmful to aquatic life with long lasting effects

protection. P308+P313 - If exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixture

| Name | Product Identifier | % | GHS-US Classification |
|---|---------------------|---------|--|
| Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica | (CAS No) 68909-20-6 | 20 - 40 | Not classified |
| Octamethylcyclotetrasiloxane | (CAS-No.) 556-67-2 | < 0.25 | Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410 |

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

| First-aid Measures General | Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
|--|--|
| First-aid Measures After Inhalation | When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists. |
| First-aid Measures After Skin Contact | Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists. |
| First-aid Measures After Eye Contact | Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention. |
| First-aid Measures After | Rinse mouth. Do NOT induce vomiting. Obtain medical |
| Ingestion | attention. |
| 4.2. Most Important Symptoms | and Effects Both Acute and Delayed |
| Symptoms/Injuries | Suspected of damaging fertility or the unborn child. |
| Symptoms/Injuries After Inhalation | Prolonged exposure may cause irritation. |
| Symptoms/Injuries After Skin Contact | Prolonged exposure may cause skin irritation. |
| Symptoms/Injuries After Eye Contact | May cause slight irritation to eyes. |
| Symptoms/Injuries After Ingestion | Ingestion may cause adverse effects. |
| Chronic Symptoms | Suspected of damaging fertility or the unborn child. |

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

| ······································ | |
|--|---|
| Fire Hazard | Not considered flammable but may burn at high temperatures. |
| Explosion Hazard | Product is not explosive. |
| Reactivity | Hazardous reactions will not occur under normal conditions. |
| 5.3. Advice for Firefighters | |
| Precautionary Measures Fire | Exercise caution when fighting any chemical fire. |
| Firefighting Instructions | Use water spray or fog for cooling exposed containers. |
| Protection During Firefighting | Do not enter fire area without proper protective equipment, |
| | including respiratory protection. |

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

| 6.1. rersonal rrecautions, r | rotective Equipment And Emergency Procedures |
|--------------------------------|---|
| General Measures | Do not get in eyes, on skin, or on clothing. Do not breathe |
| | vapor, mist or spray. |
| 6.1.1. For Non-Emergency Perso | onnel |
| Protective Equipment | Use appropriate personal protective equipment (PPE). |
| Emergency Procedures | Evacuate unnecessary personnel. |
| 6.1.2. For emergency responde | rs |
| Protective Equipment | Equip cleanup crew with proper protection. |
| Emergency Procedures | Upon arrival at the scene, a first responder is expected to |
| | recognize the presence of dangerous goods, protect oneself |
| | and the public, secure the area, and call for the assistance of |
| | trained personnel as soon as conditions permit. Ventilate area. |

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

| Contain any spills with dikes or absorbents to prevent migration |
|--|
| and entry into sewers or streams. |
| Clean up spills immediately and dispose of waste safely. |
| Transfer spilled material to a suitable container for disposal. |
| Contact competent authorities after a spill. |
| |

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

| Precautions for Safe Handling | Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor, mist, spray). |
|--|--|
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety |
| | procedures. |
| 7.2. Conditions for Safe Storage | e, Including Any Incompatibilities |
| Technical Measures | Comply with applicable regulations. |
| Storage Conditions | Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. |
| Incompatible Materials 7.3. Specific End Use(s) For professional use only. | Strong acids, strong bases, strong oxidizers. |

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

| Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6) | | |
|---|------------------------|--|
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 6 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (ppm) | 20 mppcf (80 mg/m³/%SiO ₂) |

8.2. Exposure Controls

| Appropriate Engineering |
|-------------------------|
| Controls |

Personal Protective Equipment

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials For Protective Clothing Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles. Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection. Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information

When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

| Physical State | Liquid |
|---------------------------------------|-------------------|
| Appearance | Colorless |
| Odor | Odorless |
| Odor Threshold | No data available |
| рН | No data available |
| Evaporation Rate | No data available |
| Melting Point | No data available |
| Freezing Point | No data available |
| Boiling Point | No data available |
| Flash Point | > 135 °C (275 °F) |
| Auto-ignition Temperature | No data available |
| Decomposition Temperature | No data available |
| Flammability (solid, gas) | Not applicable |
| Vapor Pressure | No data available |
| Relative Vapor Density at 20 °C | No data available |
| Relative Density | >] |
| Solubility | No data available |
| Partition Coefficient n-Octanol/Water | No data available |
| Viscosity | No data available |
| | |

9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

| Acute Toxicity | : Not classified | |
|----------------|------------------|-----|
| 06/09/2023 | EN (English US) | 5/8 |

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Octamethylcyclotetrasiloxane (5 | | |
|---|--|--|
| LD50 Oral Rat | > 4800 mg/kg (No mortality) | |
| LD50 Dermal Rat | > 2375 mg/kg | |
| LD50 Dermal Rabbit | > 2.5 ml/kg (No mortality) | |
| LC50 Inhalation Rat | 36 mg/l/4h | |
| Skin Corrosion/Irritation | Not classified | |
| Serious Eye Damage/Irritation | Not classified | |
| Respiratory or Skin Sensitization | Not classified | |
| Germ Cell Mutagenicity | Not classified | |
| Carcinogenicity | Not classified | |
| Reproductive Toxicity | : Suspected of damaging fertility or the unborn child. | |
| Specific Target Organ Toxicity (Si Exposure) | ngle : Not classified | |
| Specific Target Organ Toxicity (Re Exposure) | epeated : Not classified | |
| Aspiration Hazard | Not classified | |
| Symptoms/Injuries After Inhalation | Prolonged exposure may cause irritation. | |
| Symptoms/Injuries After Skin Contact | Prolonged exposure may cause skin irritation. | |
| Symptoms/Injuries After Eye Contact | May cause slight irritation to eyes. | |
| Symptoms/Injuries After Ingestion | Ingestion may cause adverse effects. | |
| Chronic Symptoms | Suspected of damaging fertility or the unborn child. | |

SECTION 12: Ecological Information

| Ecology - General | Harmful to aquatic life with long lasting effects. | |
|-------------------------------|---|--|
| Octamethylcyclotetrasiloxane | (556-67-2) | |
| LC50 Fish | > 22 µg/l | |
| NOEC Chronic Fish | 0.0044 mg/l | |
| 12.2. Persistence and Degrad | lability | |
| MED-4970 Part A | | |
| Persistence and Degradability | May cause long-term adverse effects in the environment. | |
| 12.3. Bioaccumulative Potent | ial | |
| MED-4970 Part A | | |
| Bioaccumulative Potential | Not established. | |
| Octamethylcyclotetrasiloxane | (556-67-2) | |
| BCF Fish 1 | 12400 | |
| Log Pow | 5.1 | |
| | | |

12.4. Mobility In Soil

12.1. Toxicity

No additional information available

12.5. Other Adverse Effects

Other Information

Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

| Waste Disposal | Dispose of contents/container in accordance with local, |
|---------------------------|---|
| Recommendations | regional, national, and international regulations. |
| Additional Information | Container may remain hazardous when empty. Continue to |
| | observe all precautions. |
| Ecology - Waste Materials | Avoid release to the environment. |

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

- 14.2. In Accordance with IMDG Not regulated for transport
- **14.3.** In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

| MED-4970 Part A | |
|-----------------------------|---------------------------------------|
| SARA Section 311/312 Hazard | Health hazard - Reproductive toxicity |
| Classes | |

15.2. US State Regulations

| Silanamine, | 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6) |
|--------------|---|
| U.S Texas - | Effects Screening Levels - Long Term |
| U.S Texas - | Effects Screening Levels - Short Term |
| Octamethyle | cyclotetrasiloxane (556-67-2) |
| U.S Texas - | Effects Screening Levels - Long Term |
| U.S Texas - | Effects Screening Levels - Short Term |
| U.S Maine | - Chemicals of Concern |
| U.S Oregoi | n - Priority Persistent Pollutant - Tier I - Persistent Pollutants |
| U.S Minnes | ota - Chemicals of High Concern |
| U.S Minnes | ota - Chemicals of High Concern - Persistent Bioaccumulative Toxins |
| U.S Califori | nia - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical |
| Groups | |

SECTION 16: Other Information, Including Date of Preparation or Last Revision

| Date of Preparation or Latest | 06/09/2023 |
|-------------------------------|---|
| Revision | |
| Other Information | This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. |

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic | |
|--------------------------------|-------------------|--|--|
| | | Hazard Category 1 | |
| | Flam. Liq. 3 | Flammable liquids Category 3 | |
| | Repr. 2 | Reproductive toxicity Category 2 | |
| | H226 | Flammable liquid and vapor | |
| | H361 | Suspected of damaging fertility or the unborn child | |
| | H410 | Very toxic to aquatic life with long lasting effects | |
| NFPA | Health Hazard | 1 - Materials that, under emergency conditions, can cause significant irritation. | |
| NFPA Fire Hazard 1 - Materials | | 1 - Materials that must be preheated before ignition can occur. | |
| NFPA | Reactivity Hazard | 0 - Material that in themselves are normally stable, even under fire conditions. | |
| HMIS | III Rating | | |
| * Chronic - (| | Slight Hazard - Irritation or minor reversible injury possible Chronic - Chronic (long-term) health effects may result from repeated overexposure | |
| Flammability 1 Slight Haza | | 1 Slight Hazard 0 Minimal Hazard | |

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC and its affiliated companies ("nusil") expressly disclaims any and all representations and WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NUSILUS GHS SDS

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Revision: 06/09/2023 Date of Issue: 05/10/2013





Version: 5.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Product Name Synonyms Mixture MED-4970 Part B Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. Emergency Telephone Number

Emergency800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International
and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Eye Irrit. 2AH319Repr. 2H361Aquatic Chronic 3H412

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Warning

Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US) H319 - Causes serious eye irritation
H361 - Suspected of damaging fertility or the unborn child
H412 - Harmful to aquatic life with long lasting effects
P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P321 - Specific treatment (see Section 4 on this SDS).
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixture

| Name | Product Identifier | % | GHS-US Classification |
|---|----------------------|---------|---|
| Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica | (CAS No) 68909-20-6 | 20 - 40 | Not classified |
| Siloxanes and Silicones, dimethyl, methyl hydrogen | (CAS-No.) 68037-59-2 | < 10 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| 3-Butyn-2-ol, 2-methyl- | (CAS No) 115-19-5 | < 1 | Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Repr. 2, H361 STOT SE 3, H336 |
| Octamethylcyclotetrasiloxane | (CAS-No.) 556-67-2 | < 0.25 | Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410 |

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

S

| afety Data Sheet ccording to Federal Register / Vol. 77, No. 58 / Monday, Ma | reh 24, 2012 / Pulas and Pagulations |
|---|---|
| ccoraing to rederal Register / Yoi. //, No. 36 / Monady, Mo | irch 26, 2012 / kules and Regulations |
| First-aid Measures After | When symptoms occur: go into open air and ventilate |
| Inhalation | suspected area. Obtain medical attention if breathing difficulty persists. |
| First-aid Measures After Skin | Remove contaminated clothing. Drench affected area with |
| Contact | water for at least 15 minutes. Obtain medical attention if irritation develops or persists. |
| First-aid Measures After Eye | Rinse cautiously with water for at least 15 minutes. Remove |
| Contact | contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention. |
| First-aid Measures After Ingestion | Rinse mouth. Do NOT induce vomiting. Obtain medical attention. |
| 4.2. Most Important Sympto | ms and Effects Both Acute and Delayed |
| Symptoms/Injuries | Causes serious eye irritation. Suspected of damaging fertility or the unborn child. |
| Symptoms/Injuries After Inhalation | Prolonged exposure may cause irritation. |
| Symptoms/Injuries After Skin Contact | Prolonged exposure may cause skin irritation. |
| Symptoms/Injuries After Eye Contact | Contact causes severe irritation with redness and swelling of the conjunctiva. |
| Symptoms/Injuries After Ingestion | Ingestion may cause adverse effects. |
| Chronic Symptoms | Suspected of damaging fertility or the unborn child. |
| 4.3. Indication of Any Imme | diate Medical Attention and Special Treatment Needed |

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. **Extinguishing Media**

| Suitable Extinguishing Media | : Water spray, dry chemical, foam, carbon dioxide. |
|--------------------------------|---|
| Unsuitable Extinguishing Media | : Do not use a heavy water stream. Use of heavy stream of water |
| | may spread fire. |
| 5.2. Special Hazards Arising F | rom the Substance or Mixture |
| Fire Hazard | Not considered flammable but may burn at high temperatures. |
| Explosion Hazard | Product is not explosive. |
| Reactivity | Hazardous reactions will not occur under normal conditions. |
| 5.3. Advice for Firefighters | |
| Precautionary Measures Fire | Exercise caution when fighting any chemical fire. |
| Firefighting Instructions | Use water spray or fog for cooling exposed containers. |
| Protection During Firefighting | Do not enter fire area without proper protective equipment, |
| | including respiratory protection. |

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures

Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

| Protective Equipment | Use appropriate personal protective equipment (PPE). |
|----------------------|--|
| 0.4.100.100.000 | |

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Emergency Procedures | Evacuate unnecessary personnel. |
|--|---|
| 6.1.2. For emergency responders | |
| Protective Equipment | Equip cleanup crew with proper protection. |
| Emergency Procedures | Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. |
| 6.2. Environmental Precaution | S |
| Prevent entry to sewers and public | waters. |
| 6.3. Methods and Materials for Containment and Cleaning Up | |
| For Containment | Contain any spills with dikes or absorbents to prevent migration |

Methods for Cleaning Up

and entry into sewers or streams.

Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. **Reference to Other Sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

Precautions for Safe Handling 7.1.

| Precautions for Safe Handling | Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor, mist, spray). | |
|--------------------------------|--|--|
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety procedures. | |
| 7.2. Conditions for Safe Stora | ge, Including Any Incompatibilities | |
| Technical Measures | Comply with applicable regulations. | |
| Storage Conditions | Keep container closed when not in use. Store in a dry, cool | |

| Storage Conditions | Keep container closed when not in use. Store in a dry, cool |
|-----------------------|--|
| - | place. Keep/Store away from direct sunlight, extremely high or |
| | low temperatures and incompatible materials. |
| ncompatible Materials | Strong acids, strong bases, strong oxidizers. |
| | |

h 7.3. Specific End Use(s)

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

Control Parameters 8.1.

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

| Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6) | | | |
|---|------------------------|--|--|
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 6 mg/m³ | |
| USA OSHA | OSHA PEL (TWA) (ppm) | 20 mppcf (80 mg/m³/%SiO ₂) | |

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure Controls

Appropriate Engineering Controls

Personal Protective Equipment

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials For Protective Clothing Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles. Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection. When using, do not eat, drink or smoke.

Other Information

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

| Physical State | Liquid |
|---------------------------------------|-------------------|
| Appearance | Colorless |
| Odor | Odorless |
| Odor Threshold | No data available |
| рН | No data available |
| Evaporation Rate | No data available |
| Melting Point | No data available |
| Freezing Point | No data available |
| Boiling Point | No data available |
| Flash Point | > 135 °C (275 °F) |
| Auto-ignition Temperature | No data available |
| Decomposition Temperature | No data available |
| Flammability (solid, gas) | Not applicable |
| Vapor Pressure | No data available |
| Relative Vapor Density at 20 °C | No data available |
| Relative Density | >] |
| Solubility | No data available |
| Partition Coefficient n-Octanol/Water | No data available |
| Viscosity | No data available |
| 9.2. Other Information | |

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

10.2. Chemical Stability

Stable at normal conditions.

10.3. Possibility of Hazardous Reactions

Evolved hydrogen gas is flammable and may form explosive mixtures with air.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Water, alcohols, acids, bases, strong oxidizing agents, catalytic metals, metallic compounds.

10.6. Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Flammable hydrogen gas. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

| D50 Dermal Rat D50 Dermal Rabbit | > 4800 mg > 2375 mg | |
|--|-------------------------|--|
| D50 Dermal Rat D50 Dermal Rabbit | > 2375 m(> 2.5 ml/k | g/kg |
| D50 Dermal Rabbit | > 2.5 ml/k | |
| | | |
| | 36 ma/1// | (No mortality) |
| C50 Inhalation Rat | 30 mg/i/4 | lh |
| -Butyn-2-ol, 2-methyl- (115-19-5 |) | |
| D50 oral rat | 1420 | mg/kg |
| D50 dermal rat | | 00 mg/kg |
| C50 inhalation rat (mg/l) | 21.3 | mg/l/4h |
| C50 inhalation rat (mg/l) | > 21. | 3 mg/l/4h |
| kin Corrosion/Irritation | Not clas | sified |
| erious Eye Damage/Irritation | Causes | serious eye irritation. |
| espiratory or Skin Sensitization | Not clas | sified |
| Germ Cell Mutagenicity | Not clas | sified |
| Carcinogenicity | Not clas | sified |
| eproductive Toxicity | | : Suspected of damaging fertility or the unborn child. |
| pecific Target Organ Toxicity (Sir xposure) | ngle | : Not classified |
| pecific Target Organ Toxicity (Re xposure) | peated | : Not classified |
| Aspiration Hazard | Not clas | sified |
| ymptoms/Injuries After nhalation | Prolonge | ed exposure may cause irritation. |
| ymptoms/Injuries After Skin Contact | Prolonge | ed exposure may cause skin irritation. |

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Symptoms/Injuries After Eye | Contact causes severe irritation with redness and swelling of |
|-----------------------------|---|
| Contact | the conjunctiva. |
| Symptoms/Injuries After | Ingestion may cause adverse effects. |
| Ingestion | |
| Chronic Symptoms | Suspected of damaging fertility or the unborn child. |
| | |

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General

Harmful to aquatic life with long lasting effects.

| Octamethylcyclotetrasiloxane (| 556-67-2) | | |
|----------------------------------|---|--|--|
| LC50 Fish | > 22 µg/l | | |
| NOEC Chronic Fish | 0.0044 mg/l | | |
| 3-Butyn-2-ol, 2-methyl- (115-19- | 5) | | |
| LC50 fish 1 | 3120 (3120 - 3480) mg/l (Exposure time: 96 h - Species: | | |
| | Pimephales promelas [flow-through]) | | |
| EC50 Daphnia 1 | 500 mg/l (Exposure time: 48 h - Species: Daphnia magna) | | |
| EC50 other aquatic organisms 1 | 500 mg/l (Exposure time: 72 h - Species: Desmodesmus | | |
| | subspicatus) | | |
| LC50 fish 2 | 2200 (2200 - 4600) mg/l (Exposure time: 96 h - Species: | | |
| | Leuciscus idus [static]) | | |
| EC50 other aquatic organisms 2 | 500 mg/l (Exposure time: 96 h - Species: Desmodesmus | | |
| | subspicatus) | | |
| 12.2. Persistence and Degrad | ability | | |
| MED-4970 Part B | | | |
| Persistence and Degradability | May cause long-term adverse effects in the environment. | | |
| 12.3. Bioaccumulative Potenti | al | | |
| MED-4970 Part B | | | |
| Bioaccumulative Potential | Not established. | | |
| Octamethylcyclotetrasiloxane (| 556-67-2) | | |
| BCF Fish 1 | 12400 | | |
| Log Pow | 5.1 | | |
| 2 But in 2 of 2 mothed (115 10 | 5) | | |

3-Butyn-2-ol, 2-methyl- (115-19-5) 0.318 (at 25 °C)

Log Pow

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information

Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

| Waste Disposal | Dispose of contents/container in accordance with local, |
|---------------------------|---|
| Recommendations | regional, national, and international regulations. |
| Additional Information | Container may remain hazardous when empty. Continue to |
| | observe all precautions. |
| Ecology - Waste Materials | Avoid release to the environment. |

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

| MED-4970 Part B | | | |
|---|---|--|--|
| | | | |
| SARA Section 311/312 Hazard | Health hazard - Reproductive toxicity | | |
| Classes | Classes Health hazard - Serious eye damage/eye irritation | | |
| 15.2. US State Regulations | | | |
| Silanamine, 1,1,1-trimethyl-N-(tri | methylsilyl)-, hydrolysis products with silica (68909-20-6) | | |
| U.S Texas - Effects Screening Le | vels - Long Term | | |
| U.S Texas - Effects Screening Le | vels - Short Term | | |
| Octamethylcyclotetrasiloxane (5 | 56-67-2) | | |
| U.S Texas - Effects Screening Le | vels - Long Term | | |
| U.S Texas - Effects Screening Levels - Short Term | | | |
| U.S Maine - Chemicals of Concern | | | |
| U.S Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants | | | |
| U.S Minnesota - Chemicals of High Concern | | | |
| U.S Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins | | | |
| U.S California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical | | | |
| Groups | | | |
| 3-Butyn-2-ol, 2-methyl- (115-19-5 | 5) | | |
| RTK - U.S Massachusetts - Right | To Know List | | |
| RTK - U.S New Jersey - Right to Know Hazardous Substance List | | | |
| U.S New Jersey - Special Health Hazards Substances List | | | |
| RTK - U.S Pennsylvania - RTK (Right to Know) List | | | |
| | | | |

SECTION 16: Other Information, Including Date of Preparation or Last Revision

| Date of Preparation or Latest Revision | 06/09/2023 |
|---|---|
| Other Information | This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. |

GHS Full Text Phrases:

| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
|---------------------|--|
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
|----------------------------|---------------|---|
| | Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam. Liq. 2 | | Flammable liquids Category 2 |
| | Flam. Liq. 3 | Flammable liquids Category 3 |
| | Repr. 2 | Reproductive toxicity Category 2 |
| | Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| | STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| | H225 | Highly flammable liquid and vapor |
| | H226 | Flammable liquid and vapor |
| | H302 | Harmful if swallowed |
| | H315 | Causes skin irritation |
| | H318 | Causes serious eye damage |
| | H319 | Causes serious eye irritation |
| | H335 | May cause respiratory irritation |
| | H336 | May cause drowsiness or dizziness |
| | H361 | Suspected of damaging fertility or the unborn child |
| | H410 | Very toxic to aquatic life with long lasting effects |
| | H412 | Harmful to aquatic life with long lasting effects |
| NFPA Health Hazard | | 1 - Materials that, under emergency conditions, can cause significant irritation. |
| NFPA Fire Hazard | | 1 - Materials that must be preheated before ignition can occur. |
| NFPA Reactivity Hazard | | 0 - Material that in themselves are normally stable, even under fire conditions. |
| HMIS | III Rating | |
| Heal | 0 | 1 Slight Hazard - Irritation or minor reversible injury possible * Chronic - Chronic (long-term) health effects may result from repeated overexposure |
| Flammability 1 Slight Hazo | | 1 Slight Hazard 0 Minimal Hazard |

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NUSII's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NUSII US GHS SDS