Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Revision: 06/28/2023 Date of Issue: 04/01/2015





Version: 5.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Product Name Synonyms Mixture MED-6215 Part A Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. Emergency Telephone Number

Emergency800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International
and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Repr. 2H361Aquatic Chronic 3H412Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Warning

Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US)

H412 - Harmful to aquatic life with long-lasting effects
P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P273 - Avoid release to the environment
P280 - Wear protective gloves, protective clothing, and eye protection.
P308+P313 - If exposed or concerned: Get medical advice/attention.

H361 - Suspected of damaging fertility or the unborn child

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS-US Classification
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where
First-aid Measures After Inhalation	possible). When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid Measures After Skin Contact	Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid Measures After Eye Contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most Important Symptoms	and Effects Both Acute and Delayed
Symptoms/Injuries	Suspected of damaging fertility or the unborn child.
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.
, .	ate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-Fighting Measures

5.1. **Extinguishing Media**

Suitable Extinguishing Media	: Water spray, dry chemical, foam, carbon dioxide.
Unsuitable Extinguishing Media	: Do not use a heavy water stream. Use of heavy stream of water
	may spread fire.
5.2. Special Hazards Arising	From the Substance or Mixture
Fire Hazard	Not considered flammable but may burn at high temperatures.
Explosion Hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for Firefighters	

Precautionary Measures Fire **Firefighting Instructions** Protection During Firefighting

Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures	Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.
6.1.1. For Non-Emergency Personn	el
Protective Equipment	Use appropriate personal protective equipment (PPE).
Emergency Procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective Equipment	Equip cleanup crew with proper protection.
Emergency Procedures	Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental Precautions	5

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Clean up spills immediately and dispose of waste safely. Methods for Cleaning Up Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. **Reference to Other Sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Precautions for Safe Handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor, mist, spray).
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for Safe Storag	e, Including Any Incompatibilities
Technical Measures	Comply with applicable regulations.
Storage Conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible Materials 7.3. Specific End Use(s) For professional use only.	Strong acids, strong bases, strong oxidizers.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

8.2. Exposure Controls

Appropriate Engineering Controls

Personal Protective Equipment

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles. Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection. When using, do not eat, drink or smoke.

Materials For Protective Clothing Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection

Other Information

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid Appearance Colorless Odor Odorless Odor Threshold No data available рΗ No data available No data available **Evaporation Rate** Melting Point No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) Auto-ignition Temperature No data available **Decomposition Temperature** No data available Flammability (solid, gas) Not applicable Vapor Pressure No data available Relative Vapor Density at 20 °C No data available **Relative Density** < 1 (water = 1) No data available Solubility Partition Coefficient n-Octanol/Water No data available No data available Viscosity 9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity : Not classified

Octamethylcyclotetrasiloxane (556-67-2)

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h
Skin Corrosion/Irritation	Not classified
Serious Eye Damage/Irritation	Not classified
Respiratory or Skin Sensitization	Not classified
Germ Cell Mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive Toxicity	: Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity (Si Exposure)	ngle : Not classified
Specific Target Organ Toxicity (Re Exposure)	epeated : Not classified
Aspiration Hazard	Not classified
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General	Harmful to aquatic life with long-lasting effects.	
Octamethylcyclotetrasilo	ane (556-67-2)	
LC50 Fish	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	
12.2. Persistence and De	gradability	

MED-6215 Part A

Persistence and Degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

MED-6215 Part A	
Bioaccumulative Potential	Not established.
Octamethylcyclotetrasiloxane (556-67-2)
BCF Fish 1	12400
Log Pow	5.1

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information

Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal	Dispose of contents/container in accordance with local,
Recommendations	regional, national, and international regulations.
Additional Information	Container may remain hazardous when empty. Continue to
	observe all precautions.
Ecology - Waste Materials	Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-62	215 Part A	
SARA S	ection 311/312 Hazard	Health hazard - Reproductive toxicity
Classes	5	
15.2.	US State Regulations	

Octamethylcyclotetrasiloxane (556-67-2)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Maine Chemicals of Concern
- U.S. Oregon Priority Persistent Pollutant Tier I Persistent Pollutants
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Chemicals of High Concern Persistent Bioaccumulative Toxins

CFR 1910.1200.

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest Revision	06/28/2023
Other Information	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29

GHS Full Text Phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Flam. Liq. 3	Flammable liquids Category 3
Repr. 2 H226		Reproductive toxicity Category 2
		Flammable liquid and vapor
	H361	Suspected of damaging fertility or the unborn child
	H410	Very toxic to aquatic life with long lasting effects
	H412	Harmful to aquatic life with long lasting effects
NFPA Health Hazard		1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA Fire Hazard		1 - Materials that must be preheated before ignition can occur.
NFPA Reactivity Hazard		0 - Material that in themselves are normally stable, even under fire conditions.
HMIS III Rating		
Health		 Slight Hazard - Irritation or minor reversible injury possible Chronic - Chronic (long-term) health effects may result from repeated overexposure
Flammability		1 Slight Hazard
Physical		0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT **RECALL OR BUSINESS INTERRUPTION.**

NUSII US GHS SDS

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 06/28/2023 Revision date: 04/01/2015





Version: 5.0

SECTION 1: Identification

Product identifier 1.1.

Product Form : Mixture **Product Name** : MED-6215 Part B Synonyms : Silicone Elastomer

1.2. Relevant identified uses of the substance or mixture and uses advised against

: For professional use only. Use of the substance/mixture

1.3. Details of the supplier of the safety data sheet NuSil Technology LLC

1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesacc.com www.nusil.com

1.4. **Emergency telephone number**

: 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International Emergency and Maritime) number

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

GHS-US classification

Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 3	H335
Repr. 2	H361
Aquatic Chronic 2	H411

Full text of hazard classes and H-statements: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)

Signal word (GHS-US)
Hazard statements (GHS-US)

US)



- : Warning
- : H315 Causes skin irritation
 - H319 Causes serious eye irritation
 - H335 May cause respiratory irritation
 - H361 Suspected of damaging fertility or the unborn child
 - H411 Toxic to aquatic life with long lasting effects
- Precautionary statements (GHS- : P201 Obtain special instructions before use.
 - P202 Do not handle until all safety precautions have been read and understood.
 - P261 Avoid breathing vapors, mist, or spray.
 - P264 Wash hands thoroughly after handling.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P312 - Call a poison center or doctor if you feel unwell.

P321 - Specific treatment (see section 4 on this SDS).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other hazards

Other hazards not contributing to the classification

g : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Siloxanes and Silicones, dimethyl,	(CAS No) 68037-59-2	85 - 95	Skin Irrit. 2, H315
methyl hydrogen			Eye Irrit. 2A, H319
			STOT SE 3, H335
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	<]	Flam. Liq. 3, H226
			Repr. 2, H361
			Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

Safety Data Sheet

ral Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First aid measures

Description of first aid measures 4.1.

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important sympton	ms and effects, both acute and delayed
Symptoms/Injuries	: Causes eye irritation. Causes skin irritation. Irritation of respiratory tract. Suspected of damaging fertility or the unborn child.
Symptoms/Injuries After Inhalation	: Irritation of the respiratory tract and the other mucous membranes.
Symptoms/Injuries After Skin Contact	: Redness, pain, swelling, itching, burning, dryness, and dermatitis.
Symptoms/Injuries After Eye Contact	: Redness, pain, swelling, itching, burning, tearing, and blurred vision.
Symptoms/Injuries After Ingestion	: Ingestion is likely to be harmful or have adverse effects.
4.3. Indication of any imme	diate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Water spray, dry chemical, foam, carbon dioxide.	
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water	
	may spread fire.	
5.2. Special hazards arising from the substance or mixture		

5

Fire hazard	: Not considered flammable but may burn at high temperatures.
Explosion hazard	: Product is not explosive.
Reactivity	: Hazardous reactions will not occur under normal conditions.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment,

Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet

Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid breathing (vapor, mist, spray). Avoid all contact with skin, eyes, or clothing.		
6.1.1. For non-emergency personnel			
Protective equipment	: Use appropriate personal protective equipment (PPE).		
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Equip cleanup crew with proper protection.		

- Emergency procedures
- : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. **Environmental precautions**

Prevent entry to sewers and public waters.

Methods and material for containment and cleaning up 6.3.

For containment	: Contain any spills with dikes or absorbents to prevent migration
	and entry into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal.
	Contact competent authorities after a spill.

6.4. **Reference to other sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

Precautions for safe handling 7.1.

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Avoid contact with skin, eyes and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage	ge, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible materials	: Strong acids, strong bases, strong oxidizers.
7.3. Specific end use(s)	

For professional use only.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Appropriate engineering controls	 Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
Personal protective equipment	: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.
Materials for protective clothing	
Hand protection	: Wear protective gloves.
Eye protection Skin and body protection	: Chemical safety goggles. : Wear suitable protective clothing.
Respiratory protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Other information	: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	sicul and	chemical properties
Physical state	:	Liquid
Appearance	:	Colorless
Odor	:	Odorless
Odor threshold	:	No data available
рН	:	No data available
Evaporation Rate	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	> 135 °C (> 275 °F)
Auto-ignition Temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	Not applicable
Vapor pressure	:	No data available
Relative vapor density at 20 °C	:	No data available
Relative density	:	No data available
Specific Gravity	:	< 1 (water=1)
Solubility	:	No data available
Partition coefficient: n-octanol/w	ater :	No data available
Viscosity	:	No data available
9.2. Other information		
VOC content	: < 1%	

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Evolved hydrogen gas is flammable and may form explosive mixtures with air.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible materials

Water, alcohols, acids, bases, strong oxidizing agents, catalytic metals, metallic compounds.

10.6. Hazardous decomposition products

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Flammable hydrogen gas. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified		
Octamethylcyclotetrasiloxane (556-67-2)			
LD50 Oral Rat	> 4800 mg/kg (No mortality)		
LD50 Dermal Rat	> 2375 mg/kg		
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)		
LC50 Inhalation Rat	36 mg/l/4h		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.		
Specific target organ toxicity – si exposure	ingle : May cause respiratory irritation		
Specific target organ toxicity – repeated : Not classified exposure			
Aspiration hazard	: Not classified		
Symptoms/effects after inhalation	: Irritation of the respiratory tract and the other mucous membranes.		
Symptoms/effects after skin contact	: Redness, pain, swelling, itching, burning, dryness, and dermatitis.		
Symptoms/effects after eye contact	: Redness, pain, swelling, itching, burning, tearing, and blurred vision.		
Symptoms/effects after ingestion	: Ingestion is likely to be harmful or have adverse effects.		

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

: Toxic to aquatic life with long lasting effects.		
Octamethylcyclotetrasiloxane (556-67-2)		
> 22 µg/l		
0.0044 mg/l		
	ane (556-67-2) > 22 µg/l	

12.2. Persistence and degradability

MED-6215 Part B

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

MED-6215 Part B		
Bioaccumulative potential	Not established.	
Octamethylcyclotetrasiloxane (556-67-2)		
BCF Fish 1	12400	
Log Pow	5.1	

12.4. Mobility in soil

Other information

No additional information available

12.5. Other adverse effects

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local,
recommendations	regional, national, and international regulations.
Additional information	: Container may remain hazardous when empty. Continue to observe all precautions.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octamethylcyclotetrasiloxane)		
Hazard Class Identification Number Label Codes Packing Group Marine Pollutant	9 UN3082 9 III Marine pollutant		
ERG Number	171		
14.2. In Accordance with IMDG			
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octamethylcyclotetrasiloxane)		
Hazard Class	9		
Identification Number	UN3082		
Packing Group	III		

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations			
Label Codes	9		
EmS-No. (Fire)	F-A		
EmS-No. (Spillage)	S-F		
Marine Pollutant	Marine pollutant		
14.3. In Accordance wi	th IATA		
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.		
	(Octamethylcyclotetrasiloxane)		
Packing Group			
Identification Number	UN3082		
Hazard Class	9		
Label Codes	9		
ERG Code (IATA)	9L		

SECTION 15: Regulatory information

15.1. US Federal regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-6	215 Part B
-------	------------

SARA Section 311/312 Hazard	Health hazard - Reproductive toxicity	
Classes	Immediate (acute) health hazard	

15.2. US State regulations

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

CFR 1910.1200.

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other information, including date of preparation or last revision

Date of Preparation or Latest
Revision: 06/28/2023Other information: This document has been prepared in accordance with the SDS
requirements of the OSHA Hazard Communication Standard 29

Full text of H-phrases:

Aquatia Chronia 1	Unterreduce to the annuatio environment. Chronic
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic
	Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic
	Hazard Category 2
Repr. 2	Reproductive toxicity Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure)
	Category 3

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccoraing to	Federal Register / Vol. //, No. 58 / Mon	ady, March 26, 2012 / Rules d		
	H315		Causes skin irritation	
	H319		Causes serious eye irritation	
	H335		May cause respiratory irritation	
	H361		Suspected of damaging fertility or the unborn child	
	H410		Very toxic to aquatic life with long lasting effects	
	H411		Toxic to aquatic life with long lasting effects	
NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.		ons, can cause significant		
			erials that must be preheated gnition can occur.	
NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.		y stable, even under fire		
HMIS	III Rating			
Healt	'h	* Chron	 1 Slight Hazard - Irritation or minor reversible injury possible * Chronic - Chronic (long-term) health effects may result from repeated overexposure 	
	Flammability : 1 Slight Hazard Physical : 0 Minimal Hazard		Hazard	

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NUSII's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS