Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date:: 03/07/2024 Date of Issue: 02/11/2014





Version 7.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Product Name Synonyms Mixture MED-6233 Part A Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. Emergency Telephone Number

Emergency800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International
and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Reproductive toxicity Category 2 H361 Hazardous to the aquatic environment – Chronic Hazard Category 3 H412

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US) GHS08 Warning H361 - Suspected of damaging fertility or the unborn child H412 - Harmful to aquatic life with long lasting effects P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, and eye protection. P308+P313 - If exposed or concerned: Get medical advice/attention. P405 - Store locked up. P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

03/07/2024

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

<1% of the mixture consists of ingredients of unknown acute toxicity.

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%*	GHS-US Classification
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

* The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid Measures After Inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid Measures After Skin Contact	Remove contaminated clothing. Drench affected area with water for at least 5 minutes. If exposed or concerned: Get medical advice/attention.
First-aid Measures After Eye Contact	Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most Important Symptoms	s and Effects Both Acute and Delayed
Symptoms/Injuries Symptoms/Injuries After Inhalation	Suspected of damaging fertility or the unborn child. Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
Unsuitable Extinguishing Media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special Hazards Arising F	rom the Substance or Mixture
Fire Hazard	Not considered flammable but may burn at high temperatures.
Explosion Hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for Firefighters	
Precautionary Measures Fire	Exercise caution when fighting any chemical fire.
Firefighting Instructions	Use water spray or fog for cooling exposed containers.
Protection During Firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
Hazardous Combustion	Carbon oxides (CO, CO ₂). Silicon oxides. Oxides of platinum.
Products	Formaldehyde.
Other Information	Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures	Do not get in eyes, on skin, or on clothing. Do not breathe	
Oerierar measures	o ,	
	vapor, mist or spray.	
6.1.1. For Non-Emergency Person	nel	
Protective Equipment	Use appropriate personal protective equipment (PPE).	
Emergency Procedures	Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective Equipment	Equip cleanup crew with proper protection.	
Emergency Procedures	Upon arrival at the scene, a first responder is expected to	
	recognize the presence of dangerous goods, protect oneself	
	and the public, secure the area, and call for the assistance of	
	•	
	trained personnel as soon as conditions permit. Ventilate area.	
6.2. Environmental Precautior	15	
Prevent entry to sewers and public	c waters. Avoid release to the environment.	
6.3. Methods and Materials for Containment and Cleaning Up		
For Containment	Contain any spills with dikes or absorbents to prevent migration	
	and entry into sewers or streams.	
Methods for Cleaning Up	Clean up spills immediately and dispose of waste safely.	
Monited for cleaning op	Absorb and/or contain spill with inert material. Transfer spilled	

Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reference to Other Sections 6.4.

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

Precautions for Safe Handling 7.1.

Additional Hazards When Processed	Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors.
Precautions for Safe Handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not breathe vapors, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures.
	•
	ge, Including Any Incompatibilities
Technical Measures	Comply with applicable regulations.
Storage Conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked

Strong acids, strong bases, strong oxidizers.

Incompatible Materials

7.3. Specific End Use(S)

Use in the injection and transfer molding of clear silicone products. For professional use only.

up/in a secure area.

SECTION 8: Exposure Controls/Personal Protection

8.1. **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Octamethylcyclotetro	asiloxane (55	66-67-2)
USA AIHA	WEEL TWA	10 ppm
8.2. Exposure Con	trols	
Appropriate Engineeri Controls	ng	Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
Personal Protective Eq	quipment	Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.
Materials For Protectiv Clothing	е	Chemically resistant materials and fabrics.
Hand Protection Eye And Face Protect	ion	Wear protective gloves. Chemical safety goggles.

03/07/2024

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin And Body Protection Respiratory Protection	Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Other Information	When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State	Liquid
Appearance	Colorless to light yellow
Color	No data available
Odor	Odorless
Odor Threshold	No data available
рН	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 ℃ (275 °F)
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (solid, gas)	Not applicable
Vapor Pressure	No data available
Relative Vapor Density at 20°C	No data available
Relative Density	> 1 (Water=1)
Specific Gravity	No data available
Solubility	No data available
Partition Coefficient n-Octanol/We	ater No data available
Viscosity	No data available
9.2. Other Information	
VOC Content	< 1 %

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous Decomposition Products

Thermal decomposition may produce: Carbon oxides (CO, CO₂). Silicon oxides. Oxides of platinum. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects		
Acute Toxicity (Oral)	Not classified	
Acute Toxicity (Dermal)	Not classified	
Acute Toxicity (Inhalation)	Not classified	
Octamethylcyclotetrasiloxane (5	556-67-2)	
LD50 Oral Rat	> 4800 mg/kg (No mortality)	
LD50 Dermal Rat	> 2375 mg/kg	
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)	
LC50 Inhalation Rat	36 mg/l/4h	
Skin Corrosion/Irritation	Not classified	
Serious Eye Damage/Irritation	Not classified	
Respiratory or Skin Sensitization	Not classified	
Germ Cell Mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive Toxicity	Suspected of damaging fertility or the unborn child.	
Specific Target Organ Toxicity	Not classified	
(Single Exposure)		
Specific Target Organ Toxicity	Not classified	
(Repeated Exposure)		
Aspiration Hazard	Not classified	
Symptoms/Injuries After	Prolonged exposure may cause irritation.	
Inhalation		
Symptoms/Injuries After Skin	Prolonged exposure may cause skin irritation.	
Contact		
Symptoms/Injuries After Eye	May cause slight irritation to eyes.	
Contact		
Symptoms/Injuries After	Ingestion may cause adverse effects.	
Ingestion Chronic Symptoms	Suspected of damaging fortility or the unbern child	
Chronic Symptoms	Suspected of damaging fertility or the unborn child.	

formation on Toxicological Efforts

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General	Harmful to aquatic life with long lasting effects.	
Octamethylcyclotetrasiloxane (556-67-2)	
LC50 Fish 1	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	
12.2. Persistence and Degrad	lability	
MED-6233 Part A		
Persistence and Degradability	May cause long-term adverse effects in the environment.	
03/07/2024 EN (English	US)	6/8

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative Potential

MED-6233 Part A	
Bioaccumulative Potential	Not established.
Octamethylcyclotetrasiloxane (556-67-2)	
BCF Fish 1	(12400 dimensionless)
Partition coefficient n-	6.488 (at 25.1 °C)
octanol/water (Log Pow)	

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information

Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal	Dispose of contents/container in accordance with local,
Recommendations	regional, national, and international regulations.
Additional Information	Container may remain hazardous when empty. Continue to observe all precautions.
Ecology - Waste Materials	Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Not regulated for transport

14.2. In Accordance with IMDG

Not regulated for transport

14.3. In Accordance with IATA

Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-6233 Part A	
SARA Section 311/312 Hazard Classes	Health hazard - Reproductive toxicity

15.2. US State Regulations

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants U.S. - Minnesota - Chemicals of High Concern U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest	03/07/2024
Revision	
Other Information	This docume

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

	H226	Flammable liquid and vapor
	H361	Suspected of damaging fertility or the unborn child
	H410	Very toxic to aquatic life with long lasting effects
	H412	Harmful to aquatic life with long lasting effects
NFPA	A Health Hazard	1 - Materials that, under emergency
		conditions, can cause significant irritation.
NFPA	A Fire Hazard	1 - Materials that must be preheated
		before ignition can occur.
NFPA	A Reactivity Hazard	0 - Material that in themselves are
	·	normally stable, even under fire
		conditions.
HMIS	III Rating	
Heal	th	1 Slight Hazard
		* Chronic - Chronic (long-term) health effects may result from
		repeated overexposure
Flam	mability	1 Slight Hazard
Physi	nysical 0 Minimal Hazard	

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 03/07/2024 Date of Issue: 02/11/2014





Version 7.0

SECTION 1: Identification

Product Identifier 1.1.

Product Form Product Name Synonyms

Mixture MED-6233 Part B Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. **Emergency Telephone Number**

800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International Emergency Number and Maritime)

SECTION 2: Hazards Identification

Classification of the Substance or Mixture 2.1.

GHS-US Classification

Skin corrosion/irritation Category 2	H315
Serious eye damage/eye irritation Category 2	H319
Reproductive toxicity Category 2	H361
Hazardous to the aquatic environment – Chronic Hazard Category 3	H412

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



H315 - Causes skin irritation		
irritation		
ging fertility or the unborn child		
life with long lasting effects		
uctions before use.		
all safety precautions have been		
ms, and other exposed areas		
environment.		
oves, protective clothing, eye		
n.		

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P302+P352 - If on skin: Wash with plenty of water.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P321 - Specific treatment (see section 4 on this SDS).
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No additional information available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%*	GHS-US Classification
Silicic acid (H4SiO4), tetraethyl ester, reaction products with chlorodimethylsilane	(CAS-No.) 68988-57-8	< 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
3-Butyn-2-ol, 2-methyl-	(CAS-No.) 115-19-5	< 3	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Repr. 2, H361 STOT SE 3, H336
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

*The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid Measures After	When symptoms occur: go into open air and ventilate		
Inhalation	suspected area. Obtain medical attention if breathing difficulty persists.		
First-aid Measures After Skin Contact	Remove contaminated clothing. If exposed or concerned: Get medical advice/attention. Immediately drench affected area with water for at least 15 minutes.		
First-aid Measures After Eye Contact	Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.		
First-aid Measures After	Rinse mouth. Do NOT induce vomiting. Obtain medical		
Ingestion	attention.		
4.2. Most Important Symptoms and Effects Both Acute and Delayed			
Symptoms/Injuries	Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child.		
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.		
Symptoms/Injuries After Skin Contact	Redness, pain, swelling, itching, burning, dryness, and dermatitis.		
Symptoms/Injuries After Eye Contact	Contact causes severe irritation with redness and swelling of the conjunctiva.		
Symptoms/Injuries After	Ingestion may cause adverse effects.		
Ingestion			
Chronic Symptoms	Suspected of damaging fertility or the unborn child.		
4.3. Indication of Any Immedi	ate Medical Attention and Special Treatment Needed		
If exposed or concerned, get med	lical advice and attention. If medical advice is needed, have		

product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1 **Extinguishing Media**

Suitable Extinguishing Media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
Unsuitable Extinguishing Media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special Hazards Arising	From the Substance or Mixture
Fire Hazard	Not considered flammable but may burn at high temperatures.
Explosion Hazard	Product is not explosive.
Reactivity	Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.
5.3. Advice for Firefighters	
Precautionary Measures Fire Firefighting Instructions Protection During Firefighting	Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection.
Hazardous Combustion Products Other Information	Carbon oxides (CO, CO ₂). Silicon oxides. Formaldehyde. Explosive hydrogen gas. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment	Use appropriate personal protective equipment (PPE).
Emergency Procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective Equipment	Equip cleanup crew with proper protection.
Emergency Procedures	Upon arrival at the scene, a first responder is expected to
	recognize the presence of dangerous goods, protect oneself
	and the public, secure the area, and call for the assistance of
	trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

	······································
For Containment	Contain any spills with dikes or absorbents to prevent migration
	and entry into sewers or streams.
Methods for Cleaning Up	Clean up spills immediately and dispose of waste safely.
	Absorb and/or contain spill with inert material. Transfer spilled
	material to a suitable container for disposal. Contact
	competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Processed	Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors.		
Precautions for Safe Handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures.		
7.2. Conditions for Safe Storage, Including Any Incompatibilities			
Technical Measures	Comply with applicable regulations.		
Storage Conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.		
Incompatible Materials	Alcohols. Metals. Strong acids, strong bases, strong oxidisers. Water.		

7.3. Specific End Use(S)

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Octamethylcyclotetra	isiloxane (55	6-67-2)	
USA AIHA	WEEL TWA	A 10 ppm	
8.2. Exposure Cont	rols		
Appropriate Engineering Controls		Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.	
Personal Protective Equipment Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.		ng. Protective goggles. Insufficient	
Materials For Protective Clothing Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection		Chemically resistant materials and fabrics. Wear protective gloves. Chemical safety goggles. Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.	

When using, do not eat, drink or smoke.

Other Information

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

	Physical State	Liquid
	Appearance	Colorless to light yellow
	Odor	Odorless
	Odor Threshold	No data available
	рН	No data available
	Evaporation Rate	No data available
	Melting Point	No data available
	Freezing Point	No data available
	Boiling Point	No data available
	Flash Point	> 135 °C (275 °F)
	Auto-ignition Temperature	No data available
	Decomposition Temperature	No data available
	Flammability (solid, gas)	Not applicable
	Vapor Pressure	No data available
	Relative Vapor Density at 20°C	No data available
	Relative Density	> 1 (water = 1)
-	03/07/2024 EN (English US)	

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific Gravity Solubility Partition Coefficient n-Octanol/Water Viscosity **9.2. Other Information** VOC Content <1%

No data available Insoluble. No data available No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Evolved hydrogen gas is flammable and may form explosive mixtures with air. Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Alcohols. Metals. Strong acids, strong bases, strong oxidisers. Water.

10.6. Hazardous Decomposition Products

May produce explosive hydrogen gas on contact with incompatibilities or upon thermal decomposition. Thermal decomposition may produce: Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

	g. • • • • • • • • • • • • • • • • • • •
Acute Toxicity (Oral)	Not classified
Acute Toxicity (Dermal)	Not classified
Acute Toxicity (Inhalation)	Not classified
3-Butyn-2-ol, 2-methyl- (115-19-5)	
LD50 Oral Rat	1950 mg/kg
LD50 Dermal Rat	> 2000 mg/kg (no deaths)
LC50 Inhalation Rat	> 21300 mg/m³ (Exposure time: 4 h)

Octamethylcyclotetrasiloxane (556-67-2)	
LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h

Skin Corrosion/Irritation	Causes skin irritation.
Serious Eye Damage/Irritation	Causes serious eye irritation.
Respiratory or Skin Sensitization	Not classified
Germ Cell Mutagenicity	Not classified

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity Reproductive Toxicity Specific Target Organ Toxicity (Single Exposure)	Not classified Suspected of damaging fertility or the unborn child. Not classified
Specific Target Organ Toxicity (Repeated Exposure)	Not classified
Aspiration Hazard Symptoms/Injuries After Inhalation	Not classified Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Redness, pain, swelling, itching, burning, dryness, and dermatitis.
Symptoms/Injuries After Eye Contact	Contact causes severe irritation with redness and swelling of the conjunctiva.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General	Harmful to aquatic life with long lasting effects.		
Ecology - water	Harmful to aquatic life with long lasting effects.		
3-Butyn-2-ol, 2-methyl- (115-19-5)			
LC50 Fish 1	3120 (3120 – 3480) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
EC50 - Crustacea [1]	500 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 Other Aquatic Organisms	500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)		
LC50 Fish 2	2200 (2200 – 4600) mg/l (Exposure time: 96 h - Species: Leuciscus idus [static])		
EC50 Other Aquatic Organisms 2	500 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)		
Octamethylcyclotetrasiloxane (5	556-67-2)		
LC50 Fish 1	> 22 µg/l		
NOEC Chronic Fish	0.0044 mg/l		
12.2. Persistence and Degradability			
MED-6233 Part B			
Persistence and Degradability	May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative Potential			
MED-6233 Part B			
Bioaccumulative Potential	Not established.		
3-Butyn-2-ol, 2-methyl- (115-19-5)			
Partition coefficient n- octanol/water (Log Pow)	0.318 (at 25 °C)		
Octamethylcyclotetrasiloxane (556-67-2)			
BCF Fish 1	(12400 dimensionless)		
Partition coefficient n-	6.488 (at 25.1 °C)		
octanol/water (Log Pow)			
03/07/2024 EN (English	US) 7/10		

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility In Soil

No additional information available **12.5. Other Adverse Effects** Other Information Avoid release

Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal	Dispose of contents/container in accordance with local,
Recommendations	regional, national, and international regulations.
Additional Information	Container may remain hazardous when empty. Continue to
	observe all precautions.
Ecology - Waste Materials	Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Not regulated for transport

14.2. In Accordance with IMDG

Not regulated for transport

14.3. In Accordance with IATA

Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-6233 Part B	
SARA Section 311/312 Hazard	Health hazard - Reproductive toxicity
Classes	Health hazard - Skin corrosion or Irritation
	Health hazard - Serious eye damage or eye irritation

15.2. US State Regulations

3-Butyn-2-ol, 2-methyl- (115-19-5)	
RTK - U.S New Jersey - Right to Know Hazardous Substance List	
RTK - U.S Pennsylvania - RTK (Right to Know) List	
RTK - U.S Massachusetts - Right To Know List	
U.S New Jersey - Special Health Hazards Substances List	
U.S Texas - Effects Screening Levels - Long Term	
U.S Texas - Effects Screening Levels - Short Term	
Octamethylcyclotetrasiloxane (556-67-2)	
U.S Texas - Effects Screening Levels - Long Term	
U.S Texas - Effects Screening Levels - Short Term	
03/07/2024 EN (English 115)	8/10

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Maine - Chemicals of Concern U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants U.S. - Minnesota - Chemicals of High Concern U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest Revision	03/07/2024
Other Information	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR

composition have been withheld as a trade secret [29 CFR 1910.1200].

GHS Full Text Phrases:

-		
	H225	Highly flammable liquid and vapor
	H226	Flammable liquid and vapor
	H302	Harmful if swallowed
ſ	H315	Causes skin irritation
ſ	H318	Causes serious eye damage
ſ	H319	Causes serious eye irritation
ſ	H336	May cause drowsiness or dizziness
Γ	H361	Suspected of damaging fertility or the unborn child
Ī	H410	Very toxic to aquatic life with long lasting effects
Γ	H412	Harmful to aquatic life with long lasting effects
NFPA Fire Hazard NFPA Reactivity Hazard NFPA Reactivity Hazard NFPA Reactivity Hazard NFPA Reactivity Hazard NFPA Reactivity Hazard		 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury. 1 - Materials that must be preheated before ignition can occur. 0 - Material that in themselves are normally stable, even under fire conditions.
* Chronic - C repeated ov Flammability 1 Slight Hazo		2 Moderate Hazard * Chronic - Chronic (long-term) health effects may result from repeated overexposure 1 Slight Hazard 0 Minimal Hazard

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT **RECALL OR BUSINESS INTERRUPTION.**

Nusil US GHS SDS