Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Revision: 01/08/2024 Date of Issue: 04/10/2015





Version: 2.0

# **SECTION 1: Identification**

### 1.1. Product Identifier

Product Form Product Name Synonyms Mixture MED-6601 Part A Silicone Elastomer

## 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

### 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

### 1.4. Emergency Telephone Number

Emergency800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International<br/>and Maritime)

# **SECTION 2: Hazards Identification**

### 2.1. Classification of the Substance or Mixture

### **GHS-US Classification**

Repr. 2H361Aquatic Chronic 3H412Full text of hazard classes and H-statements: see section 16

### 2.2. Label Elements

### GHS-US Labeling

Hazard Pictograms (GHS-US)



Warning

Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US)

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, and eye protection.

H361 - Suspected of damaging fertility or the unborn child H412 - Harmful to aquatic life with long lasting effects

P308+P313 - If exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

# **SECTION 3: Composition/Information On Ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	GHS-US Classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS-No.) 68909-20-6	10 - 30	Not classified
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

# **SECTION 4: First Aid Measures**

### 4.1. Description of First-aid Measures

First-aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid Measures After Inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid Measures After Skin Contact	Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid Measures After Eye Contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
-	and Effects Both Acute and Delayed
Symptoms/Injuries	Suspected of damaging fertility or the unborn child.
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# **SECTION 5: Fire-Fighting Measures**

### 5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

······································	
Fire Hazard	Not considered flammable but may burn at high temperatures.
Explosion Hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for Firefighters	
Precautionary Measures Fire	Exercise caution when fighting any chemical fire.
Firefighting Instructions	Use water spray or fog for cooling exposed containers.
Protection During Firefighting	Do not enter fire area without proper protective equipment,
	including respiratory protection.

# **SECTION 6: Accidental Release Measures**

### 6.1. Personal Precautions, Protective Equipment And Emergency Procedures

o.i. reisonal riecaulions, rio	nective Equipment And Emergency Procedures
General Measures	Do not get in eyes, on skin, or on clothing. Do not breathe
	vapor, mist or spray.
6.1.1. For Non-Emergency Person	nel
Protective Equipment	Use appropriate personal protective equipment (PPE).
Emergency Procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective Equipment	Equip cleanup crew with proper protection.
Emergency Procedures	Upon arrival at the scene, a first responder is expected to
	recognize the presence of dangerous goods, protect oneself
	and the public, secure the area, and call for the assistance of
	trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

	<b>3</b> • [
For Containment	Contain any spills with dikes or absorbents to prevent migration
	and entry into sewers or streams.
Methods for Cleaning Up	Clean up spills immediately and dispose of waste safely.
	Transfer spilled material to a suitable container for disposal.
	Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 7: Handling And Storage**

### 7.1. Precautions for Safe Handling

Precautions for Safe Handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor, mist, spray).
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for Safe Storage	e, Including Any Incompatibilities
Technical Measures	Comply with applicable regulations.
Storage Conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible Materials 7.3. Specific End Use(s) For professional use only.	Strong acids, strong bases, strong oxidizers.

# **SECTION 8: Exposure Controls/Personal Protection**

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)			
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	6 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80 mg/m <sup>3</sup> /%SiO <sub>2</sub> )	
Octamethylcyclotetrasiloxane (556-67-2)			
USA AIHA	WEEL TWA	10 ppm	

### 8.2. Exposure Controls

Appropriate Engineering Controls

Personal Protective Equipment

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials For Protective Clothing Hand Protection Eye And Face Protection Skin And Body Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles. Wear suitable protective clothing. Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory Protection	If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Other Information	When using, do not eat, drink or smoke.

# **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on Basic Physical and Chemical Properties

Odor Threshold pH	No data available No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 ℃ (275 ℃)
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (solid, gas)	Not applicable
Vapor Pressure	No data available
Relative Vapor Density at 20 °C	No data available
Relative Density	> ]
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity	No data available
9.2 Other Information	

# 9.2. Other Information

No additional information available

# SECTION 10: Stability and Reactivity

### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

### 10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

### 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

### 10.6. Hazardous Decomposition Products

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

# **SECTION 11: Toxicological Information**

# 11.1. Information on Toxicological Effects

Acute Toxicity	: Not classified	
Octamethylcyclotetrasiloxane (556-67-2)		
LD50 Oral Rat	> 4800 mg/kg (No mortality)	
LD50 Dermal Rat	> 2375 mg/kg	
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)	
LC50 Inhalation Rat	36 mg/l/4h	
Skin Corrosion/Irritation	Not classified	
Serious Eye Damage/Irritation	Not classified	
Respiratory or Skin Sensitization	Not classified	
Germ Cell Mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive Toxicity	: Suspected of damaging fertility or the unborn child.	
Specific Target Organ Toxicity (S Exposure)	ingle : Not classified	
Specific Target Organ Toxicity (R Exposure)	epeated : Not classified	
Aspiration Hazard	Not classified	
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.	
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.	
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.	
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.	
Chronic Symptoms	Suspected of damaging fertility or the unborn child.	

# **SECTION 12: Ecological Information**

### 12.1. Toxicity

Ecology - General	Harmful to aquatic life with long lasting effects.	
Octamethylcyclotetrasiloxane (556-67-2)		
LC50 Fish	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	
12.2. Persistence and Degrad	ability	
MED-6601 Part A		
Persistence and Degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative Potenti	al	
MED-6601 Part A		
<b>Bioaccumulative Potential</b>	Not established.	
Octamethylcyclotetrasiloxane (556-67-2)		
BCF Fish 1	12400	
Partition coefficient n-	6.488 (at 25.1 °C)	
octanol/water (Log Pow)		
01/08/2024 EN (English	8/6 (SU n	

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.4. Mobility In Soil

No additional information available

### 12.5. Other Adverse Effects

Other Information Avoid release to the environment.

# **SECTION 13: Disposal Considerations**

### 13.1. Waste Treatment Methods

Waste Disposal	Dispose of contents/container in accordance with local,
Recommendations	regional, national, and international regulations.
Additional Information	Container may remain hazardous when empty. Continue to observe all precautions.
Ecology - Waste Materials	This material is hazardous to the aquatic environment. Keep out of sewers and waterways. Avoid release to the environment.

# **SECTION 14: Transport Information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

### SECTION 15: Regulatory Information

### 15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

Health hazard - Reproductive toxicity		
15.2. US State Regulations		
Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)		

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

### Octamethylcyclotetrasiloxane (556-67-2)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Maine Chemicals of Concern
- U.S. Oregon Priority Persistent Pollutant Tier I Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

# SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest	01/08/2024
Revision	
Other Information	This document has been prepar
	requirements of the OSHA Haza

ared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

	Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
	Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
	Flam. Liq. 3	Flammable liquids Category 3
Repr. 2 Reproductive toxicity Category 2		
	H226	Flammable liquid and vapor
	H361	Suspected of damaging fertility or the unborn child
	H410	Very toxic to aquatic life with long lasting effects
	H412	Harmful to aquatic life with long lasting effects
NFPA	A Health Hazard	1 - Materials that, under emergency
		conditions, can cause significant irritation.
NFPA	A Fire Hazard	1 - Materials that must be preheated
		before ignition can occur.
NFPA Reactivity Hazard		0 - Material that in themselves are
		normally stable, even under fire
		conditions.
HMIS	i III Rating	
Heal	th	1 Slight Hazard - Irritation or minor reversible injury possible
		* Chronic - Chronic (long-term) health effects may result from
		repeated overexposure
Flam	imability	1 Slight Hazard
Physical		0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC and its affiliated companies ("NUSIL") expressly disclaims any and all representations and WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NUSII US GHS SDS

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 01/08/2024 Revision date: 03/25/2015





Version: 3.0

# **SECTION 1: Identification**

### 1.1. Product identifier

Product Form: MixtureProduct Name: MED-6601 Part BSynonyms: Silicone Elastomer

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : For professional use only.

### **1.3.** Details of the supplier of the safety data sheet NuSil Technology LLC

1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

### **1.4.** Emergency telephone number

Emergency : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **GHS-US classification**

Skin Irrit. 2	H315
Eye Dam. 1	H318
STOT SE 3	H335
Repr. 2	H361
Aquatic Chronic 3	H412

Full text of hazard classes and H-statements: see section 16

# 2.2. Label elements

### **GHS-US** labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H315 - Causes skin irritation
	H318 - Causes serious eye damage
	H335 - May cause respiratory irritation
	H361 - Suspected of damaging fertility or the unborn child
	H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS-	: P201 - Obtain special instructions before use.
US)	P202 - Do not handle until all safety precautions have been read and understood.
	P261 - Avoid breathing vapors, mist, or spray.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, and eye

> protection. P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P312 - Call a poison center or doctor if you feel unwell.

P321 - Specific treatment (see section 4 on this SDS).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other hazards

Other hazards not contributing to the classification

: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown acute toxicity (GHS US)

No data available

# SECTION 3: Composition/Information on ingredients

### 3.1. Substances

### Not applicable

### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Siloxanes and Silicones, dimethyl,	(CAS No) 68037-59-2	> 90	Skin Irrit. 2, H315
methyl hydrogen			Eye Irrit. 2A, H319
			STOT SE 3, H335
3-Butyn-2-ol, 2-methyl-	(CAS No) 115-19-5	< 10	Flam. Liq. 2, H225
			Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
			Repr. 2, H361
			STOT SE 3, H336
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226
			Repr. 2, H361
			Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptom	s and effects, both acute and delayed
Symptoms/Injuries	: Suspected of damaging fertility or the unborn child. Causes serious eye damage. Causes skin irritation. May cause respiratory irritation.
Symptoms/Injuries After Inhalation	: Irritation of the respiratory tract and the other mucous membranes.
Symptoms/Injuries After Skin Contact	: Redness, pain, swelling, itching, burning, dryness, and dermatitis.
Symptoms/Injuries After Eye Contact	: Causes permanent damage to the cornea, iris, or conjunctiva.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects.
Chronic symptoms	: Suspected of damaging fertility or the unborn child.

**4.3.** Indication of any immediate medical attention and special treatment needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# SECTION 5: Fire-Fighting measures

# 5.1. Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	<ul> <li>Water spray, dry chemical, foam, carbon dioxide.</li> <li>Do not use a heavy water stream. Use of heavy stream of water may spread fire.</li> </ul>
5.2. Special hazards arising f	rom the substance or mixture
Fire hazard	: Not considered flammable but may burn at high temperatures.
Explosion hazard	: Product is not explosive.
Reactivity	: Hazardous reactions will not occur under normal conditions.
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions Protection during firefighting	<ul> <li>Exercise caution when fighting any chemical fire.</li> <li>Use water spray or fog for cooling exposed containers.</li> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid breathing (vapor, mist, spray). Avoid all contact with skin, eyes, or clothing.
6.1.1. For non-emergency perso	onnel
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responder	ſS
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to

: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment	: Contain any spills with dikes or absorbents to prevent migration
	and entry into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely.
	Transfer spilled material to a suitable container for disposal.
	Contact competent authorities after a spill.

### 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Avoid contact with skin, eyes and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe stora	ge, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible materials	: Strong acids, strong bases, strong oxidizers.
7.3. Specific end use(s)	

For professional use only.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Safety Data Sheet

According to Federal Register / Vol. 77, No. 5	8 / Monday, March 26, 2012 ,	' Rules and Regulations	
Octamethylcyclotetrasiloxane (556-67-2)			
USA AIHA	WEEL TWA	10 ppm	
8.2. Exposure contro	ols		
Appropriate Engineerir Controls	ava Ens	ergency eye wash fountains and safety showers should be ailable in the immediate vicinity of any potential exposure. ure adequate ventilation, especially in confined areas. ure all national/local regulations are observed.	
Personal Protective Eq		ves. Protective clothing. Protective goggles. Insufficient itilation: wear respiratory protection.	
Materials For Protective Clothing	e : Che	emically resistant materials and fabrics.	
Hand Protection	: We	ar protective gloves.	
Eye And Face Protecti		emical safety goggles.	
Skin And Body Protecti	on :We	ar suitable protective clothing.	
Respiratory Protection	apr ina whe resp	proved respiratory protection should be worn. In case of dequate ventilation, oxygen deficient atmosphere, or ere exposure levels are not known wear approved biratory protection.	
Other Information	: Wh	en using, do not eat, drink or smoke.	

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

internation on basic physical at		enermean properne
Physical state	:	Liquid
Appearance	:	Clear
Odor	:	Mild, alcohol
Odor threshold	:	No data available
рН	:	No data available
Evaporation Rate	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	> 135 °C (> 275 °F)
Auto-ignition Temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	Not applicable
Vapor pressure	:	No data available
Relative vapor density at 20 °C	:	No data available
Relative density	:	No data available
Specific Gravity	:	< 1 (water=1)
Solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Viscosity	:	No data available
9.2. Other information		

VOC content

: < 1%

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of hazardous reactions

Evolved hydrogen gas is flammable and may form explosive mixtures with air.

### 10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

### 10.5. Incompatible materials

Water, alcohols, acids, bases, strong oxidizing agents, catalytic metals, metallic compounds.

### 10.6. Hazardous decomposition products

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Flammable hydrogen gas. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified Octamethylcyclotetrasiloxane (556-67-2) LD50 Oral Rat > 4800 mg/kg (No mortality) LD50 Dermal Rat > 2375 mg/kg > 2.5 ml/kg (No mortality) LD50 Dermal Rabbit LC50 Inhalation Rat 36 mg/l/4h 3-Butyn-2-ol, 2-methyl- (115-19-5) LD50 oral rat 1420 mg/kg LD50 dermal rat > 2000 mg/kg LC50 inhalation rat (mg/l) 21.3 mg/l/4h LC50 inhalation rat (ma/l) > 21.3 mg/l/4hSkin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye damage. Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility or the unborn child. Specific target organ toxicity – single : May cause respiratory irritation. exposure : Not classified Specific target organ toxicity – repeated exposure Aspiration hazard : Not classified Symptoms/effects after : Irritation of the respiratory tract and the other mucous inhalation membranes. Symptoms/effects after skin : Redness, pain, swelling, itching, burning, dryness, and contact dermatitis. Symptoms/effects after eye : Causes permanent damage to the cornea, iris, or conjunctiva. contact

Safety Data Sheet According to Federal Register / Vo

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations				
: Ingestion may cause adverse effects.				
: Suspected of damaging fertility or the unborn child.				

# SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general

: Harmful to aquatic life with long lasting effects.

Octamethylcyclotetrasiloxane (556-67-2)			
LC50 Fish	> 22 µg/l		
NOEC Chronic Fish	0.0044 mg/l		
3-Butyn-2-ol, 2-methyl- (115-19-5			
LC50 fish 1	3120 (3120 - 3480) mg/l (Exposure time: 96 h - Species:		
	Pimephales promelas [flow-through])		
EC50 Daphnia 1	500 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 other aquatic organisms 1	500 mg/l (Exposure time: 72 h - Species: Desmodesmus		
	subspicatus)		
LC50 fish 2	2200 (2200 - 4600) mg/l (Exposure time: 96 h - Species:		
	Leuciscus idus [static])		
EC50 other aquatic organisms 2	500 mg/l (Exposure time: 96 h - Species: Desmodesmus		
	subspicatus)		

### 12.2. Persistence and degradability

### MED-6601 Part B

Persistence and degradability May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

MED-6601 Part B		
Bioaccumulative potential	Not established.	
Octamethylcyclotetrasiloxane	e (556-67-2)	
BCF Fish 1	12400	
Partition coefficient n-	6.488 (at 25.1 °C)	
octanol/water (Log Pow)		
3-Butyn-2-ol, 2-methyl- (115-19-5)		
Log Pow	0.318 (at 25 °C)	

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid

: Avoid release to the environment.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local,
recommendations	regional, national, and international regulations.
Additional information	: Container may remain hazardous when empty. Continue to observe all precautions.
	•
Ecology - waste materials	: Avoid release to the environment.

14.2.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 14: Transport information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
  - In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-6601 Part B	
SARA Section 311/312 Hazard	Health hazard - Reproductive toxicity
Classes	Health hazard - Serious eye damage or eye irritation
	Health hazard - Skin corrosion or Irritation
	Health hazard - Specific target organ toxicity (single or repeated
	exposure)

### 15.2. US State regulations

### Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

### 3-Butyn-2-ol, 2-methyl- (115-19-5)

RTK - U.S. - Massachusetts - Right To Know List

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - New Jersey - Special Health Hazards Substances List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

# SECTION 16: Other information, including date of preparation or last revision

Date of Preparation or Latest Revision	: 01/08/2024
Other information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Full text of H-phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording i	o Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules of	ana kegulations
	Flam. Liq. 2		Flammable liquids Category 2
	Flam. Liq. 3		Flammable liquids Category 3
	Repr. 2		Reproductive toxicity Category 2
	Acute Tox. 4 (Oral)		Acute toxicity (oral) Category 4
	Eye Dam. 1		Serious eye damage/eye irritation Category 1
	Eye Irrit. 2A		Serious eye damage/eye irritation Category 2A
	Skin Irrit. 2		Skin corrosion/irritation Category 2
	STOT SE 3		Specific target organ toxicity (single exposure) Category 3
	H225		Highly flammable liquid and vapor
	H226		Flammable liquid and vapor
	H302		Harmful if swallowed
	H315		Causes skin irritation
	H318		Causes serious eye damage
	H319		Causes serious eye irritation
	H335		May cause respiratory irritation
	H336		May cause drowsiness or dizziness
	H361		Suspected of damaging fertility or the unborn child
	H410		Very toxic to aquatic life with long lasting effects
	H411		Very toxic to aquatic life with long lasting effects
	H412		Harmful to aquatic life with long lasting effects
	A Health Hazard A Fire Hazard	conditic perman : 1 - Mate	erials that, under emergency ons, can cause serious or lent injury. erials that must be preheated gnition can occur.
NFPA	A Reactivity Hazard	: 0 - Mate	v stable, even under fire
HMIS	III Rating		
Heal	th	* Chron	us Hazard nic - Chronic (long-term) health effects may result from ed overexposure

Flammability : 1 Slight Hazard

Physical : 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NUSII's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Revision: 01/08/2024 Date of Issue: 12/11/2014





Version: 3.0

# **SECTION 1: Identification**

### 1.1. Product Identifier

Product Form Product Name Synonyms Mixture MED-6601 Part C Silicone Elastomer

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

### 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

### 1.4. Emergency Telephone Number

Emergency800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International<br/>and Maritime)

# **SECTION 2: Hazards Identification**

### 2.1. Classification of the Substance or Mixture

### **GHS-US Classification**

Repr. 1BH360Aquatic Chronic 3H412Full text of hazard classes and H-statements: see section 16

### 2.2. Label Elements

### GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US)

Danger
H360 - May damage fertility or the unborn child
H412 - Harmful to aquatic life with long lasting effects
P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been
read and understood.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, and eye protection.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P405 - Store locked up.
P501 - Dispose of contents/container in accordance with local,

regional, national, and international regulations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

# **SECTION 3: Composition/Information On Ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	GHS-US Classification
Methyl vinylcyclosiloxane	(CAS-No.) 2554-06-5	< 3	Repr. 1B, H360
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

## **SECTION 4: First Aid Measures**

### 4.1. Description of First-aid Measures

First-aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid Measures After Inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid Measures After Skin Contact	Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid Measures After Eye Contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most Important Symptoms	and Effects Both Acute and Delayed
Symptoms/Injuries	May damage fertility or the unborn child.
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	May damage fertility or the unborn child.
4.3. Indication of Any Immedia	ate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 5: Fire-Fighting Measures**

### 5.1. Extinguishing Media

Suitable Extinguishing Media	: Water spray, dry chemical, foam, carbon dioxide.
Unsuitable Extinguishing Media	: Do not use a heavy water stream. Use of heavy stream of water
	may spread fire.
5.2. Special Hazards Arising F	rom the Substance or Mixture
Fire Hazard	Not considered flammable but may burn at high temperatures.
Explosion Hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for Firefighters	
Precautionary Measures Fire	Exercise caution when fighting any chemical fire.
Firefighting Instructions	Use water spray or fog for cooling exposed containers.

# Protection During Firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

# SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures	Do not get in eyes, on skin, or on clothing. Do not breathe
	vapor, mist or spray.
6.1.1. For Non-Emergency Persor	nel
Protective Equipment	Use appropriate personal protective equipment (PPE).
Emergency Procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	, . ;
Protective Equipment	Equip cleanup crew with proper protection.
Emergency Procedures	Upon arrival at the scene, a first responder is expected to
	recognize the presence of dangerous goods, protect oneself
	and the public, secure the area, and call for the assistance of
	trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental Precautio	

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

For ContainmentContain any spills with dikes or absorbents to prevent migration<br/>and entry into sewers or streams.Methods for Cleaning UpClean up spills immediately and dispose of waste safely.<br/>Transfer spilled material to a suitable container for disposal.<br/>Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 7: Handling And Storage**

#### 7.1 Precautions for Safe Handlina

Precautions for Safe Handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor, mist, spray).
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for Safe Storag	e, Including Any Incompatibilities
Technical Measures	Comply with applicable regulations.
Storage Conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible Materials	Strong acids, strong bases, strong oxidizers.
<b>7.3.</b> Specific End Use(s) For professional use only.	

# **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1. **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Octamethylcyclotetr	asiloxane (556-67-2	
USA AIHA	WEEL TWA	10 ppm
8.2. Exposure Cont	rols	
Appropriate Enginee	ate Engineering Emergency eye wash fountains and safety showers should be	

Appropriate Engineering	Emergency eye wash fountains and safety showers should be
Controls	available in the immediate vicinity of any potential exposure.
	Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Materials For Protective Clothing Hand Eve A Skin A Respir

Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Chemically resistant materials and fabrics.

Hand Protection	Wear protective gloves.
Eye And Face Protection	Chemical safety goggles.
Skin And Body Protection	Wear suitable protective clothing.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Other Information	When using, do not eat, drink or smoke.

# **SECTION 9: Physical and Chemical Properties**

### 9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid Appearance Clear Odor Odorless Odor Threshold No data available рΗ No data available No data available **Evaporation Rate** Melting Point No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) Auto-ignition Temperature No data available **Decomposition Temperature** No data available Flammability (solid, gas) Not applicable Vapor Pressure No data available Relative Vapor Density at 20 °C No data available **Relative Density** < 1 Solubility No data available Partition Coefficient n-Octanol/Water No data available No data available Viscosity 9.2. Other Information

No additional information available

# **SECTION 10: Stability and Reactivity**

### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

### 10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

### 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

### 10.6. Hazardous Decomposition Products

Will decompose above 150 °C (>300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

# SECTION 11: Toxicological Information

# 11.1. Information on Toxicological Effects

Acute Toxicity : Not classified

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methyl vinylcyclosiloxane (2554-	
LD50 Oral Rat	> 4800 mg/kg (Read accross, no deaths)
LD50 Dermal Rabbit	> 2000 mg/kg (no deaths)
LC50 Inhalation Rat	> 1.32 mg/l/4h
Octamethylcyclotetrasiloxane (5	556-67-2)
LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h
Skin Corrosion/Irritation	Not classified
Serious Eye Damage/Irritation	Not classified
Respiratory or Skin Sensitization	Not classified
Germ Cell Mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive Toxicity	: May damage fertility or the unborn child.
Specific Target Organ Toxicity (Si Exposure)	ngle : Not classified
Specific Target Organ Toxicity (Re Exposure)	epeated : Not classified
Aspiration Hazard	Not classified
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	May damage fertility or the unborn child.

# **SECTION 12: Ecological Information**

### 12.1. Toxicity

Ecology - General	Harmful to aquatic life with long lasting effects.
Octamethylcyclotetrasiloxane (556-67-2)	
LC50 Fish	> 22 µg/l
NOEC Chronic Fish	0.0044 mg/l

### 12.2. Persistence and Degradability

MED-6601 Part C

Persistence and Degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential		
MED-6601 Part C		
Bioaccumulative Potential	Not established.	
Methyl vinylcyclosiloxane (2554-06-5)		
Partition coefficient n-	6,47	
octanol/water (Log POW)		
Octamethylcyclotetrasiloxane (556-67-2)		
BCF Fish 1	(12400 dimensionless)	
01/00/0004	-U-L (10)	

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Partition coefficient n-	6.488 (at 25.1 °C)
octanol/water (Log Pow)	

### 12.4. Mobility In Soil

No additional information available

### 12.5. Other Adverse Effects

Other Information

Avoid release to the environment.

# **SECTION 13: Disposal Considerations**

### 13.1. Waste Treatment Methods

Waste Disposal	Dispose of contents/container in accordance with local,
Recommendations	regional, national, and international regulations.
Additional Information	Container may remain hazardous when empty. Continue to
	observe all precautions.
Ecology - Waste Materials	Avoid release to the environment.

# **SECTION 14: Transport Information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

# SECTION 15: Regulatory Information

### 15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-6601 Part C	
SARA Section 311/312 Hazard	Health hazard - Reproductive toxicity
Classes	

### 15.2. US State Regulations

### Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

# SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest	01/08/2024
Revision	
Other Information	This docume

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

	Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
	Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Flam. Liq. 3	Flammable liquids Category 3
	Repr. 1B	Reproductive toxicity, Category 1B
	Repr. 2	Reproductive toxicity Category 2
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H226	Flammable liquid and vapor
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
	H360	May damage fertility or the unborn child
	H361	Suspected of damaging fertility or the unborn child
	H410	Very toxic to aquatic life with long lasting effects
	H412	Harmful to aquatic life with long lasting effects
NFPA Health Hazard		1 - Materials that, under emergency
		conditions, can cause significant irritation.
NFPA Fire Hazard		1 - Materials that must be preheated
NFPA Reactivity Hazard		before ignition can occur. 0 - Material that in themselves are
		normally stable, even under fire
		conditions.
HMIS III Rating		
Health		1 Slight Hazard - Irritation or minor reversible injury possible
		* Chronic - Chronic (long-term) health effects may result from
		repeated overexposure
Flammability		1 Slight Hazard
<b>-</b> , <b>,</b> ,		

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be

0 Minimal Hazard

Physical

comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS