



Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 04/22/2021 Date of Issue: 05/29/2015

Version: 4.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Mixture
Product Name R-2637 Part A
Synonyms Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780

ehs@nusil.com

www.nusil.com

1.4. Emergency Telephone Number

Emergency 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International

Number and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture GHS-US Classification

Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)





GHS07 GHS09

Signal Word (GHS-US) Warning

Hazard Statements (GHS-US) H317 - May cause an allergic skin reaction

H400 - Very toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

04/22/2021 EN (English US) 1/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary Statements (GHS-

US)

P261 - Avoid breathing vapors, mist, or spray.

P272 - Contaminated work clothing must not be allowed out of

the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye

protection.

P302+P352 - If on skin: Wash with plenty of water. P321 - Specific treatment (see section 4 on this SDS). P333+P313 - If skin irritation or rash occurs: Get medical

advice/attention.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

P501 - Dispose of contents/container in accordance with local,

regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS-US Classification
Nickel*	(CAS-No.) 7440-02-0	50 - 75	Skin Sens. 1, H317
			Carc. 2, H351
			STOT RE 1, H372
			Aquatic Acute 1, H400
			Aquatic Chronic 3, H412
			Comb. Dust
Silanamine, 1,1,1-trimethyl-N-	(CAS No) 68909-20-6	< 5	Not classified
(trimethylsilyl)-, hydrolysis products with			
silica			

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General

Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After

Inhalation

When symptoms occur: go into open air and ventilate

suspected area. Obtain medical attention if breathing difficulty

persists.

04/22/2021 EN (English US) 2/13

^{*}The Nickel component of this product is bound in a silicon matrix. The chronic hazards usually associated with Nickel are not applicable to this product.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid Measures After Skin Remove contaminated clothing. Drench affected area with

water for at least 15 minutes. Obtain medical attention if Contact

irritation develops or persists.

First-aid Measures After Eye Rinse cautiously with water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

First-aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

Ingestion attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries Skin sensitization.

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Contact

Symptoms/Injuries After Skin May cause an allergic skin reaction.

Contact

Symptoms/Injuries After Eye

Contact

Symptoms/Injuries After Inaestion may cause adverse effects.

Inaestion

Chronic Symptoms None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

May cause slight irritation to eyes.

SECTION 5: Fire-Fighting Measures

5.1. **Extinguishing Media**

Suitable Extinguishing Media : Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Hazardous reactions will not occur under normal conditions. Reactivity

Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire. Firefighting Instructions Use water spray or fog for cooling exposed containers.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

04/22/2021 EN (English US)

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Contains substances that are combustible dusts. If dried and

Processed allowed to accumulate, may form combustible dust

concentrations in air that could ignite and cause an explosion.

Take appropriate precautions.

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not breathe vapors, mist,

spray.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials.

Incompatible Materials Strong acids, strong bases, strong oxidizers. Organic solvents.

Hydrogen. Ammonia. Fluorine. Sulfur compounds.

7.3. Specific End Use(s)

Use for RFI and EMI shielding in electronic and space applications. For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

04/22/2021 EN (English US) 4/13

Nickel (7440-02-0)			
USA ACGIH	ACGIH TWA (mg/m³)	1.5 mg/m³ (inhalable particulate matter)	
USA ACGIH	ACGIH chemical category	Not Suspected as a Human Carcinogen	
USA OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³	
Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)			
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80 mg/m³/%SiO ₂)	

8.2. Exposure Controls

Appropriate Engineering Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas.

Ensure all national/local regulations are observed.

Personal Protective Equipment Gloves. Protective clothing. Protective goggles. Insufficient

ventilation: wear respiratory protection.









Materials For Protective

Clothing

Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other Information When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Tan paste
Odor Odorless

Odor Threshold No data available На No data available No data available **Evaporation Rate Melting Point** No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) No data available **Auto-ignition Temperature Decomposition Temperature** No data available Flammability (solid, gas) Not applicable No data available Vapor Pressure

04/22/2021 EN (English US) 5/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulation

Relative Vapor Density at 20°C No data available

Specific Gravity > 1

Solubility
Partition Coefficient n-Octanol/Water
Viscosity
No data available
No data available
No data available

9.2. Other Information

VOC Content < 1%

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers. Organic solvents. Hydrogen. Ammonia. Fluorine. Sulfur compounds.

10.6. Hazardous Decomposition Products

Nickel carbonyl gas.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity (Oral) : Not classified Acute Toxicity (Dermal) : Not classified Acute Toxicity (Inhalation) : Not classified

Nickel (7440-02-0)		
LD50 Oral Rat	> 9000 mg/kg	
LC50 Inhalation Rat	> 10.2 mg/l (Exposure time: 1 h)	
Skin Corrosion/Irritation	Not classified	
Serious Eye Damage/Irritation	Not classified	
Respiratory or Skin Sensitization	May cause an allergic skin reaction.	
Germ Cell Mutagenicity	Not classified	

Carcinogenicity Not classified. (The nickel in this product is non-respirable.

Carcinogenicity hazards do not apply.)

Nickel (7440-02-0)	
IARC Group	2B
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen.
OSHA Hazard Communication	In OSHA Hazard Communication Carcinogen list.
Carcinogen List	-

Reproductive Toxicity : Not classified Specific Target Organ Toxicity (Single : Not classified

Exposure)

04/22/2021 EN (English US) 6/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific Target Organ Toxicity (Repeated

Exposure)

: Not classified. (The nickel in this product is nonrespirable. Specific target organ hazards do not

apply.)

May cause an alleraic skin reaction.

May cause slight irritation to eyes.

Not classified Aspiration Hazard

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin

Contact

Symptoms/Injuries After Eye

Contact

Symptoms/Injuries After Inaestion may cause adverse effects.

Inaestion

Chronic Symptoms None expected under normal conditions of use.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Very toxic to aquatic life. Harmful to aquatic life with long

lastina effects.

Nickel (7440-02-0)	
LC50 Fish 1	100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
EC50 Daphnia 1	100 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	15.3 mg/l
EC50 Daphnia 2	1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

12.2. Persistence and Degradability

R-2637 Part A	
Persistence and Degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

R-2637 Part A	
Bioaccumulative Potential	Not established.

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local, Recommendations regional, national, territorial, provincial, and international

regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

Avoid release to the environment. This material is hazardous to Ecology - Waste Materials

the aquatic environment. Keep out of sewers and waterways.

04/22/2021 EN (English US) 7/13

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.

(CONTAINS NICKEL)

Hazard Class 9

Identification Number UN3082

Label Codes 9
Packing Group III

Marine Pollutant Marine pollutant

14.2. In Accordance with IMDG

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

CONTAINS SILVER AND NICKEL (CONTAINS NICKEL)

Hazard Class 9

Identification Number UN3082

Packing Group III
Label Codes 9
EmS-No. (Fire) F-A
EmS-No. (Spillage) S-F

Ems-No. (spillage) S-F
Marine Pollutant Marine pollutant

MFAG Number 171

14.3. In Accordance with IATA

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.CONTAINS SILVER AND NICKEL (CONTAINS NICKEL)

Packing Group III

Identification Number UN3082

Hazard Class 9 Label Codes 9 ERG Code (IATA) 9L



SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

R-2637 Part A		
SARA Section 311/312 Hazard Classes Health hazard - Respiratory or skin sensitization		
Nickel (7440-02-0)		
Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	100 lb (only applicable if particles are < 100 µm)	
SARA Section 313 - Emission Reporting	0.1 %	

15.2. US State Regulations

	•
Nickel (7440-02-0)	

04/22/2021 EN (English US) 8/1

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Nickel (7440-02-0)	

04/22/2021 EN (English US) 9/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. California Priority Toxic Pollutants Freshwater Criteria
- U.S. California Priority Toxic Pollutants Human Health Criteria
- U.S. California Priority Toxic Pollutants Saltwater Criteria
- U.S. California SCAQMD Toxic Air Contaminants Carcinogens
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California SDAPCD Toxic Air Contaminants Carcinogenic Impacts Must Be Calculated
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Connecticut Drinking Water Quality Standards Maximum Contaminant Levels
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Connecticut Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Acute Saltwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Chronic Saltwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Consumption of Organisms Only
- U.S. Connecticut Water Quality Standards Consumption of Water and Organisms
- U.S. Connecticut Water Quality Standards Health Designations
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Florida Drinking Water Standards Inorganic Contaminants Maximum Contaminant Levels (MCLs)
- U.S. Idaho Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxic Air Contaminants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- U.S. Maine Chemicals of Concern
- U.S. Maryland Surface Water Quality Standards Acute Freshwater Aquatic Life
- U.S. Maryland Surface Water Quality Standards Acute Saltwater Aquatic Life Criteria
- U.S. Maryland Surface Water Quality Standards Chronic Freshwater Aquatic Life
- U.S. Maryland Surface Water Quality Standards Chronic Saltwater Aquatic Life Criteria
- U.S. Maryland Surface Water Quality Standards Consumption of Organisms Only
- U.S. Maryland Surface Water Quality Standards Consumption of Water and Organisms
- U.S. Massachusetts Allowable Ambient Limits (AALs)
- U.S. Massachusetts Allowable Threshold Concentrations (ATCs)
- U.S. Massachusetts Drinking Water Guidelines
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Threshold Effects Exposure Limits (TELs)
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List

04/22/2021 EN (English US) 10/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. Nebraska Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. New Hampshire Prohibited Volatile Organic Compounds
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Mexico Water Quality Standards for Ground Water of 10,000 mg/L TDS Concentration or Less
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Priority Chemical Avoidance List
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Carolina Control of Toxic Air Pollutants
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. North Dakota Water Quality Standards Aquatic Life Acute Value for Classes I, IA, II, III
- U.S. North Dakota Water Quality Standards Aquatic Life Chronic Value for Classes I, IA, II, III
- U.S. North Dakota Water Quality Standards Human Health Value for Class III
- U.S. North Dakota Water Quality Standards Human Health Value for Classes I, IA, II
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. California Safer Consumer Products Initial List of Candidate Chemicals and Chemical Groups
- U.S. Pennsylvania Beneficial Use of Sewage Sludge by Land Application Pollutant Ceiling Limits
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 24-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Rhode Island Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Acute Saltwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Saltwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Aquatic Organisms Only
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Water and Aquatic Organisms
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Utah Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Vermont Hazardous Waste Hazardous Constituents
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Virginia Water Quality Standards Acute Freshwater Aquatic Life
- U.S. Virginia Water Quality Standards Acute Saltwater Aquatic Life

04/22/2021 EN (English US) 11/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Virginia Water Quality Standards Chronic Freshwater Aquatic Life
- U.S. Virginia Water Quality Standards Chronic Saltwater Aquatic Life
- U.S. Virginia Water Quality Standards Public Water Supply Effluent Limits
- U.S. Virginia Water Quality Standards Surface Waters Not Used for the Public Water Supply Effluent Limits
- U.S. Washington Dangerous Waste Dangerous Waste Constituents List
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet
- U.S. Alaska Water Quality Standards Acute Aquatic Life Criteria for Fresh Water
- U.S. Alaska Water Quality Standards Chronic Aquatic Life Criteria for Fresh Water
- U.S. Alaska Water Quality Standards Acute Aquatic Life Criteria for Marine Water
- U.S. Alaska Water Quality Standards Chronic Aquatic Life Criteria for Marine Water
- U.S. Arkansas Surface Water Quality Standards Chronic Aquatic Life Criteria
- U.S. Arkansas Surface Water Quality Standards Acute Aquatic Life Criteria

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest

04/22/2021

Revision

Other Information This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3	
Carc. 2	Carcinogenicity Category 2	
Comb. Dust	Combustible Dust	
Skin Sens. 1	Skin sensitization, Category 1	
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1	
H317	May cause an allergic skin reaction	
H351	Suspected of causing cancer	
H372	Causes damage to organs through prolonged or repeated exposure	
H400	Very toxic to aquatic life	
H412	Harmful to aquatic life with long lasting effects	

04/22/2021 EN (English US) 12/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA Health Hazard 1 - Materials that, under emergency

conditions, can cause significant irritation.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.

NFPA Reactivity Hazard 0 - Material that in themselves are


normally stable, even under fire

conditions.



Health 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability 1 Slight Hazard
Physical 0 Minimal Hazard



The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS

04/22/2021 EN (English US) 13/13





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 04/22/2021 Date of Issue: 05/23/2013

Version: 3.0

SECTION 1: Identification

1.1. Product identifier

Product Form : Mixture
Product Name : R-2637 Part B
Synonyms : Silicone Elastomer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : For professional use only.

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780 ehs@nusil.com www.nusil.com

1.4. Emergency telephone number

Emergency: 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International

number and Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified

2.2. Label elements

GHS-US labeling

No labeling applicable

2.3. Other hazards

Other hazards not contributing : None under normal conditions.

to the classification

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis	(CAS No) 68909-20-6	10 - 30	Not classified
products with silica			

04/22/2021 EN (English US) 1/7

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-aid measures after : When symptoms occur: go into open air and ventilate

suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid measures after skin : Remove contaminated clothing. Drench affected area with

water for at least 15 minutes. Obtain medical attention if

irritation develops or persists.

First-aid measures after eye

contact

contact

inhalation

: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

First-aid measures after : Rinse mouth. Do NOT induce vomiting. Obtain medical

ingestion attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated

conditions of normal use.

Symptoms/injuries after

inhalation

: Prolonged exposure may cause irritation.

Symptoms/injuries after skin

contact

: Prolonged exposure may cause skin irritation.

Symptoms/injuries after eye

contact

: May cause slight irritation to eyes.

Symptoms/injuries after

ingestion

: Ingestion may cause adverse effects.

Chronic symptoms : None expected under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, dry chemical, alcohol-resistant foam, carbon

dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire. Application of water stream to hot product

may cause frothing and increase fire intensity.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not considered flammable but may burn at high temperatures.

Explosion hazard : Product is not explosive.

Reactivity : Hazardous reactions will not occur under normal conditions.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Under fire

conditions, hazardous fumes will be present.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

04/22/2021 EN (English US) 2/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulation

Protection during firefighting : Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid prolonged contact with eyes, skin and clothing. Avoid

breathing (vapor, mist, spray).

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protective equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for cleaning up : Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.

Avoid breathing vapors, mist, spray.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials.

Incompatible products : Strong acids, strong bases, strong oxidizers.

7.3. Specific end use(s) For professional use only.

04/22/2021 EN (English US) 3/7

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)			
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80 mg/m³/%SiO ₂)	

8.2. Exposure controls

Appropriate engineering

controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas.

Ensure all national/local regulations are observed.

Personal protective equipment: Gloves. Protective clothing. Protective goggles.







Materials for protective clothing: Chemically resistant materials and fabrics.

Hand protection : Wear protective gloves. Eye protection : Chemical safety goggles.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear solitable protective clothing.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Colorless
Odor : Odorless

Odor threshold : No data available : No data available Hq **Evaporation Rate** : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point $: > 135 \,^{\circ}\text{C} (> 275 \,^{\circ}\text{F})$ **Auto-ignition Temperature** : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available : No data available Vapor pressure Relative vapor density at 20 °C : No data available

04/22/2021 EN (English US) 4/:

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific gravity : > 1

Solubility : No data available
Partition coefficient: n-octanol/water : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 1%

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous decomposition products

Silicon oxides. Carbon oxides (CO, CO₂). Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified
Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after : Prolonged exposure may cause irritation.

inhalation

Symptoms/injuries after skin : Prolonged exposure may cause skin irritation.

contact

Symptoms/injuries after eye : May cause slight irritation to eyes.

contact

Symptoms/injuries after : Ingestion may cause adverse effects.

inaestion

Chronic symptoms : None expected under normal conditions of use.

04/22/2021 EN (English US) 5/7

SECTION 12: Ecological information

12.1. Toxicity

Ecology – general : Not classified

12.2. Persistence and degradability

R-2637 Part B	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

R-2637 Part B		
Bioaccumulative potential	Not established.	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal : Dispose of contents/container in accordance with local,

recommendations regional, national, and international regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed or exempted from being listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2. US State regulations

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

SECTION 16: Other information, including date of preparation or last revision

Revision date : 04/22/2021

Other information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

04/22/2021 EN (English US) 6/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard : 1 - Exposure could cause irritation but

only minor residual injury even if no

treatment is given.

NFPA fire hazard : 1 - Must be preheated before ignition

can occur.

NFPA reactivity : 0 - Normally stable, even under fire


exposure conditions, and are not

reactive with water.

HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard
Physical : 0 Minimal Hazard



NuSil US GHS SDS

04/22/2021 EN (English US) 7/7