# CV2-1142





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 03/10/2020 Date of Issue: 03/21/2013

Version: 3.0

#### **SECTION 1: Identification**

#### 1.1. Product Identifier

Product Form Mixture
Product Name CV2-1142

Synonyms Silicone Coating

## 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

## 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA

(805) 684-8780 ehs@nusil.com

www.nusil.com

### 1.4. Emergency Telephone Number

Emergency 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International

Number and Maritime)

### **SECTION 2: Hazards Identification**

# 2.1. Classification of the Substance or Mixture GHS-US Classification

Eye Irrit. 2A H319 Skin Sens. 1 H317 Repr. 1B H360 STOT RE 2 H373

Full text of hazard classes and H-statements: see section 16

#### 2.2. Label Elements

#### **GHS-US Labeling**

Hazard Pictograms (GHS-US)





GHS07

GHS08

Signal Word (GHS-US)

Hazard Statements (GHS-US)

Danger

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H360 - May damage fertility or the unborn child

H373 - May cause damage to organs through prolonged or

repeated exposure

03/10/2020 EN (English US) 1/11

Precautionary Statements (GHS-US)

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear eye protection, protective clothing, protective gloves.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see Section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

#### 2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

# **SECTION 3: Composition/Information On Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product Identifier	%	GHS-US Classification
2-Butanone, O,O',O"-	(CAS-No.) 22984-54-9	< 10	Eye Irrit. 2A, H319
(methylsilylidyne)trioxime			Skin Sens. 1B, H317
			STOT RE 2, H373
N-[3-(TrimethoxysilyI)propyI]-1,2-	(CAS-No.) 1760-24-3	< 1	Acute Tox. 4
ethanediamine			(Inhalation:dust,mist), H332
			Eye Dam. 1, H318
			Skin Sens. 1, H317
			Aquatic Acute 2, H401
Dibutyltin dilaurate	(CAS-No.) 77-58-7	< 0.3	Skin Corr. 1C, H314
			Eye Dam. 1, H318
			Skin Sens. 1, H317
			Muta. 2, H341

03/10/2020 EN (English US) 2/1

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Repr. 1B, H360 STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400
Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

#### **SECTION 4: First Aid Measures**

### 4.1. Description of First-aid Measures

First-aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After

Inhalation

When symptoms occur: go into open air and ventilate

suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin

Contact

Remove contaminated clothing. Drench affected area with

water for at least 15 minutes. Obtain medical attention if

irritation develops or persists.

First-aid Measures After Eye

Contact

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

First-aid Measures After

Ingestion

Rinse mouth. Do NOT induce vomiting. Obtain medical

attention.

# 4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries Causes serious eye irritation. Skin sensitization. May damage

fertility. May damage the unborn child. May cause damage to

organs through prolonged or repeated exposure.

Symptoms/Injuries After

Inhalation

Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin

Contact

May cause an allergic skin reaction.

Symptoms/Injuries After Eye

Contact

Contact causes severe irritation with redness and swelling of the

conjunctiva.

Symptoms/Injuries After

Ingestion

Ingestion may cause adverse effects.

Chronic Symptoms May damage fertility or the unborn child. May cause damage

to organs (blood) through prolonged or repeated exposure

(Oral).

# 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# **SECTION 5: Fire-Fighting Measures**

# 5.1. Extinguishing Media

Suitable Extinguishing Media : Water spray, dry chemical, foam, carbon dioxide.

03/10/2020 EN (English US) 3/11

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Protection During Firefighting

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Use water spray or fog for cooling exposed containers.

Do not enter fire area without proper protective equipment,

including respiratory protection.

Hazardous Combustion Silicon oxides. Carbon oxides (CO, CO<sub>2</sub>).

**Products** 

# **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapor, mist or spray. Avoid all contact with skin, eyes, or

clothing.

#### 6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

#### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# **SECTION 7: Handling And Storage**

### 7.1. Precautions for Safe Handling

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapors, mist, spray. Avoid contact with skin, eyes and

clothing.

03/10/2020 EN (English US) 4/11

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulation

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

**7.3.** Specific End Use(s) For professional use only.

# **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Tin organic com	pounds	
USA ACGIH	ACGIH TWA (mg/m³)	0.1 mg/m³
USA ACGIH	ACGIH STEL (mg/m³)	0.2 mg/m³
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route, Not Classifiable as a Human Carcinogen
USA OSHA	OSHA PEL (TWA) (mg/m³)	0.1 mg/m³

#### 8.2. Exposure Controls

Appropriate Engineering Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Ensure adequate ventilation, especially in confined areas.

Ensure all national/local regulations are observed.

Personal Protective Equipment Gloves. Protective clothing. Protective goggles. Insufficient

ventilation: wear respiratory protection.

Chemically resistant materials and fabrics.









Materials For Protective

Clothing

Hand Protection Wear protective gloves.

Eye And Face Protection Chemical safety goggles.

Skin And Body Protection Wear suitable protective of the state of the

Skin And Body Protection Wear suitable protective clothing.
Respiratory Protection If exposure limits are exceeded or

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other Information When using, do not eat, drink or smoke.

03/10/2020 EN (English US) 5/1

# **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Colorless

Color No data available Odor No data available Odor Threshold No data available рН No data available **Evaporation Rate** No data available **Melting Point** No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) No data available **Auto-ignition Temperature Decomposition Temperature** No data available Flammability (solid, gas) Not applicable Vapor Pressure No data available Relative Vapor Density at 20°C No data available

Specific Gravity 1.1

Solubility

Partition Coefficient n-Octanol/Water

Viscosity

No data available

No data available

No data available

#### 9.2. Other Information

VOC Content < 1 %

# **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

#### 10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

#### 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

#### 10.6. Hazardous Decomposition Products

None expected under normal conditions of use.

# **SECTION 11: Toxicological Information**

#### 11.1. Information on Toxicological Effects

Acute Toxicity (Oral) : Not classified Acute Toxicity (Dermal) : Not classified Acute Toxicity (Inhalation) : Not classified

03/10/2020 EN (English US) 6/11

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dibutyltin dilaurate (77-58-7)	
LD50 Dermal Rat	> 2 g/kg
N-[3-(TrimethoxysilyI)propyI]-1,2-ethanediamine (1760-24-3)	
LD50 Oral Rat	2295 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	> 1.49 mg/l/4h
2-Butanone, O,O',O"-(methylsilylidyne)trioxime (22984-54-9)	
LD50 Oral Rat	2463 mg/kg
LD50 Dermal Rat	> 2000 mg/kg

Skin Corrosion/Irritation Not classified

Serious Eye Damage/Irritation Causes serious eye irritation.

Respiratory or Skin Sensitization May cause an allergic skin reaction.

Germ Cell Mutagenicity Not classified Carcinogenicity Not classified

Reproductive Toxicity : May damage fertility or the unborn child.

Specific Target Organ Toxicity (Single : Not classified

Exposure)

Specific Target Organ Toxicity (Repeated : May cause damage to organs through prolonged

Exposure) or repeated exposure.

Aspiration Hazard Not classified

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin May cause an allergic skin reaction.

Contact

Symptoms/Injuries After Eye Contact causes severe irritation with redness and swelling of

Contact the conjunctiva.

Symptoms/Injuries After Ingestion may cause adverse effects.

Ingestion

Chronic Symptoms May damage fertility or the unborn child. May cause damage

to organs (blood) through prolonged or repeated exposure

(Oral).

# **SECTION 12: Ecological Information**

#### 12.1. Toxicity

Ecology - General Not classified.

Dibutyltin dilaurate (77-58-7)		
EC50 Daphnia 1	0.463 mg/l (Daphnia magna)	
N-[3-(TrimethoxysilyI)propyI]-1,2-ethanediamine (1760-24-3)		
LC50 Fish 1	597 mg/l (Species: Danio rerio)	
EC50 Daphnia 1	81 mg/l	
ErC50 (Algae)	8.8 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella	
	subcapitata)	
NOEC Chronic Fish	344 mg/l	
NOEC Chronic Crustacea	35 mg/l	
NOEC Chronic Algae	3.1 mg/l (Pseudokirchnerella subcapitata Exposure time: 96h)	
2-Butanone, O,O',O"-(methylsilylidyne)trioxime (22984-54-9)		
EC50 Daphnia 1	120 mg/l (Exposure time: 48h - Species: Daphnia magna)	

03/10/2020 EN (English US) 7/1

#### 12.2. Persistence and Degradability

CV2-1142	
Persistence and Degradability	Not established.

#### 12.3. Bioaccumulative Potential

CV2-1142	
Bioaccumulative Potential Not established.	
Dibutyltin dilaurate (77-58-7)	
Log Pow	4.44

#### 12.4. Mobility In Soil

No additional information available

#### 12.5. Other Adverse Effects

Other Information Avoid release to the environment.

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

Ecology - Waste Materials Avoid release to the environment.

# **SECTION 14: Transport Information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

**14.1. In Accordance with DOT** Not regulated for transport

**14.2. In Accordance with IMDG** Not regulated for transport

**14.3. In Accordance with IATA** Not regulated for transport

# **SECTION 15: Regulatory Information**

#### 15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

CV2-1142	
SARA Section 311/312 Hazard	Health hazard - Respiratory or skin sensitization
Classes	Health hazard - Reproductive toxicity
	Health hazard - Serious eye damage or eye irritation
	Health hazard - Specific target organ toxicity (single or repeated
	exposure)

03/10/2020 EN (English US) 8/11

## 15.2. US State Regulations

### Tin organic compounds

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Michigan Occupational Exposure Limits Skin Designations
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits Skin Designations
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New York Occupational Exposure Limits Skin Designations
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Tennessee Occupational Exposure Limits Skin Designations
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits Skin Designations
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits Skin Designations
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

### Dibutyltin dilaurate (77-58-7)

- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. California Safer Consumer Products Initial List of Candidate Chemicals and Chemical Groups
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### N-[3-(TrimethoxysilyI)propyI]-1,2-ethanediamine (1760-24-3)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- 2-Butanone, O,O',O"-(methylsilylidyne)trioxime (22984-54-9)

03/10/2020 EN (English US) 9/1

U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term

# SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest

03/10/2020

Revision

Other Information This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

#### GHS Full Text Phrases:

Full Text Phrases:	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute
	Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute
	Hazard Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Muta. 2	Germ cell mutagenicity Category 2
Repr. 1B	Reproductive toxicity Category 1B
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, category 1B
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure)
	Category 2
STOT SE 1	Specific target organ toxicity (single exposure)  Category 1
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H341	Suspected of causing genetic defects
H360	May damage fertility or the unborn child
H370	Causes damage to organs
H372	Causes damage to organs through prolonged or
	repeated exposure
H373	May cause damage to organs through prolonged
	or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

03/10/2020 EN (English US) 10/11

NFPA Health Hazard 2 - Materials that, under emergency

conditions, can cause temporary incapacitation or residual injury.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.

NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.


HMIS III Rating

Health 2 Moderate Hazard - Temporary or minor injury may occur

\* Chronic - Chronic (long-term) health effects may result from

repeated overexposure

Flammability 1 Slight Hazard
Physical 0 Minimal Hazard



NuSil US GHS SDS

03/10/2020 EN (English US) 11/1