# MED-4128



Version: 2.0

# Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 04/27/2018

Date of issue: 10/24/2013

### **SECTION 1: Identification**

#### 1.1. Product identifier

Product Form Mixture
Product Name MED-4128

Synonyms Silicone Elastomer

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture For professional use only.

## 1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780 <u>ehs@nusil.com</u> www.nusil.com

### 1.4. Emergency telephone number

Emergency: 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International

number and Maritime)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Not classified

#### 2.2. Label elements

#### **GHS-US labeling**

No labeling applicable

#### 2.3. Other hazards

Other hazards not contributing None under normal conditions.

to the classification

# 2.4. Unknown acute toxicity (GHS US)

No data available

# **SECTION 3: Composition/Information on ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	(CAS No) 68909-20-6	15 - 35	Not classified
Siloxanes and Silicones, dimethyl, methyl hydrogen	(CAS No) 68037-59-2	<5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If

you feel unwell, seek medical advice (show the label where

possible).

First-aid measures after When symptoms occur: go into open air and ventilate

inhalation suspected area. Obtain medical attention if breathing

difficulty persists.

First-aid measures after skin Remove contaminated clothing. Drench affected area with

water for at least 15 minutes. Obtain medical attention if

irritation develops or persists.

First-aid measures after eye

contact

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

First-aid measures after

ingestion

contact

Rinse mouth. Do NOT induce vomiting. Obtain medical

attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries Not expected to present a significant hazard under

anticipated conditions of normal use.

Symptoms/injuries after

inhalation

Prolonged exposure may cause irritation.

Symptoms/injuries after skin

contact

Prolonged exposure may cause skin irritation.

Symptoms/injuries after eye

contact

May cause slight irritation to eyes.

Symptoms/injuries after

ingestion

Ingestion may cause adverse effects.

Chronic symptoms None expected under normal conditions of use.

**4.3.** Indication of any immediate medical attention and special treatment needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# **SECTION 5: Fire-Fighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media Water spray, dry chemical, alcohol-resistant foam, carbon

dioxide.

Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of

water may spread fire. Application of water stream to hot product may cause frothing and increase fire intensity.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not considered flammable but may burn at high

temperatures.

Explosion hazard : Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for firefighters

Precautionary measures fire Exercise caution when fighting any chemical fire. Under fire

conditions, hazardous fumes will be present.

04/27/2018 EN (English US) 2/7

#### MED-4128

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Avoid prolonged contact with eyes, skin and clothing. Avoid

breathing (vapor, mist, spray).

6.1.1. For non-emergency personnel

Protective equipment Use appropriate personal protective equipment (PPE).

Emergency procedures Evacuate unnecessary personnel.

**6.1.2.For emergency responders** 

Protective equipment Equip cleanup crew with proper protection.

Emergency procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

## 6.3. Methods and material for containment and cleaning up

For containment Contain any spills with dikes or absorbents to prevent

migration and entry into sewers or streams.

Methods for cleaning up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

#### 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.

Avoid breathing vapors, mist, spray.

Hygiene measures Handle in accordance with good industrial hygiene and

safety procedures.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures Comply with applicable regulations.

Storage conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials.

Incompatible products Strong acids, strong bases, strong oxidizers.

**7.3. Specific end use(s)** For professional use only.

04/27/2018 EN (English US) 3/7

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)				
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³		
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80mg/m³/%SiO2)		

### 8.2. Exposure controls

Appropriate engineering Emergency eye wash fountains and safety showers should be

controls available in the immediate vicinity of any potential exposure.

Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal protective Gloves. Protective clothing. Protective goggles.

equipment Gloves. Profective clothing, Profective goggles.



Materials for protective Chemically resistant materials and fabrics.

clothing
Hand protection
Wear protective gloves.

Eye protection Chemical safety goggles.

Skin and body protection Wear suitable protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced,

approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other information When using, do not eat, drink or smoke.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Gum
Appearance : Colorless
Odor : Odorless

Odor threshold : No data available : No data available На **Evaporation Rate** : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : > 135 °C (> 275 °F) **Auto-ignition Temperature** : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20 °C : No data available

04/27/2018 EN (English US) 4/7

#### **MED-4128**

#### Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific gravity : > 1

Solubility : No data available
Partition coefficient: n-octanol/water : No data available
Viscosity : No data available

9.2. Other information

VOC content < 1 %

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

## 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

## 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

#### 10.6. Hazardous decomposition products

Silicon oxides. Carbon oxides (CO, CO<sub>2</sub>). Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity

Skin corrosion/irritation
Serious eye damage/irritation
Respiratory or skin sensitization
Germ cell mutagenicity

Not classified
Not classified
Not classified
Not classified
Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Aspiration hazard Not classified Symptoms/injuries after Not classified

inhalation

Symptoms/injuries after skin Not classified

contact

Symptoms/injuries after eye May cause slight irritation to eyes.

contact

Symptoms/injuries after Ingestion may cause adverse effects.

ingestion

Chronic symptoms None expected under normal conditions of use.

04/27/2018 EN (English US) 5/7

# **SECTION 12: Ecological information**

12.1. Toxicity

Ecology – general Not classified

## 12.2. Persistence and degradability

MED-4128	
Persistence and degradability	Not established.

## 12.3. Bioaccumulative potential

MED-4128	
Bioaccumulative potential	Not established.

## 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other information Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal Dispose of contents/container in accordance with local,

recommendations regional, national, and international regulations.

Ecology - waste materials Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

#### 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Additional information

Other information No supplementary information available.

#### Transport by sea

No additional information available

#### Air transport

No additional information available

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed or exempted from being listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

#### 15.2. US State regulations

## Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

04/27/2018 EN (English US) 6/7

# SECTION 16: Other information, including date of preparation or last revision

Revision date 04/27/2018

Other information This document has been prepared in accordance with the

SDS requirements of the OSHA Hazard Communication

Standard 29 CFR 1910.1200.

NFPA health hazard 1 - Exposure could cause irritation but

only minor residual injury even if no

treatment is given.

NFPA fire hazard 1 - Must be preheated before ignition

can occur.

NFPA reactivity 0 - Normally stable, even under fire

exposure conditions, and are not

reactive with water.

**HMIS III Rating** 

Health 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability 1 Slight Hazard
Physical 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Nusil US GHS SDS

04/27/2018 EN (English US) 7/7