# **MED-1353**





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 07/29/2024 Date of Issue: 04/01/2016

Version: 3.0

## **SECTION 1: Identification**

### **Product Identifier** 1.1.

**Product Form** Mixture Product Name MED-1353

Synonyms Pressure Sensitive Adhesive

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

# Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

**USA** 

(805) 684-8780

productstewardship@avantorsciencesgcc.com

www.nusil.com

### 1.4. **Emergency Telephone Number**

Emergency 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International

Number and Maritime)

# **SECTION 2: Hazards Identification**

### Classification of the Substance or Mixture 2.1.

**GHS-US Classification** 

Flam. Liq. 2 H225 Eye Dam. 2 H319

STOT SE 3 H336

Full text of hazard classes and H-statements: see section 16

#### 2.2. **Label Elements**

## **GHS-US Labeling**

Hazard Pictograms (GHS-US)





GHS02

Danger

Signal Word (GHS-US)

Hazard Statements (GHS-US) H225 - Highly flammable liquid and vapor

H319 - Causes eye irritation

H336 - May cause drowsiness or dizziness

07/29/2024 EN (English US) Precautionary Statements (GHS-US)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240 - Ground/Bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating, and lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, and eye protection.

P304+P340+P312 – If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.

P403+P233+P235 - Store in a well-ventilated place. Keep container tightly closed. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

## 2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions

## 2.4. Unknown Acute Toxicity (GHS-US)

No data available

# **SECTION 3: Composition/Information On Ingredients**

### 3.1. Substances

Not applicable.

# 3.2. Mixture

Name	Product Identifier	%	<b>GHS-US Classification</b>
Ethyl Acetate	(CAS-No.) 141-78-6	20 - 40	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			STOT SE 3, H336

Full text of H-phrases: see section 16

07/29/2024 EN (English US) 2/10

## **SECTION 4: First Aid Measures**

### 4.1. **Description of First-aid Measures**

First-aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After When symptoms occur: go into open air and ventilate

Inhalation

suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin

Contact

Remove contaminated clothing. Drench affected area with

water for at least 15 minutes. Obtain medical attention if

irritation develops or persists.

First-aid Measures After Eye

Contact

Rinse cautiously with water for at least 30 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get

immediate medical advice/attention.

First-aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

attention. Ingestion

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries May cause drowsiness and dizziness. Causes serious eye

irritation.

Symptoms/Injuries After High concentrations may cause central nervous system

Inhalation depression such as dizziness, vomiting, numbness, drowsiness,

headache, and similar narcotic symptoms.

Symptoms/Injuries After Skin Redness, pain, swelling, itching, burning, dryness, and

Contact

dermatitis.

Symptoms/Injuries After Eye Contact

Causes severe irriation to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion may cause adverse effects.

Ingestion

# Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# **SECTION 5: Fire-Fighting Measures**

### **Extinguishing Media** 5.1.

Suitable Extinguishina Media : Dry chemical powder, alcohol-resistant foam, carbon dioxide

(CO<sub>2</sub>). Water may be ineffective but water should be used to

keep fire-exposed container cool.

Unsuitable Extinguishing Media : Do not use a heavy water stream. A heavy water stream may

spread burning liquid.

### 5.2. Special Hazards Arising From the Substance or Mixture

Highly flammable liquid and vapor. Fire Hazard

**Explosion Hazard** May form flammable or explosive vapor-air mixture.

Reactivity Hazardous reactions will not occur under normal conditions

#### **Advice for Firefighters** 5.3.

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

07/29/2024 EN (English US) According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Firefighting Instructions

Use water spray or fog for cooling exposed containers. In case

of major fire and large quantities: Evacuate area. Fight fire

remotely due to the risk of explosion.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

# **SECTION 6: Accidental Release Measures**

## 6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Keep away from

heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric

charges. Do not breathe vapor, mist or spray.

## 6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE). Emergency Procedures Evacuate unnecessary personnel. Stop leak if safe to do so.

## 6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Eliminate ignition sources.

## 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

## 6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all

directions.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-

sparking tools.

## 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# **SECTION 7: Handling And Storage**

## 7.1. Precautions for Safe Handling

Additional Hazards When Handle empty containers with care because residual vapors

Processed are flammable.

07/29/2024 EN (English US) 4/10

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

> water before eating, drinking or smoking and when leaving work. Take precautionary measures against static discharge. Use only non-sparking tools. Do not get in eyes, on skin, or on clothing. Obtain special instructions before use. Do not breathe vapors, mist, spray. Do not handle until all safety precautions

have been read and understood.

Handle in accordance with good industrial hygiene and safety Hygiene Measures

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures** Comply with applicable regulations. Take action to prevent

> static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and

lighting equipment.

**Storage Conditions** Store in a dry, cool place. Keep/Store away from direct sunlight,

> extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container

tightly closed. Keep in fireproof place.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

For professional use only.

# SECTION 8: Exposure Controls/Personal Protection

#### 8.1. **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Ethyl Acetate (141-78-6)		
USA ACGIH	ACGIH TWA (ppm)	400 ppm
USA NIOSH REL	NIOSH REL TWA (mg/m³)	1400 mg/m³
USA NIOSH REL	NIOSH REL TWA (ppm)	400 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	1400 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm

#### 8.2. **Exposure Controls**

Appropriate Engineering Emergency eye wash fountains and safety showers should be Controls available in the immediate vicinity of any potential exposure.

> Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas

detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Gloves. Protective clothing. Protective goggles. Insufficient

ventilation: wear respiratory protection.







Materials For Protective Clothing

Personal Protective Equipment

Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

07/29/2024 EN (English US) 5/10

## MED-1353

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand Protection Wear protective gloves. Eye And Face Protection Chemical safety goggles.

Skin And Body Protection Wear suitable protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced,

approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other Information When using, do not eat, drink or smoke.

# **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Colorless
Odor Odorless

Odor Threshold
pH
No data available
Evaporation Rate
Melting Point
No data available
Freezing Point
No data available
77 - 78 °C (171 - 172 °F)

Flash Point -4 °C (25 °F)

Auto-ignition Temperature

Decomposition Temperature

Flammability (solid, gas)

Vapor Pressure

Relative Vapor Density at 20 °C

Relative Density

No data available

No data available

No data available

No data available

Specific Gravity < 1

Solubility
Partition Coefficient n-Octanol/Water
Viscosity
No data available
No data available
No data available

## 9.2. Other Information

No additional information available

# **SECTION 10: Stability and Reactivity**

## 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

## 10.2. Chemical Stability

Extremely flammable liquid and vapor. May form flammable or explosive vapor-air mixture.

## 10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

## 10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

07/29/2024 EN (English US) 6/10

## 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

## 10.6. Hazardous Decomposition Products

Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides.

# **SECTION 11: Toxicological Information**

## 11.1. Information on Toxicological Effects

Acute Toxicity (Oral) : Not classified Acute Toxicity (Dermal) : Not classified Acute Toxicity (Inhalation) : Not classified

**Ethyl Acetate (141-78-6)** 

LD50 Dermal Mouse 1500 mg/l

Skin Corrosion/Irritation Not classified.

Serious Eye Damage/Irritation Causes serious eye irritation.

Respiratory or Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

Not classified

Not classified

Not classified

Reproductive Toxicity : Not classified

Specific Target Organ Toxicity (Single : May cause drowsiness or dizziness.

Exposure)

Specific Target Organ Toxicity (Repeated : Not classified

Exposure)

Aspiration Hazard Not classified

Symptoms/Injuries After High concentrations may cause central nervous system

Inhalation depression such as dizziness, vomiting, numbness, drowsiness,

headache, and similar narcotic symptoms.

Symptoms/Injuries After Skin

Contact

Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Conta

Contact

Contact causes severe irritation with redness and swelling of

the conjunctiva.

Symptoms/Injuries After Ingestion may cause adverse effects.

Ingestion

# **SECTION 12: Ecological Information**

## 12.1. Toxicity

Ecology - General Not classified.

Ethyl Acetate (141-78-6)	
LC50 Fish 1	212.94 – 237.73 mg/l (Exposure time: 72 h - Species:
	Heteropneustes fossilis)

## 12.2. Persistence and Degradability

MED-1353	
Persistence and Degradability	Not established.

## 12.3. Bioaccumulative Potential

12.3. bloaccombianve i diennai		
MED-1353		
Bioaccumulative Potential	Not established.	
Ethyl Acetate (141-78-6)		

07/29/2024 EN (English US) 7/10

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Las David	0.05 (~+05.00)	
Log Pow	0.05 (at 25 °C)	
12091011	0.00 (4) 20 0)	

## 12.4. Mobility In Soil

No additional information available

## 12.5. Other Adverse Effects

Other Information Avoid release to the environment.

# **SECTION 13: Disposal Considerations**

## 13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Handle empty containers with care because residual vapors

are flammable.

Ecology - Waste Materials Avoid release to the environment.

# **SECTION 14: Transport Information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

## 14.1. In Accordance with DOT

Proper Shipping Name ETHYL ACETATE SOLUTION

Hazard Class 3

Identification Number UN1173

Label Codes 3
Packing Group II
ERG Number 128



Proper Shipping Name ETHYL ACETATE SOLUTION

Hazard Class 3

Identification Number UN1173

Packing Group II
Label Codes 3
EmS-No. (Fire) F-E
EmS-No. (Spillage) S-E



## 14.3. In Accordance with IATA

Proper Shipping Name ETHYL ACETATE SOLUTION

Packing Group ||

Identification Number UN1173

Hazard Class 3
Label Codes 3
ERG Code (IATA) 3H



07/29/2024 EN (English US) 8/10

# **SECTION 15: Regulatory Information**

## 15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED-1353	
SARA Section 311/312 Hazard	Physical hazard - Flammable (gases, aerosols, liquids, or solids)
Classes	Health hazard - Serious eye irritation
	Health hazard - Specific target organ toxicity (single or
	repeated exposure)

## 15.2. US State Regulations

## Ethyl Acetate (141-78-6)

RTK - U.S. - Massachusetts - Right To Know List

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List

RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

RTK - U.S. - Rhode Island - RTK (Right to Know) List

# SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest 07/29/2024

Revision

Other Information This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

### GHS Full Text Phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
<u>'</u>	
Flam. Liq. 2	Flammable liquids Category 2
STOT SE 3	Specific target organ toxicity (single exposure)
	Category 3
H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

NFPA Health Hazard 2 - Materials that, under emergency

conditions, can cause temporary incapacitation or residual injury.

NFPA Fire Hazard 3 - Liquids and solids (including finely

divided suspended solids) that can be ignited under almost all ambient

temperature conditions.

NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.

**HMIS III Rating** 

Health 2 Moderate Hazard

2 0

07/29/2024 EN (English US) 9/10

## **MED-1353**

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability 3 Serious Hazard
Physical 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS

07/29/2024 EN (English US) 10/10