



Version: 4.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Product Name Synonyms Mixture LS-1246 Silicone Grease

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 productstewardship@avantorsciencesgcc.com www.nusil.com

1.4. Emergency Telephone Number

Emergency800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International
and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Repr. 2H361Aquatic Chronic 3H412Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Warning

Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US)

H412 - Harmful to aquatic life with long-lasting effects
P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P273 - Avoid release to the environment
P280 - Wear protective gloves, protective clothing, and eye protection.
P308+P313 - If exposed or concerned: Get medical

H361 - Suspected of damaging fertility or the unborn child

advice/attention. P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS-US Classification
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where
First-aid Measures After Inhalation	possible). When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid Measures After Skin Contact	Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid Measures After Eye Contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most Important Symptoms	and Effects Both Acute and Delayed
Symptoms/Injuries	Suspected of damaging fertility or the unborn child.
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.
	ate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media	: Water spray, dry chemical, foam, carbon dioxide.
Unsuitable Extinguishing Media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special Hazards Arising	From the Substance or Mixture
Fire Hazard	Not considered flammable but may burn at high temperatures.
Explosion Hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for Firefighters	
Due a su dia seconda Managemente Fina	Even a la servicia de la servicia de la servicia de la servicia de fina

Precautionary Measures Fire Firefighting Instructions Protection During Firefighting Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures	Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.
6.1.1. For Non-Emergency Personn	
Protective Equipment	Use appropriate personal protective equipment (PPE).
Emergency Procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective Equipment	Equip cleanup crew with proper protection.
Emergency Procedures	Upon arrival at the scene, a first responder is expected to
0,	recognize the presence of dangerous goods, protect oneself
	and the public, secure the area, and call for the assistance of
	trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental Precautions	

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For ContainmentContain any spills with dikes or absorbents to prevent migration
and entry into sewers or streams.Methods for Cleaning UpClean up spills immediately and dispose of waste safely.
Transfer spilled material to a suitable container for disposal.
Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Precautions for Safe Handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor, mist, spray).
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for Safe Storag	e, Including Any Incompatibilities
Technical Measures	Comply with applicable regulations.
Storage Conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible Materials	Strong acids, strong bases, strong oxidizers.
7.3. Specific End Use(s) For professional use only.	

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Octamethylcyclotetrasiloxane (556-67-2)		
USA AIHA WEEL	TWA 10 ppm	
8.2. Exposure Controls		
Appropriate Engineering Controls	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.	
Personal Protective Equipme	nt Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.	
Materials For Protective Clothing	Chemically resistant materials and fabrics.	
Hand Protection	Wear protective gloves.	
Eye And Face Protection	Chemical safety goggles.	
Skin And Body Protection	Wear suitable protective clothing.	
Respiratory Protection	If exposure limits are exceeded or irritation is experienced,	
	approved respiratory protection should be worn. In case of	
	inadequate ventilation, oxygen deficient atmosphere, or	
	where exposure levels are not known wear approved	
	respiratory protection.	
Other Information	When using, do not eat, drink or smoke.	
02/06/2024 EN (English US) 4/8	

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State	Paste
Appearance	Colorless
Odor	Odorless
Odor Threshold	No data available
рН	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 °C (275 °F)
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (solid, gas)	Not applicable
Vapor Pressure	No data available
Relative Vapor Density at 20 °C	No data available
Relative Density	> 1 (water = 1)
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity	No data available
9.2. Other Information	
VOC content	< 1%

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity : Not classified

Octamethylcyclotetrasiloxane (556-67-2)

LS-1246

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h
Skin Corrosion/Irritation	Not classified
Serious Eye Damage/Irritation	Not classified
Respiratory or Skin Sensitization	Not classified
Germ Cell Mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive Toxicity	: Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity (Si Exposure)	ngle : Not classified
Specific Target Organ Toxicity (Re Exposure)	epeated : Not classified
Aspiration Hazard	Not classified
Symptoms/Injuries After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

12.1. Toxicity

· · · · · ·		
Ecology - General	Harmful to aquatic life with long-lasting effects.	
Octamethylcyclotetrasiloxane (556-67-2)		
LC50 Fish	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	
12.2. Persistence and Dearadability		

12.2. Persistence and Degradability

Persistence and Degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

LS-1246		
Bioaccumulative Potential	Not established.	
Octamethylcyclotetrasiloxane (556-67-2)		
BCF Fish 1	12400	
Partition coefficient n-	6.488 (at 25.1 °C)	
octanol/water (Log Pow)		

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information

Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal	Dispose of contents/container in accordance with local,
Recommendations	regional, national, and international regulations.
Additional Information	Container may remain hazardous when empty. Continue to
	observe all precautions.
Ecoloay - Waste Materials	Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

LS-1246	5	
SARA S	ection 311/312 Hazard	Health hazard - Reproductive toxicity
Classes	5	
15.2.	US State Regulations	

Octamethylcyclotetrasiloxane (556-67-2)

U.S Texas - Effects Screening Levels - Long Term	
U.S Texas - Effects Screening Levels - Short Term	
U.S Maine - Chemicals of Concern	

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

CFR 1910.1200.

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest Revision	02/06/2024
Other Information	This document has been prepared in accordance with the SDS
	requirements of the OSHA Hazard Communication Standard 29

GHS Full Text Phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3

LS-1246

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Flam. Liq. 3	Flammable liquids Category 3
	Repr. 2	Reproductive toxicity Category 2
	H226	Flammable liquid and vapor
	H361	Suspected of damaging fertility or the unborn child
	H410	Very toxic to aquatic life with long lasting effects
	H412	Harmful to aquatic life with long lasting effects
NFPA	A Health Hazard	1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA	A Fire Hazard	1 - Materials that must be preheated before ignition can occur.
NFPA Reactivity Hazard		0 - Material that in themselves are normally stable, even under fire conditions.
HMIS	III Rating	
Health		1 Slight Hazard - Irritation or minor reversible injury possible * Chronic - Chronic (long-term) health effects may result from repeated overexposure
Flam	mability	1 Slight Hazard
Physical		0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NUSII US GHS SDS