MED51-4800-7





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 08/16/2024 Date of Issue: 10/24/2014

Version: 3.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Mixture
Product Name MED51-4800-7
Synonyms Color Masterbatch

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780

productstewardship@avantorsciencesgcc.com

www.nusil.com

1.4. Emergency Telephone Number

Emergency 800-424-9300 CHEMTREC (in US)

Number +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture GHS-US Classification

Repr. 2 H361

Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



GHS08

Signal Word (GHS-US) Warning

Hazard Statements (GHS-US) H361 - Suspected of damaging fertility or the unborn child

H412 - Harmful to aquatic life with long-lasting effects

Precautionary Statements (GHS-

US)

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been

read and understood.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye

protection.

P308+P313 - If exposed or concerned: Get medical

advice/attention. P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local,

regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributina Exposure may aggravate pre-existing eye, skin, or respiratory to the Classification

2.4. **Unknown Acute Toxicity (GHS-US)**

No data available

SECTION 3: Composition/Information On Ingredients

3.1. **Substances**

Not applicable

3.2. **Mixtures**

Name	Product Identifier	%	GHS-US Classification
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 0.25	Flam. Liq. 3, H226 Repr. 2, H361
			Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: First Aid Measures

Description of First-aid Measures 4.1.

First-aid Measures General	Never	give a	nything	by m	outh to	an uncc	nscious pe	erson. If you

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After

Inhalation

When symptoms occur: go into open air and ventilate

suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin

Contact

Remove contaminated clothing. Drench affected area with water for at least 5 minutes. If exposed or concerned: Get

medical advice/attention.

First-aid Measures After Eye

Contact

Rinse cautiously with water for at least 5 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

First-aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

attention. Ingestion

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries Suspected of damaging fertility or the unborn child.

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin

Contact

Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye May cause slight irritation to eyes.

Contact

Symptoms/Injuries After

Ingestion may cause adverse effects.

Ingestion

Chronic Symptoms Suspected of damaging fertility or the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media : Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam,

or dry chemical.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire. Application of water stream to hot product

Carbon oxides (CO, CO₂). Formaldehyde. Silicon oxides.

may cause frothing and increase fire intensity.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Hazardous Combustion

Products

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Ventilate area. Upon arrival at the scene, a first responder is

expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions

permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

MED51-4800-7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulation

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

> Absorb and/or contain spill with inert material, then place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material. Transfer spilled material to a suitable container for disposal. Contact competent authorities

after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. **Precautions for Safe Handling**

Additional Hazards When Will decompose above 150 °C (> 300 °F) releasing

Processed formaldehyde vapors.

Precautions for Safe Handling Obtain special instructions before use. Do not handle until all

> safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe vapor, mist, or spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Keep/Store away from

> extremely high or low temperatures, ignition sources, direct sunlight, incompatible materials. Store in a dry, cool place.

Store locked up/in a secure area.

Strong acids, strong bases, strong oxidizers. Incompatible Materials

Specific End Use(s) For professional use only

SECTION 8: Exposure Controls/Personal Protection

Control Parameters 8.1.

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Octamethylcyclotetrasiloxane (556-67-2)			
	USA AIHA	WEEL TWA	10 ppm

8.2. **Exposure Controls**

Appropriate Engineering Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Suitable Controls

eye/body wash equipment should be available in the vicinity

of any potential exposure.

Personal Protective Equipment

Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.









Materials For Protective

Clothing

Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection

Wear protective gloves.

Chemical safety goggles.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Environmental Exposure

Controls

Other Information

Do not allow the product to be released into the environment.

When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid **Appearance** Blue Odor Odorless

Odor Threshold No data available На No data available **Evaporation Rate** No data available **Melting Point** No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) **Auto-ignition Temperature** No data available **Decomposition Temperature** No data available Flammability (solid, gas) Not applicable Vapor Pressure No data available Relative Vapor Density at 20°C No data available Relative Density No data available

> 1 Specific Gravity

Solubility No data available Partition Coefficient n-Octanol/Water No data available No data available Viscosity

9.2. Other Information

VOC Content < 1%

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Thermal decomposition may produce: Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity (Oral) Not classified Acute Toxicity (Dermal) Not classified Acute Toxicity (Inhalation) Not classified

	, , , , , , , , , , , , , , , , , , , ,	
Octamethylcyclotetrasiloxane (556-67-2)		
	LD50 Oral Rat	> 4800 mg/kg (No mortality)
	LD50 Dermal Rat	> 2375 mg/kg
	LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
	LC50 Inhalation Rat	36 mg/l/4h

Skin Corrosion/Irritation Not classified Serious Eye Damage/Irritation Not classified Respiratory or Skin Sensitization Not classified Germ Cell Mutagenicity Not classified Carcinogenicity Not classified

Reproductive Toxicity Suspected of damaging fertility or the unborn

child.

Specific Target Organ Toxicity

(Single Exposure)

Not classified

Specific Target Organ Toxicity

(Repeated Exposure)

Not classified

Aspiration Hazard Not classified

Symptoms/Injuries After

Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin

Contact

Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye

Contact

May cause slight irritation to eyes.

Symptoms/Injuries After

Ingestion may cause adverse effects.

Inaestion

Chronic Symptoms Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Harmful to aquatic life with long-lasting effects.

Octamethylcyclotetrasiloxane (556-67-2)		
LC50 Fish	> 22 µg/l	
NOEC Chronic Fish	0.0044 mg/l	

12.2. Persistence and Degradability

MED51-4800-7	
Persistence and Degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

MED51-4800-7	
Bioaccumulative Potential	Not established.
Octamethylcyclotetrasiloxane (5	556-67-2)
BCF Fish	12400
Partition coefficient n-	6.488 (at 25.1 °C)
octanol/water (Log Pow)	

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local.

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED51-4800-7	
SARA Section 311/312 Hazard Classes	Health hazard - Reproductive toxicity

15.2. US State Regulations

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest Revision

08/16/2024

Other Information

This document has been prepared in accordance with

the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

H226	Flammable liquid and vapor	
H361 Suspected of damaging fertility or the unborn		
H410 Very toxic to aquatic life with long lasting effe H411 Toxic to aquatic life with long lasting effects		

NFPA Health Hazard 1 - Materials that, under emergency

conditions, can cause significant irritation.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.

NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.


HMIS III Rating

Health 1 Slight Hazard

* Chronic - Chronic (long-term) health effects may result from

repeated overexposure

Flammability 1 Slight Hazard
Physical 0 Minimal Hazard



NuSil US GHS SDS